

Motorlu Seçim Tabloları




Selection Tables of
Gearedmotors

Auswahltabellen der
Getriebemotoren

Tabelle di selezione dei
motoriduttori

Tables de Gearedmotors de
sélection

Tablas de selección de
gearedmotors



A/F

A/F 301 ... 701

A/F 202 ... 902

A/F 253 ... 903

TR TEKNİK TANIMLAR

EN TECHNICAL DESCRIPTIONS

DE TECHNISCHE BESCHREIBUNGEN

IT DESCRIZIONI TECNICHE

FR DESCRIPTIONS TECHNIQUES

ES DESCRIPCIONES TECNICAS

Motorlu redüktör performans tablolarının yapısı

Notify about performance tables for Geared motor.

Mitteilung über Leistungstafeln für Getriebemotor

Notificare sulle tabelle di performance per i motoriduttori

Aviser sur les tableaux de performance pour le motoréducteur

Notificar sobre la tabla de performance para los motoreductores.

1.10 kW

Redüktör motor gücü

Gear unit motor power

Potenza motore riduttore

Potencia del motor del reductor

Réducteur puissance du moteur

Getriebe Motorleistung

Motor gücü

Rated motor power

Motormennleistung

Potenza nominale del motore

Puissance nominale du moteur

Potencia nominal del motor

Servis faktörü

Service factor

Factor de servicio

Fattore di servizio

Facteur de service

Servicefaktor

Tahvil oranı

Reduction ratio

Untersetzungsverhältnis

Rapporto di riduzione

Rapport de réduction

Relación de reducción

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	Kg ~	mm
1.10	6.3	1559	1.2	222.59	18.0	A503 - 90S/4A F503 - 90S/4A	60	130
	7.2	1365	1.3	194.86	18.0			
	7.9	1253	1.4	178.98	18.0			
	8.7	1136	1.6	162.21	18.0			
	9.1	1082	1.7	154.52	18.0			
	9.9	994	1.8	142.00	18.0			
	11.3	870	2.1	124.25	18.0			
	12.5	789	2.3	112.61	18.0			
	14.4	685	2.6	97.80	18.0			

Çıkış devri

Output speed

Abtriebsdrehzahl

Vitesse de sortie

Velocità di uscita

Velocidad de salida

Çıkış momenti

Output torque

Abtriebsdrehmoment

Coppia di uscita

Par de salida

Couple de sortie

Müsaade edilebilir radyal yükler

Permissible radial force

Zulässige Radialkraft

Force radiale admissible

Fuerza radial admisible

Forza radiale ammessa

Redüktör tipi

Gear unit motor type

Getriebe Motortyp

Réducteur type de moteur

Reductor tipo de motor

Riduttore tipo di motore

Ölçü sayfaları

Drawing page

Zeichenblatt

La page de dessin

Página de dibujo

Zeichenblatt

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.09	3.7	221	0.9	245.76	5.5	A253 - 63M/6 F253 - 63M/6	15	114
	4.6	177	1.1	197.21	5.5			
	5.0	160	1.2	178.56	5.5			
	6.3	129	1.6	143.29	5.5			
	7.3	111	1.8	123.58	5.5			
	8.3	97	2.1	108.02	5.5			
	9.1	89	2.2	99.17	5.5			
	12.0	67	3.0	74.76	5.5			
	13.5	60	3.3	66.56	5.5			
0.12	21.5	53	0.9	63.59	2.5	A202 - 63M/4A F202 - 63M/4A	7	110
	24.8	46	1.1	55.03	2.5			
	27.8	41	1.1	49.05	2.5			
	32.3	35	1.4	42.20	2.5			
	37.4	31	1.8	36.45	2.5			
	42.1	27	2.0	32.41	2.5			
	49.2	23	2.3	27.75	2.5			
	55.1	21	2.6	24.78	2.5			
	61.3	19	2.9	22.26	2.5			
	63.9	18	3.1	21.36	2.5			
	71.0	16	3.4	19.23	2.5			
	78.6	15	3.8	17.37	2.5			
	86.7	13	4.2	15.75	2.5			
	94.7	12	4.2	14.42	2.5			
	103.2	11	4.2	13.23	2.5			
	118.5	10	5.2	11.52	2.5			
	136.1	8	6.5	10.03	2.5			
	152.9	7	7.3	8.93	2.5			
	170.0	7	8.2	8.03	2.5			
	189.3	6	9.1	7.21	2.5			
	208.4	5	9.6	6.55	2.5			
	228.3	5	11.0	5.98	2.5			
	248.6	5	11.9	5.49	2.5			
	256.1	4	12.3	5.33	2.5			
	285.0	4	13.2	4.79	2.5			
	318.2	4	13.9	4.29	2.5			
	350.0	3	13.7	3.90	2.5			
	383.4	3	16.1	3.56	2.5			
	418.7	3	16.8	3.26	2.5			
	459.6	2	16.9	2.97	2.5			
	482.3	2	16.8	2.83	2.5			
	535.3	2	17.1	2.55	2.5			
	590.9	2	16.8	2.31	2.5			
	643.9	2	16.8	2.12	2.5			
	16.8	68	1.2	81.41	2.8	A 202 G - 63M/4A F 202 G - 63M/4A	9	112
	19.5	59	1.2	70.05	2.8			
	21.9	52	1.2	62.38	2.8			
	25.3	45	1.9	54.05	2.8			
	29.4	39	2.2	46.41	2.8			
	33.0	35	2.4	41.38	2.8			
	35.3	33	2.6	38.72	2.8			
	39.5	29	3.0	34.55	2.8			
	5.6	194	1.0	245.76	5.5	A253 - 63M/4A F253 - 63M/4A	15	114
	6.9	156	1.3	197.21	5.5			
	7.6	141	1.4	178.56	5.5			
	9.5	113	1.8	143.29	5.5			
	11.0	98	2.1	123.58	5.5			
	12.6	85	2.3	108.02	5.5			
	13.8	78	2.6	99.17	5.5			
	18.3	59	3.4	74.76	5.5			
	20.5	53	3.8	66.56	5.5			
	4.8	222	0.9	178.56	5.5	A253 - 63M/6B F253 - 63M/6B	15	114
	6.0	178	1.1	143.29	5.5			
	7.0	154	1.3	123.58	5.5			
	8.0	135	1.5	108.02	5.5			
	8.7	124	1.6	99.17	5.5			
	11.6	93	2.1	74.76	5.5			
	13.0	83	2.4	66.56	5.5			
	16.2	67	3.0	53.41	5.5			

P₁ [kW]	n₂ [Min ⁻¹]	M₂ [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	Kg ~	
0.12	4.8	223	1.3	282.17	6.6	A303 - 63M/4A F303 - 63M/4A	18	118
	6.0	180	1.7	227.56	6.6			
	6.7	162	1.9	205.01	6.6			
	8.3	130	2.3	165.33	6.6			
	9.6	112	2.7	141.89	6.6			
	10.9	99	3.0	125.65	6.6			
	11.9	90	3.3	114.42	6.6			
	3.1	351	0.9	282.17	6.6	A303 - 63M/6B F303 - 63M/6B	18	118
	3.8	283	1.1	227.56	6.6			
	4.2	255	1.2	205.01	6.6			
	5.2	206	1.5	165.33	6.6			
	6.1	177	1.7	141.89	6.6			
	6.9	156	1.9	125.65	6.6			
	7.6	142	2.1	114.42	6.6			
	5.1	212	2.4	268.00	8.0	A353 - 63M/4A F353 - 63M/4A	23	122
	6.3	171	2.9	216.67	8.0			
	7.0	154	3.3	194.72	8.0			
	3.2	334	1.5	268.00	8.0	A353 - 63M/6B F353 - 63M/6B	23	122
	4.0	270	1.9	216.67	8.0			
	4.4	242	2.1	194.72	8.0			
	5.5	196	2.6	157.42	8.0			
	6.4	168	3.0	134.76	8.0			
	7.9	136	3.7	108.95	8.0			
0.15	6.3	214	0.9	143.29	5.5	A 253 - 63M/6C F 253 - 63M/6C	15	114
	7.3	185	1.1	123.58	5.5			
	8.3	162	1.2	108.02	5.5			
	9.1	148	1.3	99.17	5.5			
	12.0	112	1.8	74.76	5.5			
	13.5	100	2.0	66.56	5.5			
	16.9	80	2.5	53.41	5.5			
	4.0	340	0.9	227.56	6.6	A 303 - 63M/6C F 303 - 63M/6C	18	118
	4.4	307	1.0	205.01	6.6			
	5.4	247	1.2	165.33	6.6			
	6.3	212	1.4	141.89	6.6			
	7.2	188	1.6	125.65	6.6			
	7.9	171	1.8	114.42	6.6			
	10.3	130	2.3	86.96	6.6			
	3.4	401	1.2	268.00	8.0	A 353 - 63M/6C F 353 - 63M/6C	23	122
	4.2	324	1.5	216.67	8.0			
	4.6	291	1.7	194.72	8.0			
	5.7	236	2.1	157.42	8.0			
	6.7	202	2.5	134.76	8.0			
	8.3	163	3.1	108.95	8.0			
	9.9	135	3.7	90.51	8.0			
0.18	32.7	53	1.0	42.20	2.5	A202 - 63M/4B F202 - 63M/4B	8	110
	37.9	45	1.2	36.45	2.5			
	42.6	40	1.4	32.41	2.5			
	49.7	35	1.6	27.75	2.5			
	55.7	31	1.8	24.78	2.5			
	62.0	28	2.0	22.26	2.5			
	64.6	27	2.1	21.36	2.5			
	71.8	24	2.3	19.23	2.5			
	79.4	22	2.5	17.37	2.5			
	87.6	20	2.8	15.75	2.5			
	95.7	18	2.8	14.42	2.5			
	104.3	16	2.9	13.23	2.5			
	119.8	14	3.5	11.52	2.5			
	137.6	12	4.4	10.03	2.5			
	154.5	11	4.9	8.93	2.5			
	171.9	10	5.5	8.03	2.5			
	191.4	9	6.1	7.21	2.5			
	210.7	8	6.5	6.55	2.5			
	230.8	7	7.4	5.98	2.5			
	251.4	7	8.0	5.49	2.5			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.18	258.9	7	8.3	5.33	2.5	A202 - 63M/4B F202 - 63M/4B	8	110
	288.1	6	8.9	4.79	2.5			
	321.7	5	9.4	4.29	2.5			
	353.8	5	9.3	3.90	2.5			
	387.6	4	10.8	3.56	2.5			
	423.3	4	11.2	3.26	2.5			
	464.6	4	11.4	2.97	2.5			
	487.6	4	11.2	2.83	2.5			
	541.2	3	11.6	2.55	2.5			
	597.4	3	11.3	2.31	2.5			
	650.9	3	11.4	2.12	2.5			
	17.0	101	0.8	81.41	2.8	A 202 G - 63M/4B F 202 G - 63M/4B	9	112
	19.7	87	0.8	70.05	2.8			
	22.1	78	0.8	62.38	2.8			
	25.5	67	1.3	54.05	2.8			
	29.7	58	1.5	46.41	2.8			
	33.3	52	1.6	41.38	2.8			
	35.6	48	1.8	38.72	2.8			
	39.9	43	2.0	34.55	2.8			
	44.5	39	2.4	31.03	2.8			
	49.9	34	2.7	27.66	2.8			
	55.6	31	3.0	24.83	2.8			
	18.8	88	2.3	47.93	5.5	A252 - 71M/6A F252 - 71M/6A	19	114
	21.4	77	2.6	42.00	5.5			
	23.4	71	2.8	38.46	5.5			
	27.0	61	3.3	33.38	5.5			
	29.9	55	3.6	30.15	5.5	A253 - 63M/2A F253 - 63M/2A	15	114
	11.4	142	1.1	245.76	5.5			
	14.2	114	1.4	197.21	5.5			
	15.7	103	1.5	178.56	5.5			
	19.5	83	1.9	143.29	5.5			
	22.7	71	2.2	123.58	5.5			
	25.9	62	2.5	108.02	5.5			
	28.2	57	2.7	99.17	5.5			
	37.5	43	3.6	74.76	5.5	A253 - 63M/4B F253 - 63M/4B	15	114
	7.7	209	1.0	178.56	5.5			
	9.6	168	1.2	143.29	5.5			
	11.2	145	1.4	123.58	5.5			
	12.8	126	1.6	108.02	5.5			
	13.9	116	1.7	99.17	5.5			
	18.5	88	2.3	74.76	5.5			
	20.7	78	2.6	66.56	5.5			
	25.8	63	3.2	53.41	5.5	A253 - 71M/6A F253 - 71M/6A	19	114
	7.3	222	0.9	123.58	5.5			
	8.3	194	1.0	108.02	5.5			
	9.1	178	1.1	99.17	5.5			
	12.0	134	1.5	74.76	5.5			
	13.5	120	1.7	66.56	5.5			
	16.9	96	2.1	53.41	5.5	A301 - 71M/6A F301 - 71M/6A	18	116
	101.4	16	3.3	8.88	1.0			
	115.7	14	3.5	7.78	1.0	A302 - 71M/6A F302 - 71M/6A	22	118
	16.4	101	2.8	55.03	6.6			
	18.7	88	3.2	48.22	6.6			
	20.3	81	3.4	44.38	6.6	A303 - 63M/2A F303 - 63M/2A	18	118
	9.9	163	1.4	282.17	6.6			
	12.3	131	1.7	227.56	6.6			
	13.7	118	1.9	205.01	6.6			
	16.9	95	2.4	165.33	6.6			
	19.7	82	2.7	141.89	6.6			
	22.3	73	3.1	125.65	6.6			
	24.5	66	3.4	114.42	6.6			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	Kg ~ 	 mm
0.18	4.9	330	0.9	282.17	6.6	A303 - 63M/4B F303 - 63M/4B	18	118
	6.1	266	1.1	227.56	6.6			
	6.7	240	1.2	205.01	6.6			
	8.3	194	1.5	165.33	6.6			
	9.7	166	1.8	141.89	6.6			
	11.0	147	2.0	125.65	6.6			
	12.1	134	2.2	114.42	6.6			
	15.9	102	2.9	86.96	6.6			
	18.1	89	3.4	76.42	6.6			
	5.4	297	1.0	165.33	6.6	A303 - 71M/6A F303 - 71M/6A	22	118
	6.3	255	1.2	141.89	6.6			
	7.2	226	1.3	125.65	6.6			
	7.9	205	1.5	114.42	6.6			
	10.3	156	1.9	86.96	6.6			
	11.8	137	2.2	76.42	6.6			
	14.6	111	2.7	61.63	6.6			
	10.4	155	2.4	268.00	8.0	A353 - 63M/2A F353 - 63M/2A	23	122
	12.9	125	3.0	216.67	8.0			
	14.4	112	3.3	194.72	8.0	A353 - 63M/4B F353 - 63M/4B	23	122
	5.1	314	1.6	268.00	8.0			
	6.4	254	2.0	216.67	8.0			
	7.1	228	2.2	194.72	8.0			
	8.8	184	2.7	157.42	8.0			
	10.2	158	3.2	134.76	8.0			
	12.7	128	3.9	108.95	8.0			
	3.4	481	1.0	268.00	8.0	A353 - 71M/6A F353 - 71M/6A	27	122
	4.2	389	1.3	216.67	8.0			
	4.6	350	1.4	194.72	8.0			
	5.7	283	1.8	157.42	8.0			
	6.7	242	2.1	134.76	8.0			
	8.3	196	2.6	108.95	8.0			
	9.9	163	3.1	90.51	8.0			
	12.4	130	3.8	72.58	8.0			
	3.4	481	1.8	267.75	12.0	A 403 - 71M/6A F 403 - 71M/6A	37	126
	3.8	421	2.0	234.50	12.0			
	4.2	386	2.2	215.01	12.0			
	4.8	334	2.5	186.14	12.0			
	5.3	306	2.8	170.55	12.0			
	6.0	268	3.2	149.47	12.0			
	6.6	243	3.5	135.37	12.0			
0.22	9.8	202	1.0	143.29	5.5	A253 - 63M/4D F253 - 63M/4D	16	114
	11.3	174	1.1	123.58	5.5			
	13.0	152	1.3	108.02	5.5			
	14.1	140	1.4	99.17	5.5			
	18.7	105	1.9	74.76	5.5			
	21.0	94	2.1	66.56	5.5			
	26.2	75	2.7	53.41	5.5			
	6.2	321	0.9	227.56	6.6	A303 - 63M/4D F303 - 63M/4D	19	118
	6.8	289	1.0	205.01	6.6			
	8.5	233	1.3	165.33	6.6			
	9.9	200	1.5	141.89	6.6			
	11.1	177	1.7	125.65	6.6			
	12.2	161	1.9	114.42	6.6			
	16.1	123	2.4	86.96	6.6			
	18.3	108	2.8	76.42	6.6			
	22.7	87	3.5	61.63	6.6			
	5.2	378	1.3	268.00	8.0	A353 - 63M/4D F353 - 63M/4D	24	122
	6.5	306	1.6	216.67	8.0			
	7.2	275	1.8	194.72	8.0			
	8.9	222	2.3	157.42	8.0			
	10.4	190	2.6	134.76	8.0			
	12.8	154	3.3	108.95	8.0			
	15.5	128	3.9	90.51	8.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.25	260.8	9	6.0	5.33	2.5	A202 - 71M/4A F202 - 71M/4A	8	110
	290.2	8	6.4	4.79	2.5			
	324.0	7	6.8	4.29	2.5			
	356.4	7	6.7	3.90	2.5			
	390.4	6	7.8	3.56	2.5			
	426.4	6	8.2	3.26	2.5			
	468.0	5	8.2	2.97	2.5			
	491.2	5	8.2	2.83	2.5			
	545.1	4	8.3	2.55	2.5			
	601.7	4	8.2	2.31	2.5			
	655.7	4	8.2	2.12	2.5			
	50.1	48	1.1	27.75	2.5	A202 - 71M/4A F202 - 71M/4A	8	110
	56.1	43	1.3	24.78	2.5			
	62.4	38	1.4	22.26	2.5			
	65.1	37	1.5	21.36	2.5			
	72.3	33	1.7	19.23	2.5			
	80.0	30	1.8	17.37	2.5			
	88.3	27	2.0	15.75	2.5			
	96.4	25	2.1	14.42	2.5			
	105.1	23	2.1	13.23	2.5			
	120.7	20	2.5	11.52	2.5			
	138.6	17	3.2	10.03	2.5	A 202 G - 71M/4A F 202 G - 71M/4A	11	112
	155.7	15	3.6	8.93	2.5			
	173.1	14	4.0	8.03	2.5			
	192.8	12	4.4	7.21	2.5			
	212.2	11	4.7	6.55	2.5			
	232.4	10	5.4	5.98	2.5			
	253.2	9	5.8	5.49	2.5			
	25.7	93	0.9	54.05	2.8			
	30.0	80	1.1	46.41	2.8			
	33.6	71	1.2	41.38	2.8			
	35.9	67	1.3	38.72	2.8	A252 - 71M/4A F252 - 71M/4A	18	114
	40.2	59	1.4	34.55	2.8			
	44.8	53	1.7	31.03	2.8			
	50.3	48	1.9	27.66	2.8			
	56.0	43	2.2	24.83	2.8			
	61.9	39	2.4	22.44	2.8			
	68.3	35	2.4	20.35	2.8			
	74.6	32	2.6	18.63	2.8			
	29.0	79	2.5	47.93	5.5			
	33.1	69	2.9	42.00	5.5			
	36.1	63	3.2	38.46	5.5	A252 - 71M/6B F252 - 71M/6B	23	114
	41.6	55	3.6	33.38	5.5			
	19.0	121	1.7	47.93	5.5			
	21.7	106	1.9	42.00	5.5			
	23.7	97	2.1	38.46	5.5			
	27.3	84	2.4	33.38	5.5			
	30.2	76	2.6	30.15	5.5			
	34.0	67	3.0	26.79	5.5			
	37.6	61	3.3	24.19	5.5			
	39.5	58	3.4	23.04	5.5			
	15.7	143	1.1	178.56	5.5	A253 - 63M/2B F253 - 63M/2B	16	114
	19.5	115	1.4	143.29	5.5			
	22.7	99	1.6	123.58	5.5			
	25.9	87	1.8	108.02	5.5			
	28.2	79	2.0	99.17	5.5			
	37.5	60	2.6	74.76	5.5			
	42.1	53	2.9	66.56	5.5			
	52.4	43	3.6	53.41	5.5			
	11.2	200	1.0	123.58	5.5	A/F 253 - 63M/4C A/F 253 - 71M/4A	18	114
	12.9	174	1.1	108.02	5.5			
	14.0	160	1.2	99.17	5.5			
	18.6	121	1.7	74.76	5.5			
	20.9	107	1.9	66.56	5.5			
	26.0	86	2.3	53.41	5.5			

0.25 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
0.25	12.2 13.7 17.0	184 164 132	1.1 1.2 1.5	74.76 66.56 53.41	5.5 5.5 5.5	A253 - 71M/6B F253 - 71M/6B	23	114
	156.6 178.7	15 13	3.7 3.9	8.88 7.78	1.0 1.0	A301 - 71M/4A F301 - 71M/4A	14	116
	102.5 117.0 147.2 163.0 179.2	23 20 16 14 13	2.4 2.5 3.2 3.5 3.5	8.88 7.78 6.18 5.58 5.08	1.0 1.0 1.0 1.0 1.0	A301 - 71M/6B F301 - 71M/6B	19	116
	25.3 28.8 31.3	91 80 73	3.1 3.5 3.8	55.03 48.22 44.38	6.6 6.6 6.6	A302 - 71M/4A F302 - 71M/4A	21	118
	16.5 18.9 20.5 23.7 26.3 29.4	139 121 112 97 87 78	2.0 2.3 2.5 2.9 3.2 3.6	55.03 48.22 44.38 38.33 34.62 30.91	6.6 6.6 6.6 6.6 6.6 6.6	A302 - 71M/6B F302 - 71M/6B	26	118
	9.9 12.3 13.7 16.9 19.7 22.3 24.5 32.2 36.6	226 182 164 133 114 101 92 70 61	1.0 1.3 1.4 1.7 2.0 2.3 2.5 3.3 3.8	282.17 227.56 205.01 165.33 141.89 125.65 114.42 86.96 76.42	6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6	A303 - 63M/2B F303 - 63M/2B	19	118
	6.8 8.4 9.8 11.1 12.1 16.0 18.2 22.6	331 267 229 203 185 140 123 100	0.9 1.1 1.3 1.5 1.6 2.1 2.4 3.0	205.01 165.33 141.89 125.65 114.42 86.96 76.42 61.63	6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6	A/F 303 - 63M/4C A/F 303 - 71M/4A	21	118
	7.2 8.0 10.5 11.9 14.8	310 282 214 188 152	1.0 1.1 1.4 1.6 2.0	125.65 114.42 86.96 76.42 61.63	6.6 6.6 6.6 6.6 6.6	A303 - 71M/6B F303 - 71M/6B	26	118
	16.0	143	3.4	56.95	8.0	A352 - 71M/6B F352 - 71M/6B	31	122
	10.4 12.9 14.4 17.8 20.8	215 174 156 126 108	1.8 2.2 2.5 3.1 3.6	268.00 216.67 194.72 157.42 134.76	8.0 8.0 8.0 8.0 8.0	A353 - 63M/2B F353 - 63M/2B	24	122
	5.2 6.4 7.1 8.8 10.3 12.8 15.4	433 350 314 254 218 176 146	1.2 1.4 1.6 2.0 2.3 2.8 3.4	268.00 216.67 194.72 157.42 134.76 108.95 90.51	8.0 8.0 8.0 8.0 8.0 8.0 8.0	A/F 353 - 63M/4C A/F 353 - 71M/4A	26	122
	4.2 4.7 5.8 6.8 8.4 10.1 12.5 15.5	534 480 388 332 269 223 179 145	0.9 1.0 1.3 1.5 1.9 2.2 2.8 3.5	216.67 194.72 157.42 134.76 108.95 90.51 72.58 58.68	8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0	A353 - 71M/6B F353 - 71M/6B	31	122

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
0.25	5.2	432	2.0	267.75	12.0	A403 - 71M/4A F403 - 71M/4A	36	126
	5.9	379	2.2	234.50	12.0			
	6.5	347	2.4	215.01	12.0			
	7.5	301	2.8	186.14	12.0			
	8.2	275	3.1	170.55	12.0			
	9.3	241	3.5	149.47	12.0			
	10.3	219	3.9	135.37	12.0			
	3.4	660	1.3	267.75	12.0	A403 - 71M/6B F403 - 71M/6B	41	126
	3.9	578	1.5	234.50	12.0			
	4.2	530	1.6	215.01	12.0			
	4.9	459	1.9	186.14	12.0			
	5.3	421	2.0	170.55	12.0			
	6.1	369	2.3	149.47	12.0			
	6.7	334	2.5	135.37	12.0			
	7.7	291	2.9	118.13	12.0			
	9.6	234	3.6	94.86	12.0			
0.37	50.1	71	0.8	27.75	2.5	A202 - 71M/4B F202 - 71M/4B	9	110
	56.1	63	0.9	24.78	2.5			
	62.4	57	1.0	22.26	2.5			
	65.1	54	1.0	21.36	2.5			
	72.3	49	1.1	19.23	2.5			
	80.0	44	1.2	17.37	2.5			
	88.3	40	1.4	15.75	2.5			
	96.4	37	1.4	14.42	2.5			
	105.1	34	1.4	13.23	2.5			
	120.7	29	1.7	11.52	2.5			
	138.6	25	2.2	10.03	2.5			
	155.7	23	2.4	8.93	2.5			
	173.1	20	2.7	8.03	2.5			
	192.8	18	3.0	7.21	2.5			
	212.2	17	3.2	6.55	2.5			
	232.4	15	3.6	5.98	2.5			
	253.2	14	3.9	5.49	2.5			
	260.8	14	4.1	5.33	2.5			
	290.2	12	4.4	4.79	2.5			
	324.0	11	4.6	4.29	2.5			
	356.4	10	4.5	3.90	2.5			
	390.4	9	5.3	3.56	2.5			
	426.4	8	5.6	3.26	2.5			
	468.0	8	5.6	2.97	2.5			
	491.2	7	5.6	2.83	2.5			
	545.1	6	5.7	2.55	2.5			
	601.7	6	5.6	2.31	2.5			
	655.7	5	5.6	2.12	2.5			
	35.9	98	0.9	38.72	2.8	A 202 G - 71M/4B F 202 G - 71M/4B	11	112
	40.2	88	1.0	34.55	2.8			
	44.8	79	1.2	31.03	2.8			
	50.3	70	1.3	27.66	2.8			
	56.0	63	1.5	24.83	2.8			
	61.9	57	1.6	22.44	2.8			
	68.3	52	1.6	20.35	2.8			
	74.6	47	1.8	18.63	2.8			
	88.3	40	2.1	15.74	2.8			
	102.5	34	2.5	13.56	2.8			
	115.0	31	2.8	12.09	2.8			
	121.8	29	2.9	11.41	2.8			
	128.1	28	3.1	10.85	2.8			
	58.4	56	2.7	47.93	5.5	A252 - 71M/2A F252 - 71M/2A	18	114
	66.7	51	2.9	42.00	5.5			
	72.8	47	3.2	38.46	5.5			
	83.9	40	3.7	33.38	5.5			
	29.0	117	1.7	47.93	5.5	A252 - 71M/4B F252 - 71M/4B	20	114
	33.1	102	2.0	42.00	5.5			
	36.1	94	2.1	38.46	5.5			
	41.6	81	2.5	33.38	5.5			
	46.1	74	2.7	30.15	5.5			
	51.9	65	3.1	26.79	5.5			
	57.5	59	3.4	24.19	5.5			
	60.3	56	3.6	23.04	5.5			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
0.37	19.2	177	1.1	47.93	5.5	A/F 252 - 71M/6 A/F 252 - 80M/6A	21	114
	21.9	155	1.3	42.00	5.5			
	23.9	142	1.4	38.46	5.5			
	27.6	123	1.6	33.38	5.5			
	30.5	111	1.8	30.15	5.3			
	34.3	99	2.0	26.79	5.0			
	38.0	89	2.2	24.19	4.8			
	39.9	85	2.4	23.04	4.7			
	45.6	74	2.7	20.19	4.4			
	49.8	68	2.9	18.49	4.2			
	54.0	63	3.0	17.05	4.1			
	61.7	55	3.1	14.91	4.1			
	66.0	51	3.3	13.94	3.9			
	76.9	44	3.3	11.97	3.9			
	89.1	38	3.7	10.32	3.7			
	22.7	147	1.1	123.58	5.5	A/F 253 - 63M/2D A/F 253 - 71M/2A	18	114
	25.9	128	1.2	108.02	5.5			
	28.2	118	1.3	99.17	5.5			
	37.5	89	1.8	74.76	5.5			
	42.1	79	2.0	66.56	5.5			
	52.4	63	2.5	53.41	5.5			
	18.6	179	1.1	74.76	5.5	A253 - 71M/4B F253 - 71M/4B	20	114
	20.9	159	1.3	66.56	5.5			
	26.0	128	1.6	53.41	5.5			
	17.2	193	1.0	53.41	5.5	A/F 253 - 71M/6 A/F 253 - 80M/6A	21	114
	315.7	11	3.9	8.87	1.0	A301 - 71M/2A F301 - 71M/2A	14	116
	156.7	22	2.5	8.87	1.0	A301 - 71M/4B F301 - 71M/4B	17	116
	178.7	19	2.6	7.78	1.0			
	224.9	15	3.3	6.18	1.0			
	249.0	14	3.6	5.58	1.0			
	273.8	13	3.6	5.08	1.0			
	103.7	33	1.7	8.87	1.0	A301 - 80M/6A F301 - 80M/6A	17	116
	118.3	29	1.7	7.78	1.0			
	148.9	23	2.2	6.18	1.0			
	164.8	21	2.4	5.58	1.0			
	181.2	19	2.4	5.08	1.0			
	215.6	16	2.8	4.27	1.0			
	252.3	14	3.3	3.65	1.0			
	291.3	12	3.4	3.16	1.0			
	333.1	10	2.9	2.76	1.0			
	355.1	10	3.1	2.59	1.0			
	451.3	8	3.3	2.04	0.9			
	50.9	63	3.4	55.03	6.6	A302 - 71M/2A F302 - 71M/2A	21	118
	58.1	55	3.8	48.22	6.6			
	25.3	134	2.1	55.03	6.6	A302 - 71M/4B F302 - 71M/4B	24	118
	28.8	118	2.4	48.22	6.6			
	31.3	108	2.6	44.38	6.6			
	36.3	94	3.0	38.33	6.6			
	40.2	84	3.3	34.62	6.6			
	45.0	75	3.7	30.91	6.6			
16.7	203	1.4	55.03	6.6	A/F 302 - 71M/6 A/F 302 - 80M/6A	24	118	
19.1	178	1.6	48.22	6.6				
20.7	164	1.7	44.38	6.6				
24.0	141	2.0	38.33	6.6				
26.6	128	2.2	34.62	6.6				
29.8	114	2.5	30.91	6.6				
33.0	103	2.7	27.92	6.6				
34.8	98	2.7	26.45	6.6				
39.2	87	3.0	23.49	6.3				
43.1	79	3.2	21.33	6.1				
47.7	71	3.5	19.29	5.8				

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
0.37	16.9 19.7 22.3 24.5 32.2 36.6 45.4	188 161 143 130 99 87 70	1.2 1.4 1.6 1.7 2.3 2.6 3.2	165.33 141.89 125.65 114.42 86.96 76.42 61.63	6.6 6.6 6.6 6.6 6.6 6.6 6.6	A/F 303 - 63M/2D A/F 303 - 71M/2A	21	118
	11.1 12.1 16.0 18.2 22.6	300 273 208 183 147	1.0 1.1 1.4 1.6 2.0	125.65 114.42 86.96 76.42 61.63	6.6 6.6 6.6 6.6 6.6	A303 - 71M/4B F303 - 71M/4B	23	118
	10.6 12.0 14.9	314 276 223	1.0 1.1 1.3	86.96 76.42 61.63	6.6 6.6 6.6	A/F 303 - 71M/6 A/F 303 - 80M/6A	24	118
	109.8 125.5	31 27	3.2 3.7	8.38 7.33	2.5 2.5	A/F 351 - 71M/6 A/F 351 - 80M/6A	18	120
	24.4	139	3.5	56.95	8.0	A352 - 71M/4B F352 - 71M/4B	28	122
	16.2 18.4 20.0 23.2	210 184 170 146	2.3 2.7 2.9 3.4	56.95 49.88 46.04 39.59	8.0 8.0 8.0 8.0	A/F 352 - 71M/6 A/F 352 - 80M/6A	29	122
	10.4 12.9 14.4 17.8 20.8 25.7 30.9	304 246 221 179 153 124 103	1.2 1.5 1.7 2.1 2.5 3.0 3.6	268.00 216.67 194.72 157.42 134.76 108.95 90.51	8.0 8.0 8.0 8.0 8.0 8.0 8.0	A/F 353 - 63M/2D A/F 353 - 71M/2A	26	122
	6.4 7.1 8.8 10.3 12.8 15.4 19.2 23.7	518 465 376 322 260 216 173 140	1.0 1.1 1.3 1.6 1.9 2.3 2.9 3.6	216.67 194.72 157.42 134.76 108.95 90.51 72.58 58.68	8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0	A353 - 71M/4B F353 - 71M/4B	28	122
	6.8 8.4 10.2 12.7 15.7	487 393 327 262 212	1.0 1.3 1.5 1.9 2.4	134.76 108.95 90.51 72.58 58.68	8.0 8.0 8.0 8.0 8.0	A/F 353 - 71M/6 A/F 353 - 80M/6A	29	122
	10.4 11.9 13.0 15.0 16.4 18.7	306 266 244 211 194 170	2.1 2.4 2.6 3.0 3.3 3.8	267.75 234.50 215.01 186.14 170.55 149.47	12.0 12.0 12.0 12.0 12.0 12.0	A403 - 71M/2A F403 - 71M/2A	36	126
	5.2 5.9 6.5 7.5 8.2 9.3 10.3 11.8 14.7	640 560 514 445 408 357 323 282 227	1.3 1.5 1.7 1.9 2.1 2.4 2.6 3.0 3.7	267.75 234.50 215.01 186.14 170.55 149.47 135.37 118.13 94.86	12.0 12.0 12.0 12.0 12.0 12.0 12.0 12.0 12.0	A403 - 71M/4B F403 - 71M/4B	38	126

0.55 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
0.37	3.9	847	1.0	234.50	12.0	A/F 403 - 71M/6 A/F 403 - 80M/6A	40	126
	4.3	776	1.1	215.01	12.0			
	4.9	672	1.3	186.14	12.0			
	5.4	616	1.4	170.55	12.0			
	6.2	540	1.6	149.47	12.0			
	6.8	489	1.7	135.37	12.0			
	7.8	426	2.0	118.13	12.0			
	9.7	342	2.5	94.86	12.0			
	10.7	310	2.7	85.91	12.0			
	4.1	804	2.2	222.59	18.0	A503 - 80M/6A F503 - 80M/6A	57	130
	4.7	704	2.6	194.86	18.0			
	5.1	646	2.8	178.98	18.0			
	5.7	586	3.1	162.21	18.0			
	6.0	558	3.2	154.52	18.0			
	6.5	513	3.5	142.00	18.0			
0.55	80.6	65	0.8	17.37	2.5	A202 - 71M/4C F202 - 71M/4C	10	110
	88.9	59	0.9	15.75	2.5			
	97.1	54	0.9	14.42	2.5			
	105.8	50	0.9	13.23	2.5			
	121.5	43	1.2	11.52	2.5			
	139.6	38	1.5	10.03	2.5			
	156.8	34	1.6	8.93	2.5			
	174.3	30	1.8	8.03	2.5			
	194.2	27	2.0	7.21	2.5			
	213.7	25	2.2	6.55	2.5			
	234.1	22	2.5	5.98	2.5			
	255.0	21	2.7	5.49	2.5			
	262.7	20	2.8	5.33	2.5			
	292.3	18	2.9	4.79	2.5			
	326.3	16	3.1	4.29	2.5			
	359.0	15	3.1	3.90	2.5			
	393.3	13	3.6	3.56	2.5			
	429.4	12	3.8	3.26	2.5			
	471.4	11	3.8	2.97	2.5			
	494.7	11	3.7	2.83	2.5			
	549.0	10	3.8	2.55	2.5			
	606.1	9	3.7	2.31	2.5			
	660.4	8	3.8	2.12	2.5			
	50.6	104	0.9	27.66	2.8	A 202 G - 80M/4A F 202 G - 80M/4A	13	112
	56.4	93	1.0	24.83	2.8			
	62.4	84	1.1	22.44	2.8			
	68.8	76	1.1	20.35	2.8			
	75.1	70	1.2	18.63	2.8			
	88.9	59	1.4	15.74	2.8			
	103.2	51	1.7	13.56	2.8			
	115.8	45	1.9	12.09	2.8			
	122.7	43	2.0	11.41	2.8			
	129.0	41	2.1	10.85	2.8			
	142.7	37	2.3	9.81	2.8			
	160.0	33	2.7	8.75	2.8			
	179.3	29	2.8	7.81	2.8			
	58.8	82	1.8	47.93	5.5	A252 - 71M/2B F252 - 71M/2B	20	114
	67.1	72	2.1	42.00	5.5			
	73.3	66	2.3	38.46	5.5			
	84.5	57	2.6	33.38	5.5			
	93.5	52	2.9	30.15	5.5			
	105.3	46	3.3	26.79	5.5			
	116.6	41	3.6	24.19	5.5			
	122.4	39	3.8	23.04	5.5			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.55	29.2	173	1.2	47.93	5.5	A/F 252 - 71M/4C A/F 252 - 80M/4A	20	114
	33.3	151	1.3	42.00	5.5			
	36.4	139	1.4	38.46	5.5			
	41.9	120	1.7	33.38	5.5			
	46.4	109	1.8	30.15	5.5			
	52.3	96	2.1	26.79	5.5			
	57.9	87	2.3	24.19	5.5			
	60.8	83	2.4	23.04	5.5			
	69.3	73	2.8	20.19	5.5			
	75.7	67	3.0	18.49	5.5			
	82.1	61	3.1	17.05	5.5			
	93.9	54	3.2	14.91	5.5			
	100.4	50	3.4	13.94	5.5			
	117.0	43	3.4	11.97	5.5			
	135.7	37	3.8	10.32	5.4			
	23.7	213	0.9	38.46	5.5	A252 - 80M/6B F252 - 80M/6B	22	114
	27.6	183	1.1	33.38	5.5			
	30.5	165	1.2	30.15	5.5			
	34.3	147	1.4	26.79	5.5			
	38.0	133	1.5	24.19	5.5			
	39.9	126	1.6	23.04	5.5			
	45.6	111	1.8	20.19	5.5			
	49.8	101	2.0	18.49	5.5			
	54.0	93	2.0	17.05	5.5			
	61.7	82	2.1	14.91	5.5			
	66.0	76	2.2	13.94	5.5			
	76.9	66	2.2	11.97	5.5			
	89.1	57	2.5	10.32	5.4			
	102.0	49	2.6	9.02	5.2			
	116.0	43	2.9	7.93	5.0			
	144.7	35	3.0	6.36	4.7	A253 - 71M/2B F253 - 71M/2B	20	114
	191.7	26	3.6	4.80	4.4			
	37.7	125	1.2	74.76	5.5	A/F 253 - 71M/4C A/F 253 - 80M/4A	20	114
	42.4	112	1.3	66.56	5.5			
	52.8	90	1.7	53.41	5.5			
	26.2	192	1.0	53.41	5.5	A301 - 71M/2B F301 - 71M/2B	16	116
	317.9	16	2.7	8.87	1.0			
	362.5	14	2.8	7.78	1.0			
	456.3	11	3.5	6.18	1.0			
	505.4	10	3.8	5.58	1.0			
	555.1	9	3.8	5.08	1.0	A/F 301 - 71M/4C A/F 301 - 80M/4A	16	116
	157.8	32	1.7	8.87	1.0			
	179.9	28	1.8	7.78	1.0			
	226.5	22	2.2	6.18	1.0			
	250.9	20	2.5	5.58	1.0			
	275.6	18	2.4	5.08	1.0			
	327.9	16	2.9	4.27	1.0			
	383.6	13	3.4	3.65	1.0			
	443.0	11	3.5	3.16	1.0			
	507.2	10	3.0	2.76	0.9			
	540.5	9	3.2	2.59	0.9			
	686.3	7	3.4	2.04	0.9			
	103.7	49	1.1	8.87	1.0	A301 - 80M/6B F301 - 80M/6B	18	116
	118.3	43	1.2	7.78	1.0			
	148.9	34	1.5	6.18	1.0			
	164.9	31	1.6	5.58	1.0			
	181.1	28	1.6	5.08	1.0			
	215.5	24	1.9	4.27	1.0			
	252.1	20	2.2	3.65	1.0			
	291.1	17	2.3	3.16	1.0			
	333.3	15	2.0	2.76	1.0			
	355.2	14	2.1	2.59	1.0			
	451.0	11	2.2	2.04	0.9			
	625.9	8	3.1	1.47	0.8			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.55	51.2	94	2.2	55.03	6.6	A302 - 71M/2B F302 - 71M/2B	23	118
	58.5	83	2.5	48.22	6.6			
	63.5	76	2.8	44.38	6.6			
	73.6	66	3.2	38.33	6.6			
	81.5	59	3.5	34.62	6.6			
	91.2	53	4.0	30.91	6.6			
	25.4	198	1.4	55.03	6.6	A/F 302 - 71M/4C A/F 302 - 80M/4A	23	118
	29.0	174	1.6	48.22	6.6			
	31.5	160	1.8	44.38	6.6			
	36.5	138	2.0	38.33	6.6			
	40.4	125	2.2	34.62	6.6			
	45.3	111	2.5	30.91	6.6			
	50.1	101	2.8	27.92	6.6			
	52.9	95	2.7	26.45	6.6			
	59.6	85	3.1	23.49	6.6			
	65.6	77	3.3	21.33	6.6			
	72.6	69	3.6	19.29	6.6			
	16.7	302	0.9	55.03	6.6	A302 - 80M/6B F302 - 80M/6B	25	118
	19.1	264	1.1	48.22	6.6			
	20.7	243	1.2	44.38	6.6			
	24.0	210	1.3	38.33	6.6			
	26.6	190	1.5	34.62	6.6			
	29.8	169	1.7	30.91	6.6			
	33.0	153	1.8	27.92	6.6			
	34.8	145	1.8	26.45	6.6			
	39.2	129	2.0	23.49	6.6			
	43.1	117	2.1	21.33	6.6			
	47.7	106	2.4	19.29	6.6			
	56.8	89	2.8	16.21	6.6			
	66.6	76	3.3	13.81	6.6			
	76.7	66	3.8	12.00	6.6			
	22.4	211	1.1	125.65	6.6	A303 - 71M/2B F303 - 71M/2B	23	118
	24.6	192	1.2	114.42	6.6			
	32.4	146	1.5	86.96	6.6			
	36.9	128	1.8	76.42	6.6			
	45.8	103	2.2	61.63	6.6			
	12.2	404	0.7	114.42	6.6	A303 - 71M/4C F303 - 71M/4C	23	118
	16.1	307	1.0	86.96	6.6	A/F 303 - 71M/4C A/F 303 - 80M/4A	23	118
	18.3	270	1.1	76.42	6.6			
	22.7	217	1.4	61.63	6.6			
	14.9	331	0.9	61.63	6.6	A303 - 80M/6B F303 - 80M/6B	23	118
	164.7	31	3.2	8.50	2.5	A/F 351 - 71M/4C A/F 351 - 80M/4A	18	120
	188.1	27	3.7	7.44	2.5			
	108.2	47	2.1	8.50	2.5	A351 - 80M/6B F351 - 80M/6B	20	120
	123.6	41	2.4	7.44	2.5			
	155.7	33	3.1	5.91	2.5			
	172.5	30	3.4	5.33	2.5			
	189.8	27	3.5	4.85	2.5			
	49.5	100	3.8	56.95	8.0	A352 - 71M/2B F352 - 71M/2B	28	122
	24.6	201	2.4	56.95	8.0	A/F 352 - 71M/4C A/F 352 - 80M/4A	28	122
	28.1	176	2.8	49.88	8.0			
	30.4	162	3.0	46.04	8.0			
	35.4	140	3.5	39.59	8.0			
	16.2	312	1.6	56.95	8.0	A352 - 80M/6B F352 - 80M/6B	30	122
	18.4	273	1.8	49.88	8.0			
	20.0	252	1.9	46.04	8.0			
	23.2	217	2.3	39.59	8.0			
	27.5	184	2.7	33.50	8.0			
	28.7	175	2.8	32.01	8.0			
	31.8	158	3.1	28.89	8.0			
	34.6	146	3.4	26.59	8.0			
	36.6	138	3.4	25.13	8.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.55	13.0	363	1.0	216.67	8.0	A353 - 71M/2B F353 - 71M/2B	30	122
	14.5	326	1.1	194.72	8.0			
	17.9	264	1.4	157.42	8.0			
	20.9	226	1.7	134.76	8.0			
	25.9	183	2.1	108.95	8.0			
	31.2	152	2.5	90.51	8.0			
	38.9	122	3.1	72.58	8.0			
	48.1	98	3.8	58.68	8.0			
	8.9	555	0.9	157.42	8.0	A353 - 71M/4C F353 - 71M/4C	30	122
	10.4	475	1.1	134.76	8.0	A/F 353 - 71M/4C A/F 353 - 80M/4A	30	122
	12.8	384	1.3	108.95	8.0			
	15.5	319	1.6	90.51	8.0			
	19.3	256	2.0	72.58	8.0			
	23.9	207	2.4	58.68	8.0	A353 - 80M/6B F353 - 80M/6B	30	122
	10.2	486	1.0	90.51	8.0			
	12.7	390	1.3	72.58	8.0			
	15.7	315	1.6	58.68	8.0	A401 - 80M/6B F401 - 80M/6B	20	124
	111.5	46	3.7	8.25	3.7			
	20.3	249	3.4	45.38	12.0	A402 - 80M/6B F402 - 80M/6B	41	126
	23.2	218	3.9	39.72	12.0			
	10.5	449	1.4	267.75	12.0	A403 - 71M/2B F403 - 71M/2B	38	126
	12.0	393	1.6	234.50	12.0			
	13.1	360	1.8	215.01	12.0			
	15.1	312	2.0	186.14	12.0			
	16.5	286	2.2	170.55	12.0			
	18.9	251	2.5	149.47	12.0			
	20.8	227	2.8	135.37	12.0			
	23.9	198	3.2	118.13	12.0			
	29.7	159	4.0	94.86	12.0			
	5.2	944	0.9	267.75	12.0	A/F 403 - 71M/4C A/F 403 - 80M/4A	38	126
	6.0	827	1.0	234.50	12.0			
	6.5	758	1.1	215.01	12.0			
	7.5	656	1.3	186.14	12.0			
	8.2	601	1.4	170.55	12.0			
	9.4	527	1.6	149.47	12.0			
	10.3	477	1.8	135.37	12.0			
	11.9	417	2.0	118.13	12.0			
	14.8	335	2.5	94.86	12.0			
	16.3	303	2.8	85.91	12.0			
	5.4	915	0.9	170.55	12.0	A403 - 80M/6B F403 - 80M/6B	41	126
	6.2	802	1.1	149.47	12.0			
	6.8	726	1.2	135.37	12.0			
	7.8	634	1.3	118.13	12.0			
	9.7	509	1.7	94.86	12.0			
	10.7	461	1.8	85.91	12.0			
	6.3	785	2.3	222.59	18.0	A503 - 80M/4A F503 - 80M/4A	55	130
	7.2	687	2.6	194.86	18.0			
	7.8	631	2.9	178.98	18.0			
	8.6	572	3.1	162.21	18.0			
	9.1	545	3.3	154.52	18.0			
	9.9	501	3.6	142.00	18.0			
	4.1	1195	1.5	222.59	18.0	A503 - 80M/6B F503 - 80M/6B	58	130
	4.7	1046	1.7	194.86	18.0			
	5.1	961	1.9	178.98	18.0			
	5.7	871	2.1	162.21	18.0			
	6.0	829	2.2	154.52	18.0			
	6.5	762	2.4	142.00	18.0			
	7.4	667	2.7	124.25	18.0			
	8.2	604	3.0	112.61	18.0			
	9.4	525	3.4	97.80	18.0			
	10.8	458	3.9	85.33	18.0			

0.75 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
0.75	62.4	115	0.8	22.44	2.8	A 202 G - 80M/4B F 202 G - 80M/4B	14	112
	68.8	104	0.8	20.35	2.8			
	75.1	95	0.9	18.63	2.8			
	88.9	81	1.1	15.74	2.8			
	103.2	69	1.2	13.56	2.8			
	115.8	62	1.4	12.09	2.8			
	122.7	58	1.5	11.41	2.8			
	129.0	56	1.5	10.85	2.8			
	142.7	50	1.7	9.81	2.8			
	160.0	45	2.0	8.75	2.8			
	179.3	40	2.1	7.81	2.8			
	198.9	36	2.3	7.04	2.8			
	218.4	33	2.5	6.41	2.8			
	243.9	29	2.6	5.74	2.8			
	271.3	26	3.1	5.16	2.8			
	302.4	24	3.0	4.63	2.8			
	334.1	21	3.0	4.19	2.8			
	367.5	19	3.0	3.81	2.8			
	407.0	18	3.1	3.44	2.8			
	432.1	17	3.3	3.24	2.8			
	474.6	15	3.3	2.95	2.8			
	510.9	14	3.3	2.74	2.8			
	557.8	13	3.3	2.51	2.8			
	606.1	12	3.6	2.31	2.8			
	59.3	111	1.3	47.93	5.5	A/F 252 - 71M/2C A/F 252 - 80M/2A	20	114
	67.6	97	1.5	42.00	5.5			
	73.8	89	1.7	38.46	5.5			
	85.1	77	1.9	33.38	5.5			
	94.2	70	2.1	30.15	5.5			
	106.0	62	2.4	26.79	5.5			
	117.4	56	2.7	24.19	5.5			
	123.3	53	2.8	23.04	5.5			
	140.6	47	3.2	20.19	5.4			
	153.6	43	3.5	18.49	5.5			
	166.5	40	3.6	17.05	5.5			
	190.4	35	3.7	14.91	5.5			
	203.8	32	3.9	13.94	5.5			
	237.3	28	3.9	11.97	5.3			
	33.3	206	1.0	42.00	5.5	A252 - 80M/4B F252 - 80M/4B	21	114
	36.4	189	1.1	38.46	5.5			
	41.9	164	1.2	33.38	5.5			
	46.4	148	1.4	30.15	5.5			
	52.3	132	1.5	26.79	5.5			
	57.9	119	1.7	24.19	5.5			
	60.8	113	1.8	23.04	5.5			
	69.3	99	2.0	20.19	5.4			
	75.7	91	2.2	18.49	5.5			
	82.1	84	2.3	17.05	5.5			
	93.9	73	2.3	14.91	5.5			
	100.4	68	2.5	13.94	5.5			
	117.0	59	2.5	11.97	5.3			
	135.7	51	2.8	10.32	5.2			
	155.2	44	2.9	9.02	5.0			
	176.5	39	3.2	7.93	4.9			
	220.0	31	3.4	6.36	4.6			
	30.7	224	0.9	30.15	5.5	A/F 252 - 80C/6 A/F 252 - 90S/6A	21	114
	34.5	199	1.0	26.79	5.5			
	38.2	180	1.1	24.19	5.5			
	40.1	171	1.2	23.04	5.5			
	45.8	150	1.3	20.19	5.5			
	50.0	137	1.5	18.49	5.5			
	54.2	127	1.5	17.05	5.5			
	62.0	111	1.5	14.91	5.5			
	66.4	104	1.6	13.94	5.5			
	77.3	89	1.6	11.97	5.3			
	89.7	77	1.8	10.32	5.2			
	102.5	67	1.9	9.02	5.0			
	116.6	59	2.1	7.93	4.9			
	145.3	47	2.2	6.36	4.6			
	192.8	36	2.7	4.80	4.3			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
0.75	53.2	121	1.2	53.41	5.5	A/F 253 - 71M/2C A/F 253 - 80M/2A	20	114
	320.2	21	2.0	8.87	1.0	A/F 301 - 71M/2C A/F 301 - 80M/2A	16	116
	365.0	18	2.0	7.78	1.0			
	459.5	15	2.6	6.18	1.0			
	509.0	13	2.8	5.58	1.0			
	559.1	12	2.8	5.08	1.0			
	665.1	10	3.3	4.27	1.0			
	778.7	9	3.9	3.65	1.0			
	899.3	7	4.0	3.16	1.0			
	1028.3	7	3.4	2.76	0.9			
	1096.1	6	3.7	2.59	0.9			
	1393.2	5	3.9	2.04	0.8			
	157.8	44	1.2	8.87	1.0	A301 - 80M/4B F301 - 80M/4B	17	116
	179.9	39	1.3	7.78	1.0			
	226.5	31	1.6	6.18	1.0			
	250.9	28	1.8	5.58	1.0			
	275.6	25	1.8	5.08	1.0			
	327.9	21	2.1	4.27	1.0			
	383.9	18	2.5	3.65	1.0			
	443.3	16	2.6	3.16	1.0			
	506.9	14	2.2	2.76	0.9			
	540.4	13	2.3	2.59	0.9			
	686.8	10	2.5	2.04	0.8			
	953.2	7	3.4	1.47	0.8			
	118.9	58	0.9	7.78	1.0	A/F 301 - 80C/6 A/F 301 - 90S/6A	20	116
	149.6	46	1.1	6.18	1.0			
	165.7	42	1.2	5.58	1.0			
	182.2	38	1.2	5.08	1.0			
	216.8	32	1.4	4.27	1.0			
	253.6	27	1.6	3.65	1.0			
	292.9	24	1.7	3.16	1.0			
	334.9	21	1.4	2.76	1.0			
	357.0	19	1.5	2.59	1.0			
	453.8	15	1.6	2.04	0.9			
	629.8	11	2.3	1.47	0.8			
	51.6	128	1.6	55.03	6.6	A/F 302 - 71M/2C A/F 302 - 80M/2A	23	118
	58.9	112	1.9	48.22	6.6			
	64.0	103	2.0	44.38	6.6			
	74.1	89	2.4	38.33	6.6			
	82.0	80	2.6	34.62	6.6			
	91.9	72	2.9	30.91	6.6			
	101.7	65	3.2	27.92	6.6			
	107.4	61	3.2	26.45	6.6			
	120.9	55	3.6	23.49	6.6			
	133.1	49	3.8	21.33	6.6			
	25.4	270	1.0	55.03	6.6	A302 - 80M/4B F302 - 80M/4B	24	118
	29.0	237	1.2	48.22	6.6			
	31.5	218	1.3	44.38	6.6			
	36.5	188	1.5	38.33	6.6			
	40.4	170	1.6	34.62	6.6			
	45.3	152	1.8	30.91	6.6			
	50.1	137	2.0	27.92	6.6			
	52.9	130	2.0	26.45	6.6			
	59.6	115	2.3	23.49	6.6			
	65.6	105	2.4	21.33	6.6			
	72.6	95	2.6	19.29	6.6			
	86.3	80	3.1	16.21	6.6			
	101.4	68	3.7	13.81	6.6			

0.75 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
0.75	24.1	285	1.0	38.33	6.6	A/F 302 - 80C/6 A/F 302 - 90S/6A	27	118
	26.7	257	1.1	34.62	6.6			
	29.9	230	1.2	30.91	6.6			
	33.1	208	1.3	27.92	6.6			
	35.0	197	1.3	26.45	6.6			
	39.4	175	1.5	23.49	6.6			
	43.4	159	1.6	21.33	6.6			
	47.9	143	1.7	19.29	6.6			
	57.1	121	2.1	16.21	6.6			
	67.0	103	2.4	13.81	6.6			
	77.1	89	2.8	12.00	6.6			
	88.1	78	3.1	10.50	6.6			
	101.6	68	3.1	9.11	6.6			
	126.0	55	2.9	7.34	6.2			
	165.7	41	3.9	5.58	5.7			
	32.7	206	1.1	86.96	6.6	A/F 303 - 71M/2C A/F 303 - 80M/2A	23	118
	37.2	181	1.3	76.42	6.6			
	46.1	146	1.6	61.63	6.6			
	22.7	296	1.0	61.63	6.6	A303 - 80M/4B F303 - 80M/4B	24	118
	334.1	21	3.8	8.50	2.5	A/F 351 - 71M/2C A/F 351 - 80M/2A	18	120
	164.7	42	2.4	8.50	2.5	A351 - 80M/4B F351 - 80M/4B	19	120
	188.1	37	2.7	7.44	2.5			
	236.9	29	3.4	5.91	2.5			
	262.5	26	3.8	5.33	2.5			
	108.8	64	1.6	8.50	2.5	A/F 351 - 80C/6 A/F 351 - 90S/6A	22	120
	124.3	56	1.8	7.44	2.5			
	156.5	44	2.3	5.91	2.5			
	173.4	40	2.5	5.33	2.5			
	190.9	36	2.6	4.85	2.5			
	227.5	31	2.9	4.07	2.5			
	246.7	28	3.2	3.75	2.5			
	287.1	24	3.3	3.22	2.5			
	353.2	20	3.6	2.62	2.3			
	426.9	16	3.7	2.17	2.2			
	49.9	132	2.8	56.95	8.0	A/F 352 - 71M/2C A/F 352 - 80M/2A	28	122
	56.9	116	3.2	49.88	8.0			
	61.7	107	3.4	46.04	8.0			
	71.7	92	4.0	39.59	8.0			
	24.6	280	1.8	56.95	8.0	A352 - 80M/4B F352 - 80M/4B	29	122
	28.1	245	2.0	49.88	8.0			
	30.4	226	2.2	46.04	8.0			
	35.4	194	2.5	39.59	8.0			
	41.8	165	3.0	33.50	8.0			
	43.7	157	3.1	32.01	8.0			
	48.5	142	3.5	28.89	8.0			
	52.6	131	3.8	26.59	8.0			
	55.7	123	3.8	25.13	8.0			
	16.2	423	1.2	56.95	8.0	A/F 352 - 80C/6 A/F 352 - 90S/6A	32	122
	18.5	371	1.3	49.88	8.0			
	20.1	342	1.4	46.04	8.0			
	23.4	294	1.7	39.59	8.0			
	27.6	249	2.0	33.50	8.0			
	28.9	238	2.1	32.01	8.0			
	32.0	215	2.3	28.89	8.0			
	34.8	198	2.5	26.59	8.0			
	36.8	187	2.5	25.13	8.0			
	42.0	164	2.9	22.03	8.0			
	45.5	151	3.0	20.31	8.0			
	50.5	136	3.4	18.30	8.0			
	54.8	125	3.6	16.88	8.0			
	18.0	357	1.0	157.42	8.0	A353 - 71M/2C F353 - 71M/2C	28	122

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.75	21.1 26.1 31.4 39.1 48.4	306 247 205 165 133	1.2 1.5 1.8 2.3 2.8	134.76 108.95 90.51 72.58 58.68	8.0 8.0 8.0 8.0 8.0	A/F 353 - 80C/6 A/F 353 - 90S/6A	32	122
	12.8 15.5 19.3 23.9	524 435 349 282	1.0 1.1 1.4 1.8	108.95 90.51 72.58 58.68	8.0 8.0 8.0 8.0	A353 - 80M/4B F353 - 80M/4B	29	122
	12.7 15.8	528 427	0.9 1.2	72.58 58.68	8.0 8.0	A/F 353 - 80C/6 A/F 353 - 90S/6A	32	122
	112.1 128.1 161.5	62 54 43	2.7 3.1 4.0	8.25 7.22 5.73	3.7 3.7 3.7	A/F 401 - 80C/6 A/F 401 - 90S/6A	22	124
	30.9	223	3.8	45.38	12.0	A402 - 80M/4B F402 - 80M/4B	40	126
	20.4 23.3 25.4 29.4 32.0	337 295 271 234 215	2.5 2.9 3.1 3.6 4.0	45.38 39.72 36.44 31.50 28.89	12.0 12.0 12.0 12.0 12.0	A/F 402 - 80C/6 A/F 402 - 90S/6A	43	126
	10.6	608	1.0	267.75	12.0	A403 - 71M/2C F403 - 71M/2C	38	126
	12.1 13.2 15.3 16.7 19.0 21.0 24.0 29.9 33.1	533 488 423 387 339 307 268 215 195	1.2 1.3 1.5 1.6 1.9 2.1 2.4 3.0 3.3	234.67 215.21 186.14 170.55 149.47 135.37 118.13 94.86 85.91	12.0 12.0 12.0 12.0 12.0 12.0 12.0 12.0 12.0	A/F 403 - 71M/2C A/F 403 - 80M/2A	38	126
	7.5 8.2 9.4 10.3 11.9 14.8 16.3	895 820 719 651 568 456 413	0.9 1.0 1.2 1.3 1.5 1.9 2.1	186.14 170.55 149.47 135.37 118.13 94.86 85.91	12.0 12.0 12.0 12.0 12.0 12.0 12.0	A403 - 80M/4B F403 - 80M/4B	40	126
	7.8 9.8 10.8	860 690 625	1.0 1.2 1.4	118.13 94.86 85.91	12.0 12.0 12.0	A/F 403 - 80C/6 A/F 403 - 90S/6A	43	126
	13.6 16.9 18.6	497 399 361	1.7 2.1 2.4	68.25 54.81 49.64	12.0 12.0 12.0	A403 - 90S/6A F403 - 90S/6A	43	126
	12.8 14.6 15.9 17.5 18.4	505 442 406 368 351	2.7 3.1 3.3 3.7 3.8	222.59 194.86 178.98 162.21 154.52	18.0 18.0 18.0 18.0 18.0	A503 - 80M/2A F503 - 80M/2A	57	130
	6.3 7.2 7.8 8.6 9.1 9.9 11.3 12.4 14.3	1070 937 861 780 743 683 598 542 470	1.7 1.9 2.1 2.3 2.4 2.6 3.0 3.3 3.8	222.59 194.86 178.98 162.21 154.52 142.00 124.25 112.61 97.80	18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0	A503 - 80M/4B F503 - 80M/4B	57	130

0.92 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
0.75	4.2	1620	1.1	222.59	18.0	A/F 503 - 80C/6 A/F 503 - 90S/6A	60	130
	4.7	1418	1.3	194.86	18.0			
	5.2	1303	1.4	178.98	18.0			
	5.7	1181	1.5	162.21	18.0			
	6.0	1125	1.6	154.52	18.0			
	6.5	1034	1.7	142.00	18.0			
	7.4	904	2.0	124.25	18.0			
	8.2	820	2.2	112.61	18.0			
	9.5	712	2.5	97.80	18.0			
	10.8	621	2.9	85.33	18.0			
	11.8	572	3.1	78.64	18.0	A603 - 90S/6A F603 - 90S/6A	88	134
	13.0	519	3.5	71.27	18.0			
	16.5	409	3.9	56.21	18.0			
	3.8	1766	2.0	242.67	22.0			
	4.3	1569	2.2	215.56	22.0			
	4.8	1414	2.5	194.31	22.0			
	5.1	1318	2.7	181.13	22.0			
	5.7	1171	3.0	160.90	22.0			
	6.4	1045	3.3	143.57	22.0			
0.92	42.2	200	1.0	33.38	5.5	A252 - 80M/4 F252 - 80M/4	21	114
	46.8	180	1.1	30.15	5.5			
	52.6	160	1.2	26.79	5.4			
	58.3	145	1.4	24.19	5.4			
	61.2	138	1.5	23.04	5.3			
	69.8	121	1.7	20.19	5.2			
	76.3	111	1.8	18.49	5.1			
	94.6	89	1.9	14.91	4.9			
	101.1	83	2.0	13.94	4.9			
	117.8	72	2.0	11.97	4.7			
	136.7	62	2.3	10.32	4.5			
	156.3	54	2.4	9.02	4.4			
	177.8	47	2.6	7.93	4.2			
	221.5	38	2.8	6.36	4.0			
	293.9	29	3.3	4.80	3.7	A301 - 80M/4 F301 - 80M/4	17	116
	159.0	54	1.0	8.87	1.0			
	181.2	47	1.1	7.78	1.0			
	228.1	37	1.3	6.18	1.0			
	252.7	34	1.5	5.58	1.0			
	277.6	31	1.5	5.08	0.9			
	330.2	26	1.7	4.27	0.9			
	386.3	22	2.0	3.65	0.9			
	446.2	19	2.1	3.16	0.8			
	510.9	17	1.8	2.76	0.8			
	544.4	16	1.9	2.59	0.8			
	691.2	12	2.0	2.04	0.7			
	959.2	9	2.8	1.47	0.7			
	29.2	288	1.0	48.22	6.6	A302 - 80M/4 F302 - 80M/4	24	118
	31.8	265	1.1	44.38	6.6			
	36.8	229	1.2	38.33	6.6			
	40.7	207	1.4	34.62	6.6			
	45.6	185	1.5	30.91	6.6			
	50.5	167	1.7	27.92	6.6			
	53.3	158	1.6	26.45	6.6			
	60.0	141	1.9	23.49	6.6			
	66.1	128	2.0	21.33	6.6			
	73.1	115	2.2	19.29	6.6			
	87.0	97	2.6	16.21	6.6			
	102.1	83	3.0	13.81	6.4			
	117.5	72	3.5	12.00	6.2			
	134.3	63	3.8	10.50	5.9			
	154.8	54	3.9	9.11	5.7	A351 - 80M/4 F351 - 80M/4	19	120
	192.0	44	3.6	7.34	5.4			
	165.9	51	1.9	8.50	2.5			
	189.5	45	2.2	7.44	2.5			
	238.6	36	2.8	5.91	2.5			
	264.4	32	3.1	5.33	2.5			
	291.0	29	3.2	4.85	2.5			
	346.7	25	3.7	4.07	2.3			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
0.92	24.8	341	1.4	56.95	8.0	A352 - 80M/4 F352 - 80M/4	29	122
	28.3	298	1.6	49.88	8.0			
	30.6	275	1.8	46.04	8.0			
	35.6	237	2.1	39.59	8.0			
	42.1	200	2.4	33.50	8.0			
	44.1	191	2.6	32.01	8.0			
	48.8	173	2.8	28.89	8.0			
	53.0	159	3.1	26.59	8.0			
	56.1	150	3.1	25.13	8.0	A353 - 80M/4 F353 - 80M/4	29	122
	64.0	132	3.6	22.03	8.0			
	69.4	122	3.8	20.31	8.0			
	15.6	530	0.9	90.51	8.0	A401 - 80M/4 F401 - 80M/4	29	124
	19.4	425	1.2	72.58	8.0			
	24.0	344	1.5	58.68	8.0	A402 - 80M/4 F402 - 80M/4	29	126
	170.9	53	3.2	8.25	3.7			
	195.2	46	3.7	7.22	3.7			
	31.1	295	2.9	45.38	12.0	A403 - 80M/4 F403 - 80M/4	29	126
	35.5	258	3.3	39.72	12.0			
	38.7	237	3.4	36.44	12.0			
	9.4	875	1.0	149.47	12.0	A503 - 80M/4 F503 - 80M/4	40	126
	10.4	793	1.1	135.37	12.0			
	11.9	692	1.2	118.13	12.0			
	14.9	556	1.5	94.86	12.0			
	16.4	503	1.7	85.91	12.0			
	6.3	1304	1.4	222.59	18.0	A503 - 80M/4 F503 - 80M/4	57	130
	7.2	1141	1.6	194.86	18.0			
	7.9	1048	1.7	178.98	18.0			
	8.7	950	1.9	162.21	18.0			
	9.1	905	2.0	154.52	18.0			
	9.9	941	1.9	142.00	18.0			
	11.3	824	2.2	124.25	18.0			
	12.5	746	2.4	112.61	18.0			
	14.4	648	2.8	97.80	18.0			
	16.5	566	3.2	85.33	18.0			
	17.9	521	3.5	78.64	18.0			
1.10	123.6	85	1.0	11.41	2.8	A 202 G - 90S/4A F 202 G - 90S/4A	17	112
	143.7	73	1.2	9.81	2.8			
	161.1	65	1.3	8.75	2.8			
	180.5	58	1.4	7.81	2.8			
	200.3	52	1.6	7.04	2.8			
	220.0	48	1.7	6.41	2.8			
	245.6	43	1.8	5.74	2.8			
	273.3	38	2.2	5.16	2.8			
	304.5	34	2.1	4.63	2.8			
	336.5	31	2.1	4.19	2.8			
	370.1	28	2.1	3.81	2.8			
	409.9	26	2.1	3.44	2.8			
	435.2	24	2.2	3.24	2.8			
	478.0	22	2.3	2.95	2.8			
	514.6	20	2.3	2.74	2.8			
	561.8	19	2.3	2.51	2.8			
	610.4	17	2.5	2.31	2.8			
	67.9	142	1.1	42.00	5.0	A252 - 80M/2B F252 - 80M/2B	21	114
	74.1	130	1.2	38.46	5.0			
	85.4	113	1.3	33.38	4.9			
	94.5	102	1.5	30.15	4.8			
	106.4	91	1.7	26.79	4.7			
	117.8	82	1.8	24.19	4.6			
	123.7	78	1.9	23.04	4.5			
	141.1	68	2.2	20.19	4.4			
	154.1	63	2.4	18.49	4.3			
	167.1	58	2.5	17.05	4.2			
	191.1	51	2.5	14.91	4.1			
	204.5	47	2.7	13.94	4.0			
	238.1	41	2.7	11.97	3.9			
	276.3	35	3.0	10.32	3.7			
	315.9	31	3.2	9.02	3.6			
	359.3	27	3.5	7.93	3.5			
	447.8	22	3.6	6.36	3.3			

1.10 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
1.10	46.8	216	0.9	30.15	5.1	A/F 252 - 80M/4C A/F 252 - 90S/4A	24	114
	52.6	192	1.0	26.79	5.1			
	58.3	173	1.2	24.19	5.1			
	61.2	165	1.2	23.04	5.0			
	69.8	144	1.4	20.19	5.0			
	76.3	132	1.5	18.49	4.9			
	82.7	122	1.6	17.05	4.8			
	94.6	107	1.6	14.91	4.7			
	101.1	100	1.7	13.94	4.7			
	117.8	86	1.7	11.97	4.5			
	136.6	74	1.9	10.32	4.4	A252 - 90L/6B F252 - 90L/6B	28	114
	156.3	65	2.0	9.02	4.3			
	177.8	57	2.2	7.93	4.2			
	221.5	46	2.3	6.36	3.9			
	293.9	34	2.8	4.80	3.7			
	46.3	220	0.9	20.19	5.1			
	50.6	201	1.0	18.49	5.1			
	54.8	186	1.0	17.05	5.1			
	62.7	163	1.0	14.91	5.0			
	67.1	152	1.1	13.94	5.0			
	78.1	130	1.1	11.97	4.9	A301 - 80M/2B F301 - 80M/2B	17	116
	90.6	112	1.2	10.32	4.8			
	103.6	98	1.3	9.02	4.7			
	117.9	86	1.4	7.93	4.6			
	146.9	69	1.5	6.36	4.4			
	194.9	52	1.8	4.80	4.1			
	321.1	31	1.3	8.88	0.9			
	366.3	27	1.4	7.78	0.9			
	461.2	21	1.8	6.18	0.9			
	510.8	19	1.9	5.58	0.8			
	561.0	18	1.9	5.08	0.8	A/F 301 - 80M/4C A/F 301 - 90S/4A	20	116
	667.4	15	2.3	4.27	0.8			
	780.8	13	2.7	3.65	0.8			
	901.9	11	2.7	3.16	0.7			
	1032.6	10	2.4	2.76	0.7			
	1100.4	9	2.5	2.59	0.7			
	1397.1	7	2.7	2.04	0.6			
	1938.8	5	3.7	1.47	0.5			
	181.2	56	0.9	7.78	1.0			
	228.2	45	1.1	6.18	1.0	A301 - 90L/6B F301 - 90L/6B	24	116
	252.7	40	1.2	5.58	1.0			
	277.6	37	1.2	5.08	1.0			
	330.2	31	1.5	4.27	0.9			
	386.3	26	1.7	3.65	0.9			
	446.2	23	1.8	3.16	0.9			
	510.9	20	1.5	2.76	0.8			
	544.4	19	1.6	2.59	0.8			
	691.2	15	1.7	2.04	0.8			
	959.2	11	2.4	1.47	0.7			
	219.0	47	1.0	4.27	1.0	A302 - 80M/2B F302 - 80M/2B	24	118
	256.2	40	1.1	3.65	1.0			
	295.9	34	1.2	3.16	1.0			
	338.8	30	1.0	2.76	0.9			
	361.0	28	1.1	2.59	0.9			
	458.3	22	1.1	2.04	0.9			
	636.1	16	1.6	1.47	0.8			
	51.8	187	1.1	55.03	6.6			
	59.1	164	1.3	48.22	6.6			
	64.2	150	1.4	44.38	6.6			
	74.4	130	1.6	38.33	6.6			
	82.3	117	1.8	34.62	6.6			
	92.2	105	2.0	30.91	6.6			
	102.1	95	2.2	27.92	6.6			
	107.7	90	2.2	26.45	6.6			
	121.3	80	2.4	23.49	6.6			
	133.6	72	2.6	21.33	6.6			
	147.7	65	2.9	19.29	6.6			
	175.8	55	3.4	16.21	6.5			
	206.4	47	4.0	13.81	6.3			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
1.10	36.8	274	1.0	38.33	6.6	A/F 302 - 80M/4C A/F 302 - 90S/4A	27	118
	40.7	248	1.1	34.62	6.6			
	45.6	221	1.3	30.91	6.6			
	50.5	200	1.4	27.92	6.6			
	53.3	189	1.4	26.45	6.6			
	60.0	168	1.5	23.49	6.6			
	66.1	153	1.6	21.33	6.6			
	73.1	138	1.8	19.29	6.6			
	87.0	116	2.2	16.21	6.5			
	102.1	99	2.5	13.81	6.3			
	117.5	86	2.9	12.00	6.1			
	134.3	75	3.2	10.50	5.8			
	154.8	65	3.2	9.11	5.6			
	192.0	53	3.0	7.34	5.3			
	33.5	301	0.9	27.92	6.6	A302 - 90L/6B F302 - 90L/6B	31	118
	35.3	285	0.9	26.45	6.6			
	39.8	253	1.0	23.49	6.6			
	43.8	230	1.1	21.33	6.6			
	48.5	208	1.2	19.29	6.6			
	57.7	175	1.4	16.21	6.6			
	67.7	149	1.7	13.81	6.6			
	77.9	129	1.9	12.00	6.6			
	89.1	113	2.1	10.50	6.5			
	102.7	98	2.1	9.11	6.3			
	127.3	79	2.0	7.34	6.0			
	167.5	60	2.7	5.58	5.5			
	46.2	204	1.1	61.63	6.6	A303 - 80M/2B F303 - 80M/2B	24	118
	335.3	29	2.5	8.50	2.5	A351 - 80M/2B F351 - 80M/2B	19	120
	382.8	26	2.9	7.44	2.5			
	482.3	20	3.7	5.91	2.5			
	165.9	61	1.6	8.50	2.5	A/F 351 - 80M/4C A/F 351 - 90S/4A	22	120
	189.4	54	1.9	7.44	2.5			
	238.6	43	2.3	5.91	2.5			
	264.4	39	2.6	5.33	2.5			
	291.0	35	2.7	4.85	2.5			
	346.7	29	3.1	4.07	2.5			
	376.0	27	3.3	3.75	2.5			
	437.6	23	3.4	3.22	2.4			
	538.4	19	3.7	2.62	2.3			
	650.8	16	3.8	2.17	2.2			
	110.0	93	1.1	8.50	2.5	A351 - 90L/6B F351 - 90L/6B	26	120
	125.6	81	1.2	7.44	2.5			
	158.2	64	1.6	5.91	2.5			
	175.3	58	1.7	5.33	2.5			
	192.9	53	1.8	4.85	2.5			
	229.9	44	2.0	4.07	2.5			
	249.3	41	2.2	3.75	2.5			
	290.2	35	2.3	3.22	2.5			
	357.0	29	2.5	2.62	2.5			
	431.5	24	2.5	2.17	2.4			
	644.1	16	3.8	1.45	1.9			
	717.6	14	2.8	1.30	2.0			
	50.0	193	1.9	56.95	8.0	A352 - 80M/2B F352 - 80M/2B	29	122
	57.1	169	2.2	49.88	8.0			
	61.9	156	2.4	46.04	8.0			
	72.0	134	2.7	39.59	8.0			
	85.1	114	3.2	33.50	8.0			
	89.0	109	3.4	32.01	8.0			
	98.7	98	3.8	28.89	8.0			

1.10 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
1.10	24.8	407	1.2	56.95	8.0	A/F 352 - 80M/4C A/F 352 - 90S/4A	32	122
	28.3	357	1.4	49.88	8.0			
	30.6	329	1.5	46.04	8.0			
	35.6	283	1.7	39.59	8.0			
	42.1	240	2.0	33.50	8.0			
	44.0	229	2.1	32.01	8.0			
	48.8	207	2.4	28.89	8.0			
	53.0	190	2.6	26.59	8.0			
	56.1	180	2.6	25.13	8.0			
	64.0	158	3.0	22.03	8.0			
	69.4	145	3.2	20.31	8.0			
	77.0	131	3.5	18.30	8.0			
	83.6	121	3.7	16.88	8.0			
	18.7	538	0.9	49.88	8.0	A352 - 90L/6B F352 - 90L/6B	36	122
	20.3	497	1.0	46.04	8.0			
	23.6	427	1.1	39.59	8.0			
	27.9	361	1.4	33.50	8.0			
	29.2	345	1.4	32.01	8.0			
	32.4	312	1.6	28.89	8.0			
	35.2	287	1.7	26.59	8.0			
	37.2	271	1.7	25.13	8.0			
	42.4	238	2.0	22.03	8.0			
	46.0	219	2.1	20.31	8.0			
	51.1	197	2.3	18.30	8.0			
	55.4	182	2.5	16.88	8.0			
	64.4	157	2.7	14.52	8.0			
	79.7	127	3.1	11.74	8.0			
	95.9	105	3.5	9.75	8.0			
	107.1	94	3.6	8.73	8.0			
	132.5	76	3.8	7.06	7.6			
	26.2	361	1.0	108.95	8.0	A353 - 80M/2B F353 - 80M/2B	29	122
	31.5	300	1.2	90.51	8.0			
	39.3	241	1.6	72.58	8.0	A/F 353 - 80M/4C A/F 353 - 90S/4A	32	122
	48.6	195	1.9	58.68	8.0			
	19.4	508	1.0	72.58	8.0	A/F 401 - 80M/4C A/F 401 - 90S/4A	22	124
	24.0	411	1.2	58.68	8.0			
	170.9	60	2.9	8.25	3.7	A401 - 90L/6B F401 - 90L/6B	26	124
	195.2	52	3.3	7.22	3.7			
	113.3	90	1.9	8.25	3.7			
	129.5	79	2.2	7.22	3.7			
	163.3	62	2.7	5.73	3.7			
	181.0	56	3.0	5.17	3.7			
	199.3	51	3.1	4.69	3.7			
	237.7	43	3.5	3.93	3.7			
	257.9	40	3.8	3.63	3.7	A402 - 80M/2B F402 - 80M/2B	40	126
	300.5	34	3.8	3.11	3.7			
	62.8	161	4.1	45.38	12.0	A/F 402 - 80M/4C A/F 402 - 90S/4A	43	126
	31.1	325	2.6	45.38	12.0			
	35.5	284	3.0	39.72	12.0			
	38.7	261	3.1	36.44	12.0			
	44.8	225	3.8	31.50	12.0			
	48.8	207	3.9	28.89	12.0	A402 - 90L/6B F402 - 90L/6B	47	126
	20.6	489	1.7	45.38	12.0			
	23.5	428	2.0	39.72	12.0			
	25.7	393	2.0	36.44	12.0			
	29.7	340	2.5	31.50	12.0			
	32.4	312	2.6	28.89	12.0			
	37.0	273	3.1	25.30	12.0			
	40.8	247	3.4	22.91	12.0			
	46.9	215	4.0	19.94	12.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
1.10	15.3	617	1.0	186.14	12.0	A403 - 80M/2B F403 - 80M/2B	40	126
	16.7	566	1.1	170.55	12.0			
	19.1	496	1.3	149.47	12.0			
	21.1	449	1.4	135.37	12.0			
	24.1	392	1.6	118.13	12.0			
	30.0	315	2.0	94.86	12.0			
	33.2	285	2.2	85.91	12.0	A/F 403 - 80M/4C A/F 403 - 90S/4A	43	126
	11.9	827	1.0	118.13	12.0			
	14.9	664	1.3	94.86	12.0			
	16.4	602	1.4	85.91	12.0	A403 - 90L/6B F403 - 90L/6B	47	126
	10.9	907	0.9	85.91	12.0			
	13.7	721	1.2	68.25	12.0			
	17.1	579	1.5	54.81	12.0			
	18.8	524	1.6	49.64	12.0	A403 - 90S/4A F403 - 90S/4A	43	126
	20.7	478	1.8	68.25	12.0			
	25.7	384	2.2	54.81	12.0			
	28.4	348	2.4	49.64	12.0	A501 - 90L/6B F501 - 90L/6B	37	128
	109.3	93	3.8	8.56	4.0			
	19.2	526	3.0	48.77	18.0	A502 - 90L/6B F502 - 90L/6B	64	130
	21.6	467	3.4	43.32	18.0			
	23.8	423	3.8	39.21	18.0			
	12.8	738	1.8	222.59	18.0	A503 - 80M/2B F503 - 80M/2B	55	130
	14.6	646	2.1	194.86	18.0			
	15.9	594	2.3	178.98	18.0			
	17.6	538	2.5	162.21	18.0			
	18.4	513	2.6	154.52	18.0			
	20.1	471	2.9	142.00	18.0			
	22.9	412	3.3	124.25	18.0			
	25.3	374	3.6	112.61	18.0			
	6.3	1559	1.2	222.59	18.0	A/F 503 - 80M/4C A/F 503 - 90S/4A	60	130
	7.2	1365	1.3	194.86	18.0			
	7.9	1253	1.4	178.98	18.0			
	8.7	1136	1.6	162.21	18.0			
	9.1	1082	1.7	154.52	18.0			
	9.9	994	1.8	142.00	18.0			
	11.3	870	2.1	124.25	18.0			
	12.5	789	2.3	112.61	18.0			
	14.4	685	2.6	97.80	18.0			
	16.5	598	3.0	85.33	18.0			
	17.9	551	3.3	78.64	18.0			
	19.8	499	3.6	71.27	18.0			
	5.2	1890	1.0	178.98	18.0	A503 - 90L/6B F503 - 90L/6B	64	130
	5.8	1713	1.1	162.21	18.0			
	6.1	1632	1.1	154.52	18.0			
	6.6	1500	1.2	142.00	18.0			
	7.5	1312	1.4	124.25	18.0			
	8.3	1189	1.5	112.61	18.0			
	9.6	1033	1.7	97.80	18.0			
	11.0	901	2.0	85.33	18.0			
	11.9	831	2.2	78.64	18.0			
	13.1	753	2.4	71.27	18.0			
	16.6	594	2.7	56.21	18.0			
	3.9	2563	1.4	242.67	22.0	A603 - 90L/6B F603 - 90L/6B	92	134
	4.3	2277	1.5	215.56	22.0			
	4.8	2052	1.7	194.31	22.0			
	5.2	1913	1.8	181.13	22.0			
	5.8	1699	2.1	160.90	22.0			
	6.5	1516	2.3	143.57	22.0	A603 - 90S/4A F603 - 90S/4A	88	134
	5.8	1699	2.1	242.67	22.0			
	6.5	1510	2.3	215.56	22.0			
	7.3	1361	2.6	194.31	22.0			
	7.8	1269	2.8	181.13	22.0			
	8.8	1127	3.1	160.90	22.0			
	9.8	1005	3.5	143.57	22.0			

1.50 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
1.50	144.8	99	0.9	9.81	2.8	A 202 G - 90L/4A F 202 G - 90L/4A	19	112
	162.3	88	1.0	8.75	2.8			
	181.8	79	1.0	7.81	2.8			
	201.7	71	1.2	7.04	2.8			
	221.5	65	1.3	6.41	2.8			
	247.4	58	1.3	5.74	2.8			
	275.2	52	1.6	5.16	2.8			
	306.7	47	1.5	4.63	2.8			
	338.9	42	1.5	4.19	2.8			
	372.7	38	1.5	3.81	2.8			
	412.8	35	1.6	3.44	2.8			
	438.3	33	1.7	3.24	2.8			
	481.4	30	1.7	2.95	2.8			
	518.2	28	1.7	2.74	2.8			
	565.7	25	1.7	2.51	2.8			
	614.7	23	1.8	2.31	2.8			
	91.1	151	0.9	10.32	4.4	A252 - 100L/6A F252 - 100L/6A	33	114
	104.2	132	1.0	9.02	4.3			
	118.5	116	1.1	7.93	4.2			
	147.7	93	1.1	6.36	4.1			
	195.9	70	1.4	4.80	3.9			
	94.9	139	1.1	30.15	4.4	A/F 252 - 80M/2C A/F 252 - 90S/2A	22	114
	106.8	123	1.2	26.79	4.3			
	118.2	111	1.3	24.19	4.3			
	124.1	106	1.4	23.04	4.2			
	141.6	93	1.6	20.19	4.2			
	154.7	85	1.8	18.49	4.1			
	167.7	79	1.8	17.05	4.0			
	191.8	69	1.9	14.91	3.9			
	205.2	64	2.0	13.94	3.9			
	239.0	55	2.0	11.97	3.7			
	277.2	48	2.2	10.32	3.6			
	317.0	42	2.3	9.02	3.5			
	360.6	37	2.6	7.93	3.4			
	449.4	29	2.7	6.36	3.2			
	596.1	22	3.2	4.80	3.0			
	70.3	196	1.0	20.19	4.4	A252 - 90L/4A F252 - 90L/4A	26	114
	76.8	179	1.1	18.49	4.4			
	83.3	165	1.2	17.05	4.4			
	95.2	144	1.2	14.91	4.3			
	101.9	135	1.3	13.94	4.3			
	118.6	116	1.3	11.97	4.2			
	137.6	100	1.4	10.32	4.1			
	157.4	87	1.5	9.02	4.0			
	179.1	77	1.6	7.93	3.9			
	223.3	62	1.7	6.36	3.8			
	295.8	46	2.0	4.80	3.5			
	322.3	42	1.0	8.88	0.8	A301 - 80M/2C F301 - 80M/2C	17	116
	367.7	37	1.0	7.78	0.9	A/F 301 - 80M/2C A/F 301 - 90S/2A	18	116
	462.6	29	1.3	6.18	0.8			
	512.2	26	1.4	5.58	0.8			
	563.3	24	1.4	5.08	0.8			
	670.3	20	1.7	4.27	0.8			
	784.2	17	2.0	3.65	0.7			
	905.7	15	2.0	3.16	0.7			
	1035.5	13	1.7	2.76	0.7			
	1103.9	12	1.8	2.59	0.7			
	1403.0	10	2.0	2.04	0.6			
	1947.2	7	2.7	1.47	0.6			
	254.5	55	0.9	5.58	0.9	A301 - 90L/4A F301 - 90L/4A	22	116
	279.5	50	0.9	5.08	0.9			
	332.6	42	1.1	4.27	0.9			
	389.0	36	1.3	3.65	0.9			
	449.4	31	1.3	3.16	0.8			
	514.5	27	1.1	2.76	0.8			
	548.3	25	1.2	2.59	0.8			
	696.1	20	1.3	2.04	0.8			
	966.0	14	1.7	1.47	0.7			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
1.50	58.0	237	1.1	16.21	6.2	A302 - 100L/6A F302 - 100L/6A	36	118
	68.1	202	1.2	13.81	6.0			
	78.3	176	1.4	12.00	5.8			
	89.6	154	1.6	10.50	5.6			
	103.2	133	1.6	9.11	5.4			
	128.0	107	1.5	7.34	5.2			
	168.4	82	2.0	5.58	4.8			
	59.3	222	0.9	48.22	6.6	A302 - 80M/2C F302 - 80M/2C	24	118
	74.6	177	1.2	38.33	6.4	A/F 302 - 80M/2C A/F 302 - 90S/2A	25	118
	82.6	160	1.3	34.62	6.3			
	92.5	142	1.5	30.91	6.2			
	102.4	129	1.6	27.92	6.0			
	108.1	122	1.6	26.45	6.0			
	121.8	108	1.8	23.49	5.8			
	134.1	98	1.9	21.33	5.7			
	148.3	89	2.1	19.29	5.5			
	176.4	75	2.5	16.21	5.3			
	207.1	64	2.9	13.81	5.1			
	238.3	55	3.4	12.00	4.9			
	272.5	48	3.7	10.50	4.7			
	314.1	42	3.8	9.11	4.5			
	389.4	34	3.5	7.34	4.3			
	45.9	299	0.9	30.91	6.6	A302 - 90L/4A F302 - 90L/4A	29	118
	50.9	270	1.0	27.92	6.6			
	53.7	256	1.0	26.45	6.6			
	60.5	227	1.1	23.49	6.6			
	66.6	207	1.2	21.33	6.5			
	73.6	187	1.3	19.29	6.4			
	87.6	157	1.6	16.21	6.2			
	102.8	134	1.9	13.81	6.0			
	118.3	116	2.2	12.00	5.8			
	135.3	102	2.4	10.50	5.6			
	155.9	88	2.4	9.11	5.4			
	193.4	71	2.2	7.34	5.2			
	254.4	54	3.0	5.58	4.8			
	159.1	87	1.1	5.91	2.5	A351 - 100L/6A F351 - 100L/6A	31	120
	176.3	79	1.3	5.33	2.5			
	194.0	72	1.3	4.85	2.5			
	231.1	60	1.5	4.07	2.5			
	250.7	55	1.6	3.75	2.5			
	291.7	48	1.7	3.22	2.5			
	358.9	39	1.8	2.62	2.4			
	433.8	32	1.9	2.17	2.3			
	647.6	21	2.8	1.45	2.0			
	721.4	19	2.1	1.30	2.0			
	336.5	40	1.9	8.50	2.5	A/F 351 - 80M/2C A/F 351 - 90S/2A	20	120
	384.4	35	2.1	7.44	2.4			
	483.9	28	2.7	5.91	2.3			
	536.6	25	3.0	5.33	2.2			
	589.7	23	3.1	4.85	2.1			
	703.3	19	3.5	4.07	2.0			
	762.7	18	3.8	3.75	2.0			
	887.6	15	4.0	3.22	1.7			
	167.1	83	1.2	8.50	2.5	A351 - 90L/4A F351 - 90L/4A	24	120
	190.9	73	1.4	7.44	2.5			
	240.3	58	1.7	5.91	2.5			
	266.4	52	1.9	5.33	2.5			
	292.8	47	2.0	4.85	2.5			
	349.2	40	2.3	4.07	2.5			
	378.7	37	2.5	3.75	2.4			
	440.7	32	2.5	3.22	2.3			
	542.2	26	2.7	2.62	2.2			
	655.4	21	2.8	2.17	2.1			
	1089.8	13	3.1	1.30	1.8			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
1.50	29.4	468	1.0	32.01	8.0	A352 - 100L/6A F352 - 100L/6A	41	122
	32.5	423	1.2	28.89	8.0			
	35.4	389	1.3	26.59	8.0			
	37.4	368	1.3	25.13	8.0			
	42.7	322	1.5	22.03	8.0			
	46.3	297	1.5	20.31	8.0			
	51.4	268	1.7	18.30	8.0			
	55.7	247	1.8	16.88	8.0			
	64.8	212	2.0	14.52	8.0			
	80.1	172	2.3	11.74	8.0			
	96.4	143	2.6	9.75	8.0	A/F 352 - 80M/2C A/F 352 - 90S/2A	30	122
	107.7	128	2.7	8.73	7.8			
	133.2	103	2.8	7.06	7.4			
	160.3	86	3.0	5.86	7.0			
	50.2	262	1.4	56.95	8.0			
	57.3	230	1.6	49.88	8.0			
	62.1	212	1.7	46.04	8.0			
	72.2	182	2.0	39.59	8.0			
	85.4	154	2.4	33.50	8.0			
	89.4	147	2.5	32.01	8.0			
	99.0	133	2.8	28.89	8.0	A352 - 90L/4A F352 - 90L/4A	34	122
	107.6	123	3.0	26.59	7.8			
	113.8	116	3.0	25.13	7.7			
	129.8	102	3.5	22.03	7.4			
	140.8	94	3.7	20.31	7.3			
	28.5	483	1.0	49.88	8.0			
	30.8	446	1.1	46.04	8.0			
	35.9	383	1.3	39.59	8.0			
	42.4	324	1.5	33.50	8.0			
	44.4	310	1.6	32.01	8.0			
	49.2	280	1.8	28.89	8.0	A/F 353 - 80M/2C A/F 353 - 90S/2A	30	122
	53.4	258	1.9	26.59	8.0			
	56.5	243	1.9	25.13	8.0			
	64.5	213	2.2	22.03	8.0			
	69.9	197	2.3	20.31	8.0			
	77.6	177	2.6	18.30	8.0			
	84.1	163	2.8	16.88	8.0			
	97.8	141	3.1	14.52	8.0			
	121.0	114	3.4	11.74	7.5			
	145.6	94	3.9	9.75	7.2			
	39.4	327	1.1	72.58	8.0	A401 - 100L/6A F401 - 100L/6A	31	124
	48.7	265	1.4	58.68	8.0			
	113.9	122	1.4	8.25	3.7			
	130.2	107	1.6	7.22	3.7			
	164.1	85	2.0	5.73	3.7			
	181.9	76	2.2	5.17	3.7			
	200.3	69	2.3	4.69	3.7			
	239.0	58	2.6	3.93	3.7			
	259.3	54	2.8	3.63	3.7			
	302.1	46	2.8	3.11	3.7			
	372.5	37	3.2	2.52	3.7	A/F 401 - 80M/2C A/F 401 - 90S/2A	20	124
	451.2	31	3.9	2.08	3.4			
	346.7	39	3.3	8.25	3.7			
	396.0	34	3.7	7.22	3.6			
	172.1	81	2.1	8.25	3.7			
	196.6	71	2.4	7.22	3.7			
	247.9	56	3.0	5.73	3.7			
	274.8	51	3.4	5.17	3.7			
	302.6	46	3.5	4.69	3.7			
	361.0	38	3.9	3.93	3.7			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
1.50	20.7	664	1.3	45.38	12.0	A402 - 100L/6A F402 - 100L/6A	52	126
	23.7	581	1.5	39.72	12.0			
	25.8	533	1.5	36.44	12.0			
	29.8	461	1.8	31.50	12.0			
	32.5	423	1.9	28.89	12.0			
	37.2	370	2.3	25.30	12.0			
	41.0	335	2.5	22.91	12.0			
	47.1	292	2.9	19.94	12.0			
	54.1	254	3.3	17.37	12.0			
	58.7	234	3.4	16.01	12.0			
	64.8	212	3.3	14.50	12.0	A/F 402 - 80M/2C A/F 402 - 90S/2A	41	126
	75.5	182	3.8	12.44	12.0			
	82.0	168	3.9	11.46	12.0			
	63.0	209	3.0	45.38	12.0	A402 - 90L/4A F402 - 90L/4A	45	126
	72.0	183	3.5	39.72	12.0			
	78.5	168	3.6	36.44	12.0			
	31.3	439	1.9	45.38	12.0			
	35.8	385	2.2	39.72	12.0			
	39.0	353	2.3	36.44	12.0	A403 - 100L/6A F403 - 100L/6A	52	126
	45.1	305	2.8	31.50	12.0			
	49.2	280	2.9	28.89	12.0	A403 - 80M/2C F403 - 80M/2C	40	126
	56.1	245	3.5	25.30	12.0			
	62.0	222	3.8	22.91	12.0	A/F 403 - 80M/2C A/F 403 - 90S/2A	41	126
	17.2	785	1.1	54.81	12.0			
	18.9	711	1.2	49.64	12.0			
	21.1	610	1.0	135.37	12.0	A403 - 90L/4A F403 - 90L/4A	45	126
	24.2	532	1.2	118.13	12.0			
	30.2	428	1.5	94.86	12.0	A403 - 90S/2A F403 - 90S/2A	41	126
	33.3	387	1.6	85.91	12.0			
	15.0	900	0.9	94.86	12.0	A501 - 100L/6A F501 - 100L/6A	42	128
	16.5	815	1.0	85.91	12.0			
	20.8	647	1.3	68.25	12.0	A502 - 100L/6A F502 - 100L/6A	69	130
	25.9	520	1.6	54.81	12.0			
	28.6	471	1.8	49.64	12.0			
	41.9	308	2.1	68.25	12.0	A502 - 90L/4A F502 - 90L/4A	62	130
	52.2	247	2.6	54.81	12.0			
	57.6	224	2.8	49.64	12.0	A503 - 100L/6A F503 - 100L/6A	69	130
	109.9	126	2.8	8.56	4.0			
	123.7	112	3.1	7.60	4.0			
	152.4	91	3.7	6.17	4.0			
	19.3	699	2.3	48.77	18.0			
	21.7	621	2.6	43.32	18.0			
	24.0	562	2.8	39.21	18.0			
	27.0	499	3.2	34.83	18.0			
	29.8	452	3.5	31.57	18.0			
	33.3	405	4.0	28.26	18.0			
	29.1	472	3.4	48.77	18.0			
	32.8	420	3.8	43.32	18.0			
	7.6	1780	1.0	124.25	18.0			
	8.3	1613	1.1	112.61	18.0			
	9.6	1401	1.3	97.80	18.0			
	11.0	1222	1.5	85.33	18.0			
	12.0	1127	1.6	78.64	18.0			
	13.2	1021	1.8	71.27	18.0			
	16.7	805	2.0	56.21	18.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
1.50	12.8	1003	1.3	222.59	18.0	A/F 503 - 80M/2C A/F 503 - 90S/2A	58	130
	14.7	878	1.5	194.86	18.0			
	16.0	807	1.7	178.98	18.0			
	17.6	731	1.8	162.21	18.0			
	18.5	697	1.9	154.52	18.0			
	20.1	640	2.1	142.00	18.0			
	23.0	560	2.4	124.25	18.0			
	25.4	508	2.7	112.61	18.0			
	29.2	441	3.1	97.80	18.0	A503 - 90L/4A F503 - 90L/4A	62	130
	33.5	385	3.5	85.33	18.0			
	36.4	355	3.8	78.64	18.0			
	7.3	1848	1.0	194.86	18.0			
	7.9	1697	1.1	178.98	18.0			
	8.8	1538	1.2	162.21	18.0			
	9.2	1465	1.2	154.52	18.0			
	10.0	1347	1.3	142.00	18.0			
	11.4	1178	1.5	124.25	18.0	A603 - 100L/6A F603 - 100L/6A	97	134
	12.6	1068	1.7	112.61	18.0			
	14.5	927	1.9	97.80	18.0			
	18.1	746	2.4	78.64	18.0			
	19.9	676	2.7	71.27	18.0			
	25.3	533	3.0	56.21	18.0			
	3.9	3476	1.0	242.67	22.0			
	4.4	3088	1.1	215.56	22.0			
	4.8	2783	1.3	194.31	22.0	A603 - 90L/4A F603 - 90L/4A	90	134
	5.2	2595	1.3	181.13	22.0			
	5.8	2305	1.5	160.90	22.0			
	6.5	2057	1.7	143.57	22.0			
	7.0	1923	1.8	134.25	22.0			
	7.8	1734	2.0	121.02	22.0			
	9.4	1436	2.4	100.21	22.0			
	10.0	1341	2.6	93.60	22.0			
	11.1	1209	2.9	84.37	22.0	A603 - 90S/2A F603 - 90S/2A	86	134
	11.8	1146	3.1	79.98	22.0			
	13.5	1001	3.5	69.87	22.0			
	5.9	2301	1.6	242.67	22.0			
	6.6	2044	1.7	215.56	22.0			
	7.3	1843	1.9	194.31	22.0			
	7.8	1718	2.0	181.13	22.0			
	8.8	1526	2.3	160.90	22.0			
	9.9	1361	2.6	143.57	22.0	A703 - 100L/6A F703 - 100L/6A	126	138
	11.8	1094	2.5	242.67	22.0			
	13.3	972	2.7	215.56	22.0			
	14.7	876	3.0	194.31	22.0			
	15.8	817	3.2	181.13	22.0			
	17.8	725	3.6	160.90	22.0			
	19.9	647	4.1	143.57	22.0			
	3.6	3727	1.3	260.15	30.0			
	4.1	3314	1.5	231.34	30.0			
	4.5	2976	1.7	207.78	30.0			
	5.0	2715	1.8	189.54	30.0			
	5.4	2480	2.0	173.11	30.0			
	6.0	2227	2.2	155.48	30.0			
	6.5	2076	2.4	144.94	30.0			
	7.3	1839	2.7	128.35	30.0			
	7.9	1701	2.9	118.75	30.0			
	8.7	1554	3.2	108.46	30.0			
	9.4	1438	3.5	100.38	30.0			
	10.4	1289	3.9	89.95	30.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
1.85	148.6 196.9	114 86	0.9 1.1	6.36 4.80	3.9 3.7	A252 - 100L/6 F252 - 100L/6	37	114
	76.3 82.7 94.6 101.1 117.8 136.6 156.3 177.8 221.7 293.8	222 205 179 168 144 124 109 95 77 58	0.9 0.9 0.9 1.0 1.0 1.1 1.2 1.3 1.4 1.6	18.49 17.05 14.91 13.94 11.97 10.32 9.02 7.93 6.36 4.80	4.0 4.0 4.0 4.0 4.0 3.9 3.8 3.8 3.6 3.4	A252 - 90L/4 F252 - 90L/4	26	114
	386.6 446.5 510.5 544.2 691.7 960.0	44 38 34 31 25 18	1.0 1.0 0.9 1.0 1.0 1.4	3.65 3.16 2.76 2.59 2.04 1.47	0.8 0.8 0.8 0.8 0.7 0.7	A301 - 90L/4 F301 - 90L/4	22	116
	68.4 78.8 90.0 103.7 128.7 169.3	248 215 188 164 132 100	1.0 1.2 1.3 1.3 1.2 1.6	13.81 12.00 10.50 9.11 7.34 5.58	6.0 5.9 5.8 5.7 5.5 5.2	A302 - 100L/6 F302 - 100L/6	40	118
	60.0 66.1 73.1 87.0 102.1 117.5 134.3 154.8 192.1 252.6	283 257 232 195 166 144 126 110 88 67	0.9 1.0 1.1 1.3 1.5 1.7 1.9 1.9 1.8 2.4	23.49 21.33 19.29 16.21 13.81 12.00 10.50 9.11 7.34 5.58	6.1 6.1 6.0 5.9 5.7 5.6 5.4 5.3 5.0 4.7	A302 - 90L/4 F302 - 90L/4	29	118
	159.9 177.3 194.8 232.2 252.0 293.5 360.8 436.2 651.0 725.2	107 97 88 74 68 58 47 39 26 24	0.9 1.0 1.1 1.2 1.3 1.4 1.5 1.5 2.3 1.7	5.91 5.33 4.85 4.07 3.75 3.22 2.62 2.17 1.45 1.30	2.5 2.5 2.5 2.5 2.5 2.5 2.4 2.3 2.0 2.0	A351 - 100L/6 F351 - 100L/6	35	120
	165.9 189.5 238.6 264.5 290.7 346.4 376.0 437.9 538.4 650.8 971.3 1082.1	103 90 72 65 59 49 46 39 32 26 18 16	1.0 1.1 1.4 1.5 1.6 1.8 2.0 2.0 2.2 2.3 3.4 2.5	8.50 7.44 5.91 5.33 4.85 4.07 3.75 3.22 2.62 2.17 1.45 1.30	2.5 2.5 2.5 2.5 2.5 2.4 2.4 2.3 2.1 2.0 1.8 1.8	A351 - 90L/4 F351 - 90L/4	24	120
	32.7 35.5 37.6 42.9 46.5 51.6 56.0 65.1 80.5 96.9 108.2 133.9 161.2	519 477 451 395 365 328 303 261 211 175 157 127 105	0.9 1.0 1.0 1.2 1.3 1.4 1.5 1.7 1.9 2.1 2.2 2.3 2.5	28.89 26.59 25.13 22.03 20.31 18.30 16.88 14.52 11.74 9.75 8.73 7.06 5.86	8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 7.8 7.6 7.2 6.9	A352 - 100L/6 F352 - 100L/6	45	122

1.85 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
1.85	35.6	476	1.0	39.59	8.0	A352 - 90L/4 F352 - 90L/4	34	122
	42.1	403	1.2	33.50	8.0			
	44.0	385	1.3	32.01	8.0			
	48.8	348	1.4	28.89	8.0			
	53.0	320	1.5	26.59	8.0			
	56.1	302	1.6	25.13	8.0			
	64.0	265	1.8	22.03	8.0			
	69.4	244	1.9	20.31	8.0			
	77.0	220	2.1	18.30	8.0			
	83.6	203	2.2	16.88	8.0			
	97.1	175	2.5	14.52	7.7			
	120.1	141	2.8	11.74	7.4			
	144.6	117	3.2	9.75	7.0			
	161.5	105	3.2	8.73	6.8			
	199.8	85	3.4	7.06	6.4			
	240.5	71	3.7	5.86	6.1			
	114.5	150	1.1	8.25	3.7	A401 - 100L/6 F401 - 100L/6	35	124
	130.8	131	1.3	7.22	3.7			
	165.0	104	1.6	5.73	3.7			
	182.9	94	1.8	5.17	3.7			
	201.4	85	1.9	4.69	3.7			
	240.3	71	2.1	3.93	3.7			
	260.7	66	2.3	3.63	3.7			
	303.8	56	2.3	3.11	3.7			
	374.4	46	2.6	2.52	3.6			
	453.6	38	3.2	2.08	3.4			
	720.0	24	3.4	1.31	2.9			
	170.9	100	1.7	8.25	3.7	A401 - 90L/4 F401 - 90L/4	24	124
	195.3	88	1.9	7.22	3.7			
	246.2	70	2.4	5.73	3.7			
	272.9	63	2.7	5.17	3.7			
	300.5	57	2.8	4.69	3.7			
	358.5	48	3.1	3.93	3.7			
	389.0	44	3.4	3.63	3.6			
	453.2	38	3.4	3.11	3.4			
	558.7	31	3.9	2.52	3.1			
	20.8	814	1.0	45.38	12.0	A402 - 100L/6 F402 - 100L/6	56	126
	23.8	713	1.2	39.72	12.0			
	25.9	654	1.2	36.44	12.0			
	30.0	565	1.5	31.50	12.0			
	32.7	518	1.5	28.89	12.0			
	37.4	454	1.9	25.30	12.0			
	41.3	411	2.1	22.91	12.0			
	47.4	358	2.4	19.94	12.0			
	54.4	312	2.7	17.37	12.0			
	59.0	287	2.8	16.01	12.0			
	65.2	260	2.7	14.50	12.0			
	75.9	223	3.1	12.44	12.0			
	82.5	206	3.2	11.46	12.0			
	102.7	165	3.6	9.20	12.0			
	113.4	150	4.0	8.33	12.0			
	31.1	546	1.6	45.38	12.0	A402 - 90L/4 F402 - 90L/4	45	126
	35.5	478	1.8	39.72	12.0			
	38.7	438	1.8	36.44	12.0			
	44.8	379	2.2	31.50	12.0			
	48.8	348	2.3	28.89	12.0			
	55.7	304	2.8	25.30	12.0			
	61.5	276	3.1	22.91	12.0			
	70.7	240	3.5	19.94	12.0			
	81.2	209	4.0	17.37	12.0			
	97.2	174	4.0	14.50	12.0			
	28.4	585	1.5	49.64	12.0	A403 - 100L/6 F403 - 100L/6	56	126
	20.7	804	1.1	68.25	12.0	A403 - 90L/4 F403 - 90L/4	45	126
	25.7	646	1.3	54.81	12.0			
	28.4	585	1.5	49.64	12.0			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
1.85	110.5	154	2.3	8.56	4.0	A501 - 100L/6 F501 - 100L/6	46	128
	124.3	136	2.6	7.60	4.0			
	153.2	111	3.1	6.17	4.0			
	168.3	101	3.3	5.62	4.0			
	199.6	85	3.8	4.73	4.0			
	164.8	104	3.4	8.56	4.0	A501 - 90L/4 F501 - 90L/4	35	128
	185.5	92	3.8	7.60	4.0			
	19.4	875	1.8	48.77	18.0	A502 - 100L/6 F502 - 100L/6	73	130
	21.8	778	2.1	43.32	18.0			
	24.1	704	2.3	39.21	18.0			
	27.1	625	2.6	34.83	18.0			
	29.9	567	2.8	31.57	18.0			
	33.4	507	3.2	28.26	18.0			
	35.0	484	3.3	26.98	18.0			
	40.8	415	3.9	23.14	18.0			
	28.9	587	2.7	48.77	18.0	A502 - 90L/4 F502 - 90L/4	62	130
	32.5	521	3.1	43.32	18.0			
	36.0	472	3.4	39.21	18.0			
	40.5	419	3.8	34.83	18.0			
	9.7	1719	1.0	97.80	18.0	A503 - 100L/6 F503 - 100L/6	73	130
	11.1	1500	1.2	85.33	18.0			
	12.0	1382	1.3	78.64	18.0			
	13.3	1253	1.4	71.27	18.0			
	16.8	988	1.6	56.21	18.0			
	8.7	1911	0.9	162.21	18.0	A503 - 90L/4 F503 - 90L/4	62	130
	9.1	1820	1.0	154.52	18.0			
	9.9	1673	1.1	142.00	18.0			
	11.3	1463	1.2	124.25	18.0			
	12.5	1326	1.4	112.61	18.0			
	14.4	1152	1.6	97.80	18.0			
	16.5	1005	1.8	85.33	18.0			
	17.9	926	1.9	78.64	18.0			
	19.8	839	2.1	71.27	18.0			
	25.1	662	2.4	56.21	18.0			
	18.6	914	3.6	50.91	22.0	A602 - 100L/6 F602 - 100L/6	101	134
	20.9	813	4.1	45.27	22.0			
	4.4	3788	0.9	215.56	22.0	A603 - 100L/6 F603 - 100L/6	101	134
	4.9	3415	1.0	194.31	22.0			
	5.2	3183	1.1	181.13	22.0			
	5.9	2828	1.2	160.90	22.0			
	6.6	2523	1.4	143.57	22.0			
	7.0	2359	1.5	134.25	22.0			
	7.8	2127	1.6	121.02	22.0			
	9.4	1761	2.0	100.21	22.0			
	10.1	1645	2.1	93.60	22.0			
	11.2	1483	2.4	84.37	22.0			
	11.8	1406	2.5	79.98	22.0			
	13.5	1228	2.9	69.87	22.0			
	5.8	2858	1.3	242.67	22.0	A603 - 90L/4 F603 - 90L/4	90	134
	6.5	2539	1.4	215.56	22.0			
	7.3	2289	1.5	194.31	22.0			
	7.8	2133	1.6	181.13	22.0			
	8.8	1895	1.8	160.90	22.0			
	9.8	1691	2.1	143.57	22.0			
	3.6	4572	1.1	260.15	30.0	A703 - 100L/6 F703 - 100L/6	131	138
	4.1	4066	1.2	231.34	30.0			
	4.5	3652	1.4	207.78	30.0			
	5.0	3331	1.5	189.54	30.0			
	5.5	3042	1.6	173.11	30.0			
	6.1	2732	1.8	155.48	30.0			
	6.5	2547	2.0	144.94	30.0			
	7.4	2256	2.2	128.35	30.0			
	8.0	2087	2.4	118.75	30.0			
	8.7	1906	2.6	108.46	30.0			
	9.4	1764	2.8	100.38	30.0			
	10.5	1581	3.2	89.95	30.0			
	11.3	1465	3.4	83.35	30.0			
	12.8	1295	3.9	73.70	30.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
2.20	136.7	148	0.9	10.32	3.6	A252 - 100L/4A F252 - 100L/4A	34	114
	156.3	129	1.0	9.02	3.6			
	177.8	113	1.1	7.93	3.6			
	221.7	91	1.2	6.36	3.5			
	293.8	69	1.4	4.80	3.3			
	141.6	136	1.1	20.19	3.7	A252 - 90L/2A F252 - 90L/2A	27	114
	154.7	125	1.2	18.49	3.7			
	167.7	115	1.2	17.05	3.6			
	191.8	101	1.3	14.91	3.6			
	205.2	94	1.4	13.94	3.6			
	239.0	81	1.3	11.97	3.5			
	277.2	70	1.5	10.32	3.4			
	317.0	61	1.6	9.02	3.3			
	360.6	54	1.7	7.93	3.2			
	449.4	43	1.8	6.36	3.1			
	596.1	32	2.2	4.80	2.9			
	670.3	29	1.1	4.27	0.7	A301 - 90L/2A F301 - 90L/2A	30	116
	784.2	25	1.3	3.65	0.7			
	905.7	22	1.4	3.16	0.7			
	1035.5	19	1.2	2.76	0.6			
	1103.9	18	1.3	2.59	0.6			
	1403.0	14	1.3	2.04	0.6			
	1947.2	10	1.8	1.47	0.6			
	73.1	276	0.9	19.29	5.6	A302 - 100L/4A F302 - 100L/4A	37	118
	87.0	232	1.1	16.21	5.6			
	102.1	198	1.3	13.81	5.5			
	117.5	172	1.5	12.00	5.3			
	134.3	150	1.6	10.50	5.2			
	154.8	130	1.6	9.11	5.1			
	192.1	105	1.5	7.34	4.9			
	252.7	80	2.0	5.58	4.6			
	169.3	119	1.3	5.58	5.0	A302 - 112M/6A F302 - 112M/6A	45	118
	102.4	189	1.1	27.92	5.5	A302 - 90L/2A F302 - 90L/2A	30	118
	108.1	179	1.1	26.45	5.5			
	121.7	159	1.2	23.49	5.4			
	134.1	144	1.3	21.33	5.3			
	148.2	130	1.4	19.29	5.2			
	176.4	110	1.7	16.21	5.0			
	207.1	93	2.0	13.81	4.8			
	238.3	81	2.3	12.00	4.7			
	272.5	71	2.5	10.50	4.5			
	314.1	62	2.6	9.11	4.4			
	389.4	50	2.4	7.34	4.1			
	512.4	38	3.2	5.58	3.9			
	238.6	85	1.2	5.91	2.5	A351 - 100L/4A F351 - 100L/4A	32	120
	264.5	77	1.3	5.33	2.5			
	290.7	70	1.4	4.85	2.4			
	346.4	59	1.5	4.07	2.3			
	376.0	54	1.7	3.75	2.3			
	437.9	47	1.7	3.22	2.2			
	538.2	38	1.8	2.62	2.1			
	649.8	31	1.9	2.17	2.0			
	972.4	21	2.9	1.45	1.8			
	1084.6	19	2.1	1.30	1.7			
	252.0	81	1.1	3.75	2.5	A351 - 112M/6A F351 - 112M/6A	40	120
	293.3	69	1.2	3.22	2.4			
	360.8	56	1.2	2.62	2.3			
	436.2	47	1.3	2.17	2.2			
	651.0	31	1.9	1.45	2.0			
	725.2	28	1.4	1.30	1.9			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
2.20	336.5	59	1.3	8.50	2.4	A351 - 90L/2A F351 - 90L/2A	25	120
	384.2	51	1.5	7.44	2.3			
	484.0	41	1.8	5.91	2.2			
	536.3	37	2.0	5.33	2.1			
	590.2	33	2.1	4.85	2.1			
	703.3	28	2.4	4.07	2.0			
	762.7	26	2.6	3.75	1.9			
	887.6	22	2.7	3.22	1.8			
	1092.0	18	2.9	2.62	1.7			
	1320.0	15	3.0	2.17	1.6			
	2194.9	9	3.3	1.30	1.4			
	44.0	458	1.1	32.01	8.0	A352 - 100L/4A F352 - 100L/4A	42	122
	48.8	413	1.2	28.89	8.0			
	53.0	380	1.3	26.59	8.0			
	56.1	359	1.3	25.13	8.0			
	64.0	315	1.5	22.03	8.0			
	69.4	291	1.6	20.31	8.0			
	77.0	262	1.8	18.30	7.9			
	83.5	241	1.9	16.88	7.8			
	97.1	208	2.1	14.52	7.5			
	120.1	168	2.3	11.74	7.2			
	144.6	139	2.7	9.75	6.9	A352 - 112M/6A F352 - 112M/6A	50	122
	161.5	125	2.7	8.73	6.7			
	199.8	101	2.9	7.06	6.3			
	240.5	84	3.1	5.86	6.0			
	51.6	391	1.2	18.30	8.0			
	56.0	360	1.2	16.88	8.0			
	65.1	310	1.4	14.52	8.0			
	80.5	250	1.6	11.74	7.8			
	96.9	208	1.8	9.75	7.6			
	108.2	186	1.8	8.73	7.4			
	133.9	151	1.9	7.06	7.1	A352 - 90L/2A F352 - 90L/2A	35	122
	161.2	125	2.1	5.86	6.7			
	57.3	337	1.1	49.88	8.0			
	62.1	311	1.2	46.04	8.0			
	72.2	268	1.4	39.59	8.0			
	85.4	226	1.6	33.50	7.8			
	89.4	216	1.7	32.01	7.7			
	99.0	195	1.9	28.89	7.6			
	107.6	180	2.0	26.59	7.4			
	113.8	170	2.1	25.13	7.3			
	129.8	149	2.4	22.03	7.1	A401 - 100L/4A F401 - 100L/4A	32	124
	140.8	137	2.5	20.31	7.0			
	156.3	124	2.8	18.30	6.8			
	169.5	114	3.0	16.88	6.7			
	197.0	98	3.3	14.52	6.4			
	243.7	79	3.7	11.74	6.1			
	170.9	119	1.4	8.25	3.7			
	195.3	104	1.6	7.22	3.7			
	246.1	83	2.1	5.73	3.7			
	272.7	75	2.3	5.17	3.7			
	300.6	68	2.4	4.69	3.7	A401 - 112M/6A F401 - 112M/6A	40	124
	358.5	57	2.6	3.93	3.6			
	389.0	52	2.9	3.63	3.5			
	453.2	45	2.9	3.11	3.4			
	558.7	36	3.3	2.52	3.2			
	676.8	30	4.0	2.08	2.9			
	165.0	124	1.4	5.73	3.7			
	182.9	111	1.5	5.17	3.7			
	201.4	101	1.6	4.69	3.7			
	240.3	85	1.8	3.93	3.7			
	260.7	78	1.9	3.63	3.7	A401 - 112M/6A F401 - 112M/6A	40	124
	303.8	67	1.9	3.11	3.7			
	374.4	54	2.2	2.52	3.6			
	453.6	45	2.7	2.08	3.4			
	720.0	28	2.8	1.31	3.0			

2.20 kW

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
2.20	346.7	57	2.2	8.25	3.7	A401 - 90L/2A F401 - 90L/2A	25	124
	396.0	50	2.6	7.22	3.5			
	499.4	40	3.2	5.73	3.3			
	553.5	36	3.6	5.17	3.2			
	609.5	32	3.7	4.69	3.1			
	31.1	649	1.3	45.38	12.0	A402 - 100L/4A F402 - 100L/4A	53	126
	35.5	568	1.5	39.72	12.0			
	38.7	521	1.5	36.44	12.0			
	44.8	451	1.9	31.50	12.0			
	48.8	413	1.9	28.89	12.0			
	55.7	362	2.3	25.30	12.0			
	61.5	328	2.6	22.91	12.0			
	70.7	285	3.0	19.94	12.0			
	81.2	249	3.3	17.37	12.0			
	88.1	229	3.5	16.01	12.0			
	97.2	207	3.4	14.50	12.0			
	113.3	178	3.9	12.44	12.0			
	123.1	164	4.0	11.46	12.0			
	30.0	672	1.3	31.50	12.0	A402 - 112M/6A F402 - 112M/6A	56	126
	32.7	617	1.3	28.89	12.0			
	37.4	540	1.6	25.30	12.0			
	41.3	489	1.7	22.91	12.0			
	47.4	426	2.0	19.94	12.0			
	54.4	371	2.2	17.37	12.0			
	59.0	342	2.3	16.01	12.0			
	65.2	309	2.3	14.50	12.0			
	75.9	266	2.6	12.44	12.0			
	82.5	245	2.7	11.46	12.0			
	102.7	196	3.1	9.20	12.0			
	113.4	178	3.4	8.33	12.0			
	130.9	154	3.6	7.22	12.0			
	63.0	307	2.1	45.38	12.0	A402 - 90L/2A F402 - 90L/2A	46	126
	72.0	268	2.4	39.72	12.0			
	78.5	246	2.4	36.44	12.0			
	90.8	213	3.0	31.50	12.0			
	99.0	195	3.1	28.89	12.0			
	113.1	171	3.7	25.30	12.0	A403 - 100L/4A F403 - 100L/4A	53	126
	124.8	155	4.1	22.91	12.0			
	25.7	768	1.1	54.81	12.0	A403 - 90L/2A F403 - 90L/2A	46	126
	28.4	695	1.2	49.64	12.0			
	33.3	568	1.1	85.91	12.0	A501 - 100L/4A F501 - 100L/4A	43	128
	41.9	451	1.4	68.25	12.0			
	52.2	362	1.8	54.81	12.0			
	57.6	328	1.9	49.64	12.0			
	164.8	124	2.8	8.56	4.0	A501 - 112M/6A F501 - 112M/6A	51	128
	185.5	110	3.2	7.60	4.0			
	228.6	89	3.8	6.17	4.0			
	110.5	185	1.9	8.56	4.0			
	124.3	164	2.1	7.60	4.0			
	153.2	133	2.6	6.17	4.0			
	168.3	121	2.7	5.62	4.0			
	199.6	102	3.1	4.73	4.0			
	232.8	88	3.7	4.06	4.0	A502 - 100L/4A F502 - 100L/4A	70	130
	250.1	81	3.8	3.78	4.0			
	28.9	698	2.3	48.77	18.0			
	32.5	620	2.6	43.32	18.0			
	36.0	561	2.9	39.21	18.0			
	40.5	498	3.2	34.83	18.0			
	44.7	452	3.5	31.57	18.0			
	49.9	404	4.0	28.26	18.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
2.20	19.4	1041	1.5	48.77	18.0	A502 - 112M/6A F502 - 112M/6A	78	130
	21.8	925	1.7	43.32	18.0			
	24.1	837	1.9	39.21	18.0			
	27.1	743	2.2	34.83	18.0			
	29.9	674	2.4	31.57	18.0			
	33.4	603	2.7	28.26	18.0			
	35.0	576	2.8	26.98	18.0			
	40.8	494	3.2	23.14	18.0			
	43.6	463	3.5	21.69	18.0	A502 - 90L/2A F502 - 90L/2A	63	130
	48.1	420	3.8	19.66	18.0			
	50.2	401	3.7	18.81	18.0			
	58.6	330	3.6	48.77	18.0			
	11.3	1740	1.0	124.25	18.0	A503 - 100L/4A F503 - 100L/4A	70	130
	12.5	1577	1.1	112.61	18.0			
	14.4	1370	1.3	97.80	18.0			
	16.5	1195	1.5	85.33	18.0			
	17.9	1101	1.6	78.64	18.0			
	19.8	998	1.8	71.27	18.0			
	25.1	787	2.0	56.21	18.0			
	13.3	1490	1.2	71.27	18.0	A503 - 112M/6A F503 - 112M/6A	78	130
	16.8	1175	1.4	56.21	18.0			
	14.7	1288	1.0	194.86	18.0	A503 - 90L/2A F503 - 90L/2A	63	130
	16.0	1183	1.1	178.98	18.0			
	17.6	1072	1.3	162.21	18.0			
	18.5	1022	1.3	154.52	18.0			
	20.1	939	1.4	142.00	18.0			
	23.0	821	1.6	124.25	18.0			
	25.4	745	1.8	112.61	18.0			
	29.2	647	2.1	97.80	18.0			
	33.5	564	2.4	85.33	18.0			
	36.4	520	2.6	78.64	18.0			
	40.1	471	2.9	71.27	18.0			
	50.9	372	3.2	56.21	18.0			
	113.9	179	3.6	8.30	5.0	A601 - 112M/6A F601 - 112M/6A	63	132
	126.8	161	4.0	7.45	5.0			
	18.6	1087	3.0	50.91	22.0	A602 - 112M/6A F602 - 112M/6A	106	134
	20.9	966	3.4	45.27	22.0			
	23.2	871	3.8	40.81	22.0			
	24.9	811	3.5	38.00	22.0			
	5.8	3399	1.1	242.67	22.0	A603 - 100L/4A F603 - 100L/4A	98	134
	6.5	3019	1.2	215.56	22.0			
	7.3	2722	1.3	194.31	22.0			
	7.8	2537	1.4	181.13	22.0			
	8.8	2254	1.6	160.90	22.0			
	9.8	2011	1.7	143.57	22.0			
	10.5	1880	1.9	134.25	22.0			
	11.7	1695	2.1	121.02	22.0			
	14.1	1404	2.5	100.21	22.0			
	15.1	1311	2.7	93.60	22.0			
	16.7	1182	3.0	84.37	22.0			
	17.6	1120	3.1	79.98	22.0			
	20.2	979	3.6	69.87	22.0			
	6.6	3000	1.2	143.57	22.0	A603 - 112M/6A F603 - 112M/6A	106	134
	7.0	2806	1.2	134.25	22.0			
	7.8	2529	1.4	121.02	22.0			
	9.4	2094	1.7	100.21	22.0			
	10.1	1956	1.8	93.60	22.0			
	11.2	1763	2.0	84.37	22.0			
	11.8	1672	2.1	79.98	22.0			
	13.5	1460	2.4	69.87	22.0			
	11.8	1604	1.7	242.67	22.0	A603 - 90L/2A F603 - 90L/2A	91	134
	13.3	1425	1.8	215.56	22.0			
	14.7	1285	2.0	194.31	22.0			
	15.8	1198	2.2	181.13	22.0			
	17.8	1064	2.5	160.90	22.0			
	19.9	949	2.8	143.57	22.0			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
2.20	5.4	3644	1.4	260.15	30.0	A703 - 100L/4A F703 - 100L/4A	128	138
	6.1	3240	1.5	231.34	30.0			
	6.8	2910	1.7	207.78	30.0			
	7.4	2655	1.9	189.54	30.0			
	8.1	2425	2.1	173.11	30.0			
	9.1	2178	2.3	155.48	30.0			
	9.7	2030	2.5	144.94	30.0			
	11.0	1798	2.8	128.35	30.0			
	11.9	1663	3.0	118.75	30.0			
	13.0	1519	3.3	108.46	30.0			
	14.0	1406	3.6	100.38	30.0			
	15.7	1260	4.0	89.95	30.0			
	4.5	4342	1.2	207.78	30.0	A703 - 112M/6A F703 - 112M/6A	135	138
	5.0	3961	1.3	189.54	30.0			
	5.5	3618	1.4	173.11	30.0			
	6.1	3249	1.5	155.48	30.0			
	6.5	3029	1.7	144.94	30.0			
	7.4	2682	1.9	128.35	30.0			
	8.0	2482	2.0	118.75	30.0			
	8.7	2267	2.2	108.46	30.0			
	9.4	2098	2.4	100.38	30.0			
	10.5	1880	2.7	89.95	30.0			
	11.3	1742	2.9	83.35	30.0			
	12.8	1540	3.2	73.70	30.0			
	14.0	1407	3.6	67.31	30.0			
3.00	280.2	94	1.1	10.32	3.1	A252 - 100L/2A F252 - 100L/2A	34	114
	320.3	82	1.2	9.02	3.1			
	364.4	72	1.3	7.93	3.0			
	454.1	58	1.4	6.36	2.9			
	602.3	44	1.6	4.80	2.7			
	293.8	94	1.0	4.80	3.1	A252 - 100L/4B F252 - 100L/4B	37	114
	149.8	176	1.1	19.29	4.8	A302 - 100L/2A F302 - 100L/2A	37	118
	178.2	148	1.3	16.21	4.7			
	209.3	126	1.5	13.81	4.6			
	240.8	109	1.7	12.00	4.4			
	275.4	96	1.9	10.50	4.3			
	317.4	83	1.9	9.11	4.2			
	393.5	67	1.8	7.34	4.0			
	517.8	51	2.4	5.58	3.7			
	102.1	269	0.9	13.81	4.9	A302 - 100L/4B F302 - 100L/4B	40	118
	117.5	234	1.1	12.00	4.8			
	134.3	205	1.2	10.50	4.8			
	154.8	178	1.2	9.11	4.7			
	192.1	143	1.1	7.34	4.6			
	252.7	109	1.5	5.58	4.3			
	171.1	161	1.0	5.58	4.7	A302 - 132S/6B F302 - 132S/6B	61	118
	489.1	55	1.4	5.91	2.1	A351 - 100L/2A F351 - 100L/2A	32	120
	542.2	50	1.5	5.33	2.0			
	595.9	45	1.6	4.85	2.0			
	710.1	38	1.8	4.07	1.9			
	770.7	35	1.9	3.75	1.9			
	897.5	30	2.0	3.22	1.8			
	1103.1	24	2.2	2.62	1.7			
	1331.8	20	2.2	2.17	1.6			
	1993.1	14	3.3	1.45	1.4			
	2223.1	12	2.5	1.30	1.4			
	264.5	105	1.0	5.33	2.3	A351 - 100L/4B F351 - 100L/4B	35	120
	290.7	96	1.0	4.85	2.3			
	346.4	80	1.1	4.07	2.2			
	376.0	74	1.2	3.75	2.2			
	437.9	63	1.3	3.22	2.1			
	538.2	52	1.4	2.62	2.0			
	649.8	43	1.4	2.17	1.9			
	972.4	29	2.1	1.45	1.7			
	1084.6	26	1.6	1.30	1.7			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
3.00	364.6 440.8 657.9 732.9	76 63 42 38	0.9 1.0 1.4 1.1	2.62 2.17 1.45 1.30	2.2 2.1 1.9 1.9	A351 - 112M/6 F351 - 112M/6	42	120
	90.3 100.0 108.7 115.0 131.2 142.3 157.9 171.3 199.1 246.2 296.4 331.0 409.5 492.9	292 263 243 229 201 185 167 154 132 107 89 80 64 53	1.3 1.4 1.5 1.5 1.8 1.9 2.1 2.2 2.4 2.7 3.1 3.2 3.4 3.6	32.01 28.89 26.59 25.13 22.03 20.31 18.30 16.88 14.52 11.74 9.75 8.73 7.06 5.86	7.2 7.1 7.0 6.9 6.8 6.6 6.5 6.4 6.2 5.9 5.6 5.4 5.1 4.9	A352 - 100L/2A F352 - 100L/2A	42	122
	53.0 56.1 64.0 69.4 77.0 83.5 97.1 120.1 144.6 161.5 199.7 240.6	519 490 430 396 357 329 283 229 190 170 138 114	0.9 1.0 1.1 1.2 1.3 1.4 1.5 1.7 1.9 2.0 2.1 2.3	26.59 25.13 22.03 20.31 18.30 16.88 14.52 11.74 9.75 8.73 7.06 5.86	7.4 7.4 7.4 7.3 7.2 7.2 7.0 6.8 6.5 6.4 6.1 5.8	A352 - 100L/4B F352 - 100L/4B	45	122
	56.6 65.8 81.3 97.9 109.4 135.3 163.0	486 418 338 281 251 203 169	0.9 1.0 1.2 1.3 1.4 1.4 1.5	16.88 14.52 11.74 9.75 8.73 7.06 5.86	7.4 7.3 7.2 7.0 6.9 6.7 6.4	A352 - 112M/6 F352 - 112M/6	52	122
	350.3 400.3 504.4 559.0 616.2 735.4 798.3 929.3 1146.8	77 67 53 48 44 37 34 29 23	1.7 1.9 2.4 2.6 2.7 3.1 3.3 3.4 3.8	8.25 7.22 5.73 5.17 4.69 3.93 3.62 3.11 2.52	3.6 3.4 3.2 3.1 3.0 2.9 2.8 2.7 2.5	A401 - 100L/2A F401 - 100L/2A	32	124
	170.9 195.3 246.1 272.7 300.6 358.8 389.5 453.4 559.5 676.8 1074.3	163 142 113 102 92 77 71 61 50 41 26	1.0 1.2 1.5 1.7 1.7 1.9 2.1 2.1 2.4 2.9 3.1	8.25 7.22 5.73 5.17 4.69 3.93 3.62 3.11 2.52 2.08 1.31	3.7 3.7 3.7 3.7 3.7 3.5 3.4 3.3 3.1 2.9 2.6	A401 - 100L/4B F401 - 100L/4B	35	124
	166.7 184.8 203.5 242.8 263.4 307.0 378.4 458.4 727.6	167 150 137 114 105 91 73 61 38	1.0 1.1 1.2 1.3 1.4 1.4 1.6 2.0 2.1	5.73 5.17 4.69 3.93 3.63 3.11 2.52 2.08 1.31	3.7 3.7 3.7 3.7 3.7 3.7 3.6 3.3 3.0	A401 - 112M/6 F401 - 112M/6	41	124

3.00 kW

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
3.00	63.7	414	1.5	45.38	12.0	A402 - 100L/2A F402 - 100L/2A	53	126
	72.8	362	1.8	39.72	12.0			
	79.3	332	1.8	36.44	12.0			
	91.7	287	2.2	31.50	12.0			
	100.0	263	2.3	28.89	12.0			
	114.2	231	2.8	25.30	12.0			
	126.1	209	3.1	22.91	12.0			
	144.9	182	3.5	19.94	12.0			
	166.4	158	3.9	17.37	11.7			
	180.5	146	4.1	16.01	11.4			
	199.3	132	4.0	14.50	11.1			
	31.1	885	1.0	45.38	12.0	A402 - 100L/4B F402 - 100L/4B	56	126
	35.5	775	1.1	39.72	12.0			
	38.7	711	1.1	36.44	12.0			
	44.8	614	1.4	31.50	12.0			
	48.8	564	1.4	28.89	12.0			
	55.7	494	1.7	25.30	12.0			
	61.5	447	1.9	22.91	12.0			
	70.7	389	2.2	19.94	12.0			
	81.2	339	2.4	17.37	12.0			
	88.1	312	2.6	16.01	12.0			
	97.2	283	2.5	14.50	12.0			
	113.3	243	2.9	12.44	12.0			
	123.1	224	2.9	11.46	12.0			
	153.2	179	3.3	9.20	11.8			
	169.2	163	3.7	8.33	11.5			
	195.3	141	3.9	7.22	11.1			
	30.3	907	0.9	31.50	12.0	A402 - 112M/6 F402 - 112M/6	62	126
	33.1	832	1.0	28.89	12.0			
	37.8	729	1.2	25.30	12.0	A/F 402 - 112M/6 A/F 402 - 132S/6B	76	126
	41.7	660	1.3	22.91	12.0			
	47.9	574	1.5	19.94	12.0			
	55.0	500	1.7	17.37	12.0			
	59.6	461	1.7	16.01	12.0			
	65.9	418	1.7	14.50	12.0			
	76.7	358	2.0	12.44	12.0			
	83.3	330	2.0	11.46	12.0			
	103.8	265	2.3	9.20	12.0			
	114.6	240	2.5	8.33	12.0			
	132.3	208	2.6	7.22	12.0			
	164.7	167	3.3	5.80	11.8			
	181.9	151	3.3	5.25	11.5			
	52.7	489	1.3	54.81	12.0	A403 - 100L/2A F403 - 100L/2A	53	126
	58.2	443	1.4	49.64	12.0			
	337.6	80	3.3	8.56	4.0	A501 - 100L/2A F501 - 100L/2A	43	128
	380.3	71	3.7	7.60	4.0			
	164.7	169	2.1	8.56	4.0	A501 - 100L/4B F501 - 100L/4B	46	128
	185.5	150	2.3	7.60	4.0			
	228.6	122	2.8	6.17	4.0			
	251.1	111	3.0	5.62	4.0			
	297.9	93	3.4	4.73	4.0			
	111.6	249	1.4	8.56	4.0	A/F 501 - 112M/6 A/F 501 - 132S/6B	66	128
	125.7	221	1.6	7.60	4.0			
	154.9	179	1.9	6.17	4.0			
	170.1	163	2.0	5.62	4.0			
	201.8	138	2.3	4.73	4.0			
	235.3	118	2.7	4.06	4.0			
	252.8	110	2.8	3.78	4.0			
	289.4	96	3.2	3.30	4.0			
	369.7	75	3.7	2.58	4.0			
	59.3	445	2.7	48.77	18.0	A502 - 100L/2A F502 - 100L/2A	70	130
	66.7	395	3.0	43.32	18.0			
	73.7	358	3.4	39.21	18.0			
	83.0	318	3.8	34.83	17.6			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
3.00	28.9	951	1.7	48.77	18.0	A502 - 100L/4B F502 - 100L/4B	73	130
	32.5	845	1.9	43.32	18.0			
	36.0	765	2.1	39.21	18.0			
	40.5	679	2.4	34.83	18.0			
	44.7	616	2.6	31.57	18.0			
	49.9	551	2.9	28.26	18.0			
	52.3	526	3.0	26.98	18.0			
	60.9	451	3.5	23.14	18.0			
	65.0	423	3.8	21.69	18.0			
	19.6	1404	1.1	48.77	18.0	A/F 502 - 112M/6 A/F 502 - 132S/6B	93	130
	22.0	1248	1.3	43.32	18.0			
	24.4	1129	1.4	39.21	18.0			
	27.4	1003	1.6	34.83	18.0			
	30.3	909	1.8	31.57	18.0			
	33.8	814	2.0	28.26	18.0			
	35.4	777	2.1	26.98	18.0			
	41.3	666	2.4	23.14	18.0			
	44.0	625	2.6	21.69	18.0			
	48.6	566	2.8	19.66	18.0			
	50.8	542	2.8	18.81	18.0			
	56.6	486	3.1	16.86	18.0			
	63.1	436	3.4	15.13	18.0			
	69.7	395	3.5	13.71	18.0			
	85.2	323	3.4	11.20	17.5	A502 - 132S/6B F502 - 132S/6B	93	130
	106.0	259	3.5	9.01	16.5			
	117.0	235	3.4	8.16	16.1			
	126.5	217	3.7	7.55	15.7			
	23.3	1109	1.2	124.25	18.0	A503 - 100L/2A F503 - 100L/2A	70	130
	25.7	1005	1.3	112.61	18.0			
	29.5	873	1.5	97.80	18.0			
	33.9	761	1.8	85.33	18.0			
	36.7	702	1.9	78.64	18.0			
	40.5	636	2.1	71.27	18.0			
	51.4	501	2.4	56.21	18.0			
	14.4	1868	1.0	97.80	18.0	A503 - 100L/4B F503 - 100L/4B	73	130
	16.5	1630	1.1	85.33	18.0			
	17.9	1502	1.2	78.64	18.0			
	19.8	1361	1.3	71.27	18.0			
	25.1	1074	1.5	56.21	18.0			
	17.0	1585	1.0	56.21	18.0	A503 - 132S/6B F503 - 132S/6B	93	130
	169.9	164	4.0	8.30	5.0	A601 - 100L/4B F601 - 100L/4B	58	132
	115.1	242	2.7	8.30	5.0	A/F 601 - 112M/6 A/F 601 - 132S/6B	78	132
	128.1	217	3.0	7.45	5.0			
	155.2	179	3.6	6.15	5.0			
	183.7	151	4.1	5.20	5.0			
	27.7	993	3.3	50.91	22.0	A602 - 100L/4B F602 - 100L/4B	101	134
	31.1	883	3.7	45.27	22.0			
	37.1	741	3.8	38.00	22.0			
	18.8	1466	2.3	50.91	22.0	A/F 602 - 112M/6 A/F 602 - 132S/6B	121	134
	21.1	1304	2.5	45.27	22.0			
	23.4	1175	2.8	40.81	22.0			
	25.1	1094	2.6	38.00	22.0			
	28.3	973	3.3	33.79	22.0			
	31.5	874	3.7	30.35	22.0			
	33.7	817	4.0	28.36	22.0			

3.00 kW

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
3.00	11.9	2165	1.2	242.67	22.0	A603 - 100L/2A F603 - 100L/2A	98	134
	13.4	1923	1.4	215.56	22.0			
	14.9	1734	1.5	194.31	22.0			
	16.0	1616	1.6	181.13	22.0			
	18.0	1436	1.8	160.90	22.0			
	20.1	1281	2.0	143.57	22.0			
	21.5	1198	2.2	134.25	22.0			
	23.9	1080	2.4	121.02	22.0			
	28.8	894	2.9	100.21	22.0			
	30.9	835	3.1	93.60	22.0			
	34.3	753	3.5	84.37	22.0	A603 - 100L/4B F603 - 100L/4B	101	134
	36.1	714	3.7	79.98	22.0			
	7.3	3711	0.9	194.31	22.0			
	7.8	3460	1.0	181.13	22.0			
	8.8	3073	1.1	160.90	22.0			
	9.8	2742	1.3	143.57	22.0			
	10.5	2564	1.4	134.25	22.0			
	11.7	2311	1.5	121.02	22.0			
	14.1	1914	1.8	100.21	22.0			
	15.1	1788	2.0	93.60	22.0			
	16.7	1611	2.2	84.37	22.0	A603 - 132S/6B F603 - 132S/6B	121	134
	17.6	1528	2.3	79.98	22.0			
	20.2	1334	2.6	69.87	22.0	A603 - 132S/6B F603 - 132S/6B	121	134
	7.1	3786	0.9	134.25	22.0			
	7.9	3413	1.0	121.02	22.0			
	9.5	2826	1.2	100.21	22.0	A/F 603 - 112M/6 A/F 603 - 132S/6B	121	134
	10.2	2640	1.3	93.60	22.0			
	11.3	2379	1.5	84.37	22.0			
	11.9	2255	1.6	79.98	22.0			
	13.7	1970	1.8	69.87	22.0	A603 - 132S/6B F603 - 132S/6B	121	134
	17.1	1572	2.2	55.75	22.0			
	21.4	1287	3.9	44.67	30.0	A702 - 132S/6B F702 - 132S/6B	151	138
	11.1	2321	1.6	260.15	30.0	A703 - 100L/2A F703 - 100L/2A	128	138
	12.5	2064	1.8	231.34	30.0			
	13.9	1854	2.0	207.78	30.0			
	15.2	1691	2.2	189.54	30.0			
	16.7	1545	2.4	173.11	30.0			
	18.6	1387	2.7	155.48	30.0			
	19.9	1293	2.9	144.94	30.0			
	22.5	1145	3.3	128.35	30.0			
	24.3	1060	3.5	118.75	30.0			
	26.6	968	3.9	108.46	30.0	A703 - 100L/4B F703 - 100L/4B	131	138
	5.4	4969	1.0	260.15	30.0			
	6.1	4419	1.1	231.34	30.0			
	6.8	3969	1.3	207.78	30.0			
	7.4	3620	1.4	189.54	30.0			
	8.1	3306	1.5	173.11	30.0			
	9.1	2970	1.7	155.48	30.0			
	9.7	2768	1.8	144.94	30.0			
	11.0	2451	2.0	128.35	30.0			
	11.9	2268	2.2	118.75	30.0			
	13.0	2072	2.4	108.46	30.0			
	14.0	1917	2.6	100.38	30.0			
	15.7	1718	2.9	89.95	30.0			
	16.9	1592	3.1	83.35	30.0			
	19.1	1408	3.6	73.70	30.0			
	20.9	1286	3.9	67.31	30.0	A703 - 112M/6 F703 - 112M/6	137	138
	5.0	5345	0.9	189.54	30.0			
	5.5	4882	1.0	173.11	30.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
3.00	6.1	4385	1.1	155.48	30.0	A/F 703 - 112M/6 A/F 703 - 132S/6B	151	138
	6.6	4087	1.2	144.94	30.0			
	7.4	3620	1.4	128.35	30.0			
	8.0	3349	1.5	118.75	30.0			
	8.8	3058	1.6	108.46	30.0			
	9.5	2831	1.8	100.38	30.0			
	10.6	2537	2.0	89.95	30.0			
	11.5	2350	2.1	83.35	30.0			
	13.0	2078	2.4	73.70	30.0			
	14.2	1898	2.6	67.31	30.0			
	17.1	1572	3.2	55.75	30.0	A703 - 132S/6B F703 - 132S/6B	151	138
	20.9	1288	3.9	45.67	30.0			
	4.6	5802	1.4	205.73	55.0	A903 - 132S/6B F903 - 132S/6B	218	140
	5.1	5235	1.5	185.64	55.0			
	6.2	4345	1.8	154.07	55.0			
	6.9	3931	2.0	139.41	55.0			
	7.4	3620	2.2	128.36	55.0			
	8.2	3266	2.4	115.83	55.0			
	9.1	2944	2.7	104.41	55.0			
	9.9	2711	3.0	96.13	55.0			
	11.0	2437	3.3	86.43	55.0			
	12.1	2231	3.6	79.13	55.0			
	13.4	2013	4.0	71.40	55.0			
4.00	454.1	77	1.0	6.36	2.7	A252 - 100L/2C F252 - 100L/2C	36	114
	602.3	58	1.2	4.80	2.6			
	209.3	168	1.1	13.81	4.2	A302 - 100L/2C F302 - 100L/2C	38	118
	240.8	146	1.3	12.00	4.1			
	275.2	128	1.4	10.50	4.1			
	317.2	111	1.4	9.11	4.0			
	393.7	89	1.3	7.34	3.8			
	517.9	68	1.8	5.58	3.6	A/F 302 - 100L/2C A/F 302 - 112M/2A	45	118
	256.3	143	1.1	5.58	4.1	A302 - 112M/4B F302 - 112M/4B	47	118
	489.1	73	1.0	5.91	2.0	A351 - 100L/2C F351 - 100L/2C	33	120
	541.9	66	1.1	5.33	1.9			
	596.3	60	1.2	4.85	1.9			
	710.7	51	1.3	4.07	1.8			
	770.7	47	1.4	3.75	1.8	A/F 351 - 100L/2C A/F 351 - 112M/2A	40	120
	896.9	40	1.5	3.22	1.7			
	1103.1	33	1.6	2.62	1.6			
	1331.8	27	1.7	2.17	1.6			
	1993.1	18	2.5	1.45	1.4			
	2223.1	16	1.9	1.30	1.4			
	381.3	97	0.9	3.75	2.0	A351 - 112M/4B F351 - 112M/4B	42	120
	443.8	83	1.0	3.22	2.0			
	545.8	68	1.0	2.62	1.9			
	659.0	56	1.1	2.17	1.8			
	986.2	38	1.6	1.45	1.7			
	1100.0	34	1.2	1.30	1.6			
	100.0	351	1.0	28.89	6.2	A352 - 100L/2C F352 - 100L/2C	43	122
	108.7	323	1.1	26.59	6.3			
	115.0	306	1.2	25.13	6.4			
	131.2	268	1.3	22.03	6.4			
	142.3	247	1.4	20.31	6.5			
	157.9	223	1.6	18.30	6.1	A/F 352 - 100L/2C A/F 352 - 112M/2A	50	122
	171.2	205	1.6	16.88	6.0			
	199.0	177	1.8	14.52	5.9			
	246.2	143	2.0	11.74	5.6			
	296.4	119	2.3	9.75	5.4			
	331.0	106	2.4	8.73	5.3			
	409.3	86	2.5	7.06	5.0			
	493.2	71	2.7	5.86	4.8			

4.00 kW

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
4.00	78.1	469	1.0	18.30	6.5	A352 - 112M/4B F352 - 112M/4B	52	122
	84.7	433	1.0	16.88	6.4			
	98.5	372	1.2	14.52	6.4			
	121.8	301	1.3	11.74	6.3			
	146.7	250	1.5	9.75	6.1			
	163.8	224	1.5	8.73	6.0			
	202.5	181	1.6	7.06	5.8			
	244.0	150	1.7	5.86	5.6			
	350.3	103	1.2	8.25	3.5	A401 - 100L/2C F401 - 100L/2C	33	124
	400.2	90	1.4	7.22	3.4			
	504.4	71	1.8	5.73	3.2	A/F 401 - 100L/2C A/F 401 - 112M/2A	39	124
	559.0	64	2.0	5.17	3.1			
	616.2	58	2.1	4.69	3.0			
	735.4	49	2.3	3.93	2.8			
	798.3	45	2.5	3.62	2.8			
	929.3	39	2.5	3.11	2.7			
	1146.8	31	2.9	2.52	2.5			
	1389.4	26	3.5	2.08	2.4			
	2206.1	16	3.7	1.31	2.0			
	249.6	148	1.1	5.73	3.7	A401 - 112M/4B F401 - 112M/4B	42	124
	276.6	134	1.3	5.17	3.6			
	304.9	122	1.3	4.69	3.6			
	363.9	102	1.5	3.93	3.4			
	395.0	94	1.6	3.62	3.3			
	459.8	81	1.6	3.11	3.2			
	567.5	65	1.8	2.52	3.0			
	687.5	54	2.2	2.08	2.9			
	1091.6	34	2.4	1.31	2.5			
	63.7	552	1.2	45.38	12.0	A402 - 100L/2C F402 - 100L/2C	54	126
	72.8	483	1.3	39.72	12.0			
	79.3	443	1.4	36.44	12.0			
	91.7	383	1.7	31.50	12.0	A/F 402 - 100L/2C A/F 402 - 112M/2A	60	126
	100.0	351	1.7	28.89	12.0			
	114.2	308	2.1	25.30	12.0			
	126.1	279	2.3	22.91	12.0			
	144.9	242	2.6	19.94	11.7			
	166.4	211	2.9	17.37	11.3			
	180.5	195	3.1	16.01	11.1			
	199.3	176	3.0	14.50	10.8			
	232.3	151	3.5	12.44	10.4			
	252.2	139	3.5	11.46	10.2			
	314.1	112	4.0	9.20	9.6			
	45.4	808	1.1	31.50	12.0	A402 - 112M/4B F402 - 112M/4B	63	126
	49.5	741	1.1	28.89	12.0			
	56.5	649	1.3	25.30	12.0			
	62.4	588	1.4	22.91	12.0			
	71.7	511	1.7	19.94	12.0			
	82.3	445	1.9	17.37	12.0			
	89.3	411	1.9	16.01	12.0			
	98.6	372	1.9	14.50	12.0			
	115.0	319	2.2	12.44	12.0			
	124.8	294	2.2	11.46	12.0			
	155.4	236	2.5	9.20	11.5			
	171.6	214	2.8	8.33	11.2			
	198.1	185	3.0	7.22	10.8			
	246.7	149	3.7	5.80	10.2			
	272.4	135	3.7	5.25	9.9			
	41.9	875	1.0	22.91	12.0	A402 - 132M/6A F402 - 132M/6A	63	126
	48.2	762	1.1	19.94	12.0			
	55.3	664	1.3	17.37	12.0			
	60.0	612	1.3	16.01	12.0			
	66.2	554	1.3	14.50	12.0			
	77.1	475	1.5	12.44	12.0			
	83.8	438	1.5	11.46	12.0			
	104.3	351	1.7	9.20	12.0			
	115.2	318	1.9	8.33	12.0			
	133.0	276	2.0	7.22	12.0			
	165.6	221	2.5	5.80	11.4			
	182.9	201	2.5	5.25	11.1			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
4.00	58.2	591	1.1	49.64	3.1	A403 - 100L/2C F403 - 100L/2C	54	126
	337.6 380.3 468.6 514.7	106 94 77 70	2.5 2.8 3.3 3.5	8.56 7.60 6.17 5.62	4.0 3.9 3.7 3.6	A/F 501 - 100L/2C A/F 501 - 112M/2A	51	128
	167.1 188.2 231.9 254.7 302.1 352.3 378.5 433.3	222 197 160 146 123 105 98 86	1.6 1.8 2.1 2.3 2.6 3.0 3.2 3.6	8.56 7.60 6.17 5.62 4.73 4.06 3.78 3.30	4.0 4.0 4.0 4.0 4.0 4.0 3.9 3.8	A501 - 112M/4B F501 - 112M/4B	53	128
	112.2 126.3 155.7 171.0 202.8 236.5 254.1 290.9 371.6 488.4 658.8 724.9	330 293 238 217 183 157 146 127 100 76 56 51	1.1 1.2 1.4 1.5 1.8 2.0 2.1 2.4 2.8 3.0 3.9 3.9	8.56 7.60 6.17 5.62 4.73 4.06 3.78 3.30 2.58 1.97 1.46 1.32	4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 3.9 3.7 4.0 4.0	A501 - 132M/6A F501 - 132M/6A	73	128
	59.3 66.7 73.7 83.0 91.5 102.3 107.1	593 527 477 424 384 344 328	2.0 2.3 2.5 2.8 3.1 3.5 3.7	48.77 43.32 39.21 34.83 31.57 28.26 26.98	18.0 18.0 17.7 17.1 16.7 16.2 16.0	A/F 502 - 100L/2C A/F 502 - 112M/2A	78	130
	29.3 33.0 36.5 41.1 45.3 50.6 53.0 61.8 65.9 72.7 76.0 84.8 94.5 104.3	1251 1111 1006 893 810 725 692 593 556 504 482 432 388 352	1.3 1.4 1.6 1.8 2.0 2.2 2.3 2.7 2.9 3.2 3.1 3.5 3.9 4.0	48.77 43.32 39.21 34.83 31.57 28.26 26.98 23.14 21.69 19.66 18.81 16.86 15.13 13.71	18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 17.6 17.4 16.9 16.5 16.0	A502 - 112M/4B F502 - 112M/4B	80	130
	22.2 24.5 27.6 30.4 34.0 35.6 41.5 44.3 48.8 51.0 56.9 63.5 70.0 85.7 106.6 117.6 127.2 158.2 174.5	1655 1498 1331 1206 1080 1031 884 829 751 719 644 578 524 428 344 312 288 232 210	1.0 1.1 1.2 1.3 1.5 1.6 1.8 1.9 2.1 2.1 2.3 2.6 2.7 2.6 2.6 2.6 2.8 3.0 3.3	43.32 39.21 34.83 31.57 28.26 26.98 23.14 21.69 19.66 18.81 16.86 15.13 13.71 11.20 9.01 8.16 7.55 6.07 5.50	18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0 17.9 17.0 16.1 15.7 15.4 14.5 14.1	A502 - 132M/6A F502 - 132M/6A	100	130

4.00 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
4.00	29.5 33.9 36.7	1163 1015 936	1.2 1.3 1.4	97.80 85.33 78.64	18.0 18.0 18.0	A503 - 100L/2C F503 - 100L/2C	71	130
	40.6 51.4	848 669	1.6 1.8	71.27 56.21	18.0 18.0	A/F 503 - 100L/2C A/F 503 - 112M/2A	78	130
	20.1 25.4	1790 1411	1.0 1.1	71.27 56.21	18.0 18.0	A503 - 112M/4B F503 - 112M/4B	80	130
	172.3 191.8 232.4	215 193 159	3.0 3.4 4.0	8.30 7.45 6.15	5.0 5.0 5.0	A601 - 112M/4B F601 - 112M/4B	65	132
	115.7 128.8 156.0 184.6 199.5 224.4	320 288 238 201 186 165	2.0 2.3 2.7 3.1 3.3 3.7	8.30 7.45 6.15 5.20 4.81 4.28	5.0 5.0 5.0 5.0 5.0 5.0	A601 - 132M/6A F601 - 132M/6A	85	132
	56.8	619	4.0	50.91	22.0	A/F 602 - 100L/2C A/F 602 - 112M/2A	106	134
	28.1 31.6 35.0 37.6 42.3 47.1	1306 1161 1047 975 867 778	2.5 2.8 3.2 2.9 3.7 4.1	50.91 45.27 40.81 38.00 33.79 30.35	22.0 22.0 22.0 22.0 22.0 22.0	A602 - 112M/4B F602 - 112M/4B	108	134
	18.9 21.2 23.5 25.3 28.4 31.6 33.8 37.5 40.6 45.3	1965 1747 1575 1467 1304 1171 1095 987 913 817	1.7 1.9 2.1 1.9 2.5 2.7 3.0 3.3 3.6 3.9	50.91 45.27 40.81 38.00 33.79 30.35 28.36 25.57 23.66 21.17	22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0	A602 - 132M/6A F602 - 132M/6A	128	134
	14.9 16.0 18.0	2312 2155 1914	1.1 1.2 1.4	194.31 181.13 160.90	22.0 22.0 22.0	A603 - 100L/2C F603 - 100L/2C	99	134
	20.1 21.5 23.9 28.8 30.9 34.3 36.1 41.4	1708 1597 1440 1192 1113 1004 951 831	1.5 1.6 1.8 2.2 2.4 2.6 2.8 3.2	143.57 134.25 121.02 100.21 93.60 84.37 79.98 69.87	22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0	A/F 603 - 100L/2C A/F 603 - 112M/2A	106	134
	10.0 10.7 11.8 14.3 15.3 16.9 17.9 20.5	3605 3371 3039 2516 2350 2119 2008 1754	1.0 1.0 1.2 1.4 1.5 1.7 1.7 2.0	143.57 134.25 121.02 100.21 93.60 84.37 79.98 69.87	22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0	A603 - 112M/4B F603 - 112M/4B	108	134
	9.6 10.3 11.4 12.0 13.7 17.2	3748 3501 3156 2992 2613 2085	0.9 1.0 1.1 1.2 1.3 1.7	100.21 93.60 84.37 79.98 69.87 55.75	22.0 22.0 22.0 22.0 22.0 22.0	A603 - 132M/6A F603 - 132M/6A	128	134
	123.1 151.6	301 244	3.3 3.7	7.80 6.33	6.0 6.0	A701 - 132M/6A F701 - 132M/6A	88	136
	21.5 26.2 28.7	1706 1398 1277	2.9 3.6 3.9	44.67 36.60 33.43	30.0 30.0 30.0	A702 - 132M/6A F702 - 132M/6A	158	138

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
4.00	11.1 12.5	3095 2752	1.2 1.4	260.15 231.34	30.0 30.0	A703 - 100L/2C F703 - 100L/2C	129	138
	13.9 15.2 16.7 18.6 19.9 22.5 24.3 26.6 28.8 32.1 34.7	2472 2255 2059 1850 1724 1527 1413 1290 1194 1070 992	1.5 1.7 1.8 2.0 2.2 2.5 2.7 2.9 3.1 3.5 3.8	207.78 189.54 173.11 155.48 144.94 128.35 118.75 108.46 100.38 89.95 83.35	30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0	A/F 703 - 100L/2C A/F 703 - 112M/2A	135	138
	6.9 7.5 8.3 9.2 9.9 11.1 12.0 13.2 14.2 15.9 17.2 19.4 21.2	5217 4759 4347 3904 3640 3223 2982 2723 2521 2259 2093 1851 1690	1.0 1.1 1.2 1.3 1.4 1.6 1.7 1.8 2.0 2.2 2.4 2.7 3.0	207.78 189.54 173.11 155.48 144.94 128.35 118.75 108.46 100.38 89.95 83.35 73.70 67.31	30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0	A703 - 112M/4B F703 - 112M/4B	137	138
	7.5 8.1 8.9 9.6 10.7 11.5 13.0 14.3 17.2 21.0	4888 4522 4130 3822 3425 3174 2806 2563 2123 1739	1.0 1.1 1.2 1.3 1.5 1.6 1.8 2.0 2.4 2.9	128.35 118.75 108.46 100.38 89.95 83.35 73.70 67.31 55.75 45.67	30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0	A703 - 132M/6A F703 - 132M/6A	158	138
	4.7 5.2 6.2 6.9 7.5 8.3 9.2 10.0 11.1 12.1 13.4 15.2 16.2 17.9	7834 7069 5867 5309 4888 4411 3976 3661 3291 3013 2719 2400 2257 2043	1.0 1.1 1.4 1.5 1.6 1.8 2.0 2.2 2.4 2.7 2.9 3.3 3.5 3.9	205.73 185.64 154.07 139.41 128.36 115.83 104.41 96.13 86.43 79.13 71.40 63.02 59.26 53.66	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0	A903 - 132M/6A F903 - 132M/6A	235	140
4.80	259.0	170	0.9	5.58	3.8	A302 - 112M/4 F302 - 112M/4	47	118
	995.4 1109.0	44 40	1.4 1.0	1.45 1.30	1.6 1.6	A351 - 112M/4 F351 - 112M/4	42	120
	99.5 123.1 148.2 165.5 204.7 246.6	442 358 297 266 215 178	1.0 1.1 1.2 1.3 1.3 1.5	14.52 11.74 9.75 8.73 7.06 5.86	5.9 5.9 5.8 5.7 5.5 5.4	A352 - 112M/4 F352 - 112M/4	52	122

4.80 kW

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
4.80	252.2	176	1.0	5.73	3.6	A401 - 112M/4 F401 - 112M/4	42	124
	279.5	159	1.1	5.17	3.5			
	308.1	144	1.1	4.69	3.5			
	367.7	121	1.2	3.93	3.3			
	399.2	111	1.3	3.62	3.3			
	464.6	96	1.4	3.11	3.2			
	573.4	78	1.5	2.52	3.0			
	694.7	64	1.9	2.08	2.8			
	1103.1	40	2.0	1.31	2.5			
	57.1	770	1.1	25.30	12.0	A402 - 112M/4 F402 - 112M/4	63	126
	63.1	698	1.2	22.91	12.0			
	72.5	607	1.4	19.94	12.0			
	83.2	529	1.6	17.37	12.0			
	90.3	488	1.6	16.01	12.0			
	99.7	442	1.6	14.50	12.0			
	116.2	379	1.8	12.44	11.9			
	126.1	349	1.9	11.46	11.7			
	157.1	280	2.1	9.20	11.2			
	173.5	254	2.4	8.33	10.9			
	200.1	220	2.5	7.22	10.6			
	149.1	177	3.1	5.80	10.0			
	275.2	160	3.1	5.25	9.8			
	168.8	263	1.3	8.56	4.0	A501 - 112M/4 F501 - 112M/4	53	128
	190.1	234	1.5	7.60	4.0			
	234.2	190	1.8	6.17	4.0			
	257.1	173	1.9	5.62	4.0			
	305.3	146	2.2	4.73	4.0			
	356.0	125	2.6	4.06	4.0			
	382.5	116	2.7	3.78	3.9			
	437.9	102	3.1	3.30	3.7			
	559.4	79	3.5	2.58	3.5			
	29.6	1485	1.1	48.77	18.0	A502 - 112M/4 F502 - 112M/4	80	130
	33.4	1292	1.2	43.32	18.0			
	36.9	1169	1.4	39.21	18.0			
	41.5	1039	1.5	34.83	18.0			
	45.8	941	1.7	31.57	18.0			
	51.1	843	1.9	28.26	18.0			
	53.6	805	2.0	26.98	18.0			
	62.5	690	2.3	23.14	17.7			
	66.6	647	2.5	21.69	17.5			
	73.5	586	2.7	19.66	17.1			
	76.8	561	2.7	18.81	16.9			
	85.7	503	3.0	16.86	16.5			
	95.5	451	3.3	15.13	16.1			
	105.4	409	3.4	13.71	15.7			
	25.7	1676	1.0	56.21	18.0	A503 - 112M/4 F503 - 112M/4	80	130
	174.1	255	2.5	8.30	5.0	A601 - 112M/4 F601 - 112M/4	108	132
	193.8	229	2.8	7.45	5.0			
	234.8	189	3.4	6.15	5.0			
	277.9	160	3.9	5.20	5.0			
	28.4	1550	2.1	50.91	22.0	A602 - 112M/4 F602 - 112M/4	108	134
	31.9	1379	2.4	45.27	22.0			
	35.4	1243	2.7	40.81	22.0			
	38.0	1157	2.4	38.00	22.0			
	42.8	1029	3.1	33.79	22.0			
	47.6	924	3.5	30.35	22.0			
	50.9	864	3.8	28.36	22.0			
	11.9	3609	1.0	121.02	22.0	A603 - 112M/4 F603 - 112M/4	108	134
	14.4	2988	1.2	100.21	22.0			
	15.4	2791	1.3	93.60	22.0			
	17.1	2516	1.4	84.37	22.0			
	18.1	2385	1.5	79.98	22.0			
	20.7	2084	1.7	69.87	22.0			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
4.80	8.3	5162	1.0	173.11	30.0	A703 - 112M/4 F703 - 112M/4	137	138
	9.3	4636	1.1	155.48	30.0			
	10.0	4322	1.2	144.94	30.0			
	11.3	3827	1.3	128.35	30.0			
	12.2	3541	1.4	118.75	30.0			
	13.3	3234	1.5	108.46	30.0			
	14.4	2993	1.7	100.38	30.0			
	16.1	2682	1.9	89.95	30.0			
	17.3	2485	2.0	83.35	30.0			
	19.6	2198	2.3	73.70	30.0			
	21.5	2007	2.5	67.31	30.0			
5.50	519.6	93	1.3	5.58	3.4	A302 - 112M/2C F302 - 112M/2C	45	118
	773.3	64	1.1	3.75	1.7	A351 - 112M/2C F351 - 112M/2C	43	120
	900.0	55	1.1	3.22	1.6			
	1107.3	45	1.2	2.62	1.6			
	1338.5	37	1.2	2.17	1.5			
	1997.8	25	1.8	1.45	1.4			
	2225.6	22	1.4	1.30	1.3			
	158.5	305	1.1	18.30	5.6	A352 - 112M/2C F352 - 112M/2C	50	122
	171.9	281	1.2	16.88	5.5			
	199.8	242	1.3	14.52	5.4			
	247.1	196	1.5	11.74	5.3			
	297.4	162	1.7	9.75	5.1			
	332.2	145	1.8	8.73	5.0			
	410.9	118	1.8	7.06	4.8			
	494.6	98	2.0	5.86	4.6			
	506.3	98	1.3	5.73	3.0	A401 - 112M/2C F401 - 112M/2C	40	124
	561.3	88	1.4	5.17	3.0			
	618.0	80	1.5	4.69	2.9			
	737.3	67	1.7	3.93	2.8			
	800.0	62	1.8	3.63	2.7			
	932.1	53	1.8	3.11	2.6			
	1149.1	43	2.1	2.52	2.4			
	1392.0	35	2.5	2.08	2.3			
	2209.5	22	2.7	1.31	2.0			
	92.1	525	1.2	31.50	12.0	A402 - 112M/2C F402 - 112M/2C	61	126
	100.4	481	1.2	28.89	12.0			
	114.6	422	1.5	25.30	11.7	A/F 402 - 112M/2C A/F 402 - 132S/2A	74	126
	126.6	382	1.7	22.91	11.5			
	145.4	332	1.9	19.94	11.2			
	167.0	289	2.2	17.37	10.9			
	181.1	267	2.2	16.01	10.7			
	200.0	242	2.2	14.50	10.4			
	233.1	207	2.5	12.44	10.0			
	253.1	191	2.6	11.46	9.9			
	315.2	153	2.9	9.20	9.3			
	348.1	139	3.2	8.33	9.1			
	401.7	120	3.4	7.22	8.7			
	552.4	87	4.3	5.25	8.2			
	60.0	841	1.0	16.01	12.0	A402 - 132M/6B F402 - 132M/6B	88	126
	77.2	653	1.1	12.44	12.0			
	83.8	602	1.1	11.46	12.0			
	104.3	483	1.2	9.20	11.8			
	115.2	438	1.4	8.33	11.6			
	133.0	379	1.5	7.22	11.3			
	165.5	305	1.8	5.80	10.9			
	182.9	276	1.8	5.25	10.6			

5.50 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
5.50	57.1	883	1.0	25.30	12.0	A402 - 132S/4C F402 - 132S/4C	79	126
	63.1	799	1.1	22.91	12.0			
	72.5	696	1.2	19.94	12.0			
	83.2	606	1.4	17.37	12.0			
	90.3	559	1.4	16.01	12.0			
	99.7	506	1.4	14.50	11.9			
	116.2	434	1.6	12.44	11.6			
	126.1	400	1.6	11.46	11.4			
	157.1	321	1.9	9.20	10.9			
	173.5	291	2.1	8.33	10.7			
	200.1	252	2.2	7.22	10.4			
	249.1	202	2.7	5.80	9.8			
	275.2	183	2.7	5.25	9.6			
	338.8	146	1.8	8.56	4.0	A/F 501 - 112M/2C A/F 501 - 132S/2A	64	128
	381.6	129	2.0	7.60	3.8			
	470.0	105	2.4	6.17	3.7			
	516.0	96	2.6	5.62	3.6			
	613.1	81	3.0	4.73	3.3			
	714.3	69	3.5	4.06	3.2			
	767.2	64	3.6	3.78	3.1	A501 - 132M/6B F501 - 132M/6B	78	128
	155.7	327	1.0	6.17	4.0			
	171.0	298	1.1	5.62	4.0			
	202.8	251	1.3	4.73	4.0			
	236.5	215	1.5	4.06	4.0			
	254.1	200	1.5	3.78	4.0			
	290.9	175	1.8	3.30	4.0			
	371.6	137	2.0	2.58	3.9			
	488.4	104	2.2	1.97	3.6			
	658.8	77	2.8	1.46	3.3			
	724.9	70	2.8	1.32	3.2			
	168.8	302	1.2	8.56	4.0	A501 - 132S/4C F501 - 132S/4C	69	128
	190.1	268	1.3	7.60	4.0			
	234.2	218	1.6	6.17	4.0			
	257.1	198	1.7	5.62	4.0			
	305.5	167	1.9	4.73	4.0			
	355.9	143	2.2	4.06	3.9			
	382.3	133	2.3	3.78	3.8			
	437.9	116	2.7	3.30	3.7			
	560.1	91	3.1	2.58	3.4			
	733.5	69	3.3	1.97	3.2			
	59.5	813	1.5	48.77	17.5	A/F 502 - 112M/2C A/F 502 - 132S/2A	91	130
	66.9	722	1.7	43.32	17.2			
	74.0	653	1.8	39.21	16.8			
	83.3	580	2.1	34.83	16.4			
	91.9	526	2.3	31.57	16.0			
	102.6	471	2.5	28.26	15.6			
	107.5	450	2.7	26.98	15.5			
	125.3	386	3.1	23.14	14.9			
	133.7	361	3.3	21.69	14.7			
	147.5	328	3.7	19.66	14.3			
	154.2	313	3.6	18.81	14.1			
	172.0	281	4.0	16.86	13.7			
	30.4	1658	1.0	31.57	18.0	A502 - 132M/6B F502 - 132M/6B	105	130
	34.0	1484	1.1	28.26	18.0			
	35.6	1417	1.1	26.98	18.0			
	41.5	1215	1.3	23.14	18.0			
	44.3	1139	1.4	21.69	18.0			
	48.8	1033	1.5	19.66	18.0			
	51.0	988	1.5	18.81	17.9			
	56.9	886	1.7	16.86	17.6			
	63.5	794	1.9	15.13	17.3			
	70.0	720	1.9	13.71	16.9			
	85.7	588	1.9	11.20	16.3			
	106.6	473	1.9	9.01	15.5			
	117.6	429	1.9	8.16	15.1			
	127.2	396	2.0	7.55	14.8			
	158.2	319	2.2	6.07	14.1			
	174.5	289	2.4	5.50	13.7			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
5.50	29.6	1702	0.9	48.77	18.0	A502 - 132S/4C F502 - 132S/4C	96	130
	33.4	1512	1.1	43.32	18.0			
	36.9	1368	1.2	39.21	18.0			
	41.5	1215	1.3	34.83	18.0			
	45.8	1102	1.5	31.57	18.0			
	51.1	986	1.6	28.26	17.8			
	53.6	941	1.7	26.98	17.7			
	62.4	807	2.0	23.14	17.2			
	66.6	757	2.1	21.69	17.0			
	73.5	686	2.3	19.66	16.7			
	76.8	656	2.3	18.81	16.6			
	85.7	588	2.5	16.86	16.2			
	95.5	528	2.8	15.13	15.8			
	105.4	478	2.9	13.71	15.4			
	129.0	391	2.8	11.20	14.7			
	160.4	314	2.9	9.01	13.9			
	177.0	285	2.8	8.16	13.6			
	191.4	263	3.0	7.55	13.3			
	238.1	212	3.3	6.07	12.5			
	262.7	192	3.6	5.50	12.2			
	40.7	1162	1.2	71.27	18.0	A503 - 112M/2C F503 - 112M/2C	78	130
	51.6	916	1.3	56.21	18.0			
	349.4	141	3.4	8.30	5.0	A/F 601 - 112M/2C A/F 601 - 132S/2A	76	132
	389.0	127	3.8	7.45	4.9			
	115.7	440	1.5	8.30	5.0	A601 - 132M/6B F601 - 132M/6B	90	132
	128.8	396	1.6	7.45	5.0			
	156.0	327	2.0	6.15	5.0			
	184.6	276	2.2	5.20	5.0			
	199.5	255	2.4	4.81	5.0			
	224.4	227	2.7	4.28	5.0			
	263.0	194	3.1	3.65	5.0			
	297.5	171	3.5	3.23	5.0			
	174.1	293	2.2	8.30	5.0	A601 - 132S/4C F601 - 132S/4C	92	132
	193.8	263	2.5	7.45	5.0			
	234.8	217	2.9	6.15	5.0			
	277.9	183	3.4	5.20	5.0			
	300.3	170	3.7	4.81	5.0			
	337.8	151	4.0	4.28	5.0			
	57.0	848	2.9	50.91	22.0	A/F 602 - 112M/2C A/F 602 - 132S/2A	119	134
	64.1	754	3.3	45.27	22.0			
	71.1	680	3.6	40.81	22.0			
	76.3	633	3.3	38.00	22.0			
	18.9	2674	1.2	50.91	22.0	A602 - 132M/6B F602 - 132M/6B	133	134
	21.2	2378	1.4	45.27	22.0			
	23.5	2143	1.5	40.81	22.0			
	25.3	1996	1.4	38.00	22.0			
	28.4	1775	1.8	33.79	22.0			
	31.6	1594	2.0	30.35	22.0			
	33.8	1490	2.2	28.36	22.0			
	37.5	1343	2.5	25.57	22.0			
	40.6	1243	2.7	23.66	22.0			
	45.3	1112	2.9	21.17	22.0			
	49.0	1029	3.1	19.59	22.0			
	54.5	925	3.5	17.60	22.0			
	60.5	833	3.8	15.87	22.0			
	28.4	1777	1.9	50.91	22.0	A602 - 132S/4C F602 - 132S/4C	135	134
	31.9	1580	2.1	45.27	22.0			
	35.4	1424	2.3	40.81	22.0			
	38.0	1326	2.1	38.00	22.0			
	42.8	1179	2.7	33.79	22.0			
	47.6	1059	3.0	30.35	22.0			
	50.9	990	3.3	28.36	22.0			
	56.5	892	3.7	25.57	22.0			
	61.1	826	4.0	23.66	22.0			
	20.2	2340	1.1	143.57	22.0	A603 - 112M/2C F603 - 112M/2C	106	134
	21.6	2188	1.2	134.25	22.0			
	24.0	1973	1.3	121.02	22.0			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
5.50	28.9 31.0 34.4 36.3 41.5	1634 1526 1375 1304 1139	1.6 1.7 1.9 2.0 2.3	100.21 93.60 84.37 79.98 69.87	22.0 22.0 22.0 22.0 22.0	A/F 603 - 112M/2C A/F 603 - 132S/2A	119	134
	13.7 17.2	3593 2867	1.0 1.2	69.87 55.75	22.0 22.0	A603 - 132M/6B F603 - 132M/6B	133	134
	14.4 15.4 17.1 18.1 20.7 25.9	3424 3198 2883 2733 2387 1905	1.0 1.1 1.2 1.3 1.5 1.8	100.21 93.60 84.37 79.98 69.87 55.75	22.0 22.0 22.0 22.0 22.0 22.0	A603 - 132S/4C F603 - 132S/4C	135	134
	52.0	909	2.9	55.75	22.0	A603 - 132S/2A F603 - 132S/2A	119	134
	123.1 151.6 181.6 197.3 229.9	414 336 281 258 222	2.4 2.7 3.1 3.4 3.8	7.80 6.33 5.29 4.87 4.18	6.0 6.0 6.0 6.0 6.0	A701 - 132M/6B F701 - 132M/6B	93	136
	185.3 228.2	275 223	3.6 4.0	7.80 6.33	6.0 6.0	A701 - 132S/4C F701 - 132S/4C	84	136
	21.5 26.2 28.7 31.7 34.4 38.7	2346 1922 1756 1590 1464 1303	2.1 2.6 2.8 3.1 3.4 3.8	44.67 36.60 33.43 30.27 27.87 24.80	30.0 30.0 30.0 30.0 30.0 30.0	A702 - 132M/6B F702 - 132M/6B	163	138
	32.3 39.5	1559 1277	3.2 3.9	44.67 36.60	30.0 30.0	A702 - 132S/4C F702 - 132S/4C	154	138
	14.0 15.3 16.8	3387 3090 2822	1.1 1.2 1.3	207.78 189.54 173.11	30.0 30.0 30.0	A703 - 112M/2C F703 - 112M/2C	135	138
	18.7 20.0 22.6 24.4 26.7 28.9 32.2 34.8 39.3 43.1	2534 2363 2092 1936 1768 1636 1466 1359 1201 1097	1.5 1.6 1.8 1.9 2.1 2.3 2.6 2.8 3.1 3.4	155.48 144.94 128.35 118.75 108.46 100.38 89.95 83.35 73.70 67.31	30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0	A/F 703 - 112M/2C A/F 703 - 132S/2A	149	138
	9.6 10.7 11.5 13.0 14.3 17.2 21.0	5218 4675 4332 3831 3499 2898 2374	1.0 1.1 1.2 1.3 1.4 1.7 2.1	100.38 89.95 83.35 73.70 67.31 55.75 45.67	30.0 30.0 30.0 30.0 30.0 30.0 30.0	A703 - 132M/6B F703 - 132M/6B	163	138
	9.3 10.0 11.3 12.2 13.3 14.4 16.1 17.3 19.6 21.5 25.9 31.6	5313 4952 4386 4058 3706 3430 3073 2848 2518 2300 1905 1561	0.9 1.0 1.1 1.2 1.3 1.5 1.6 1.8 2.0 2.2 2.6 3.2	155.48 144.94 128.35 118.75 108.46 100.38 89.95 83.35 73.70 67.31 55.75 45.67	30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0	A703 - 132S/4C F703 - 132S/4C	154	138
	52.0	949	3.9	55.75	30.0	A703 - 132S/2A F703 - 132S/2A	149	138

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
5.50	6.2	7966	1.0	154.07	55.0	A903 - 132M/6B F903 - 132M/6B	238	140
	6.9	7208	1.1	139.41	55.0			
	7.5	6637	1.2	128.36	55.0			
	8.3	5989	1.3	115.83	55.0			
	9.2	5398	1.5	104.41	55.0			
	10.0	4970	1.6	96.13	55.0			
	11.1	4469	1.8	86.43	55.0			
	12.1	4091	2.0	79.13	55.0			
	13.4	3692	2.2	71.40	55.0			
	15.2	3258	2.5	63.02	55.0			
	16.2	3064	2.6	59.26	55.0	A903 - 132S/4C F903 - 132S/4C	221	140
	17.9	2775	2.9	53.66	55.0			
	7.0	7029	1.1	205.73	55.0			
	7.8	6343	1.3	185.64	55.0			
	9.4	5264	1.5	154.07	55.0			
	10.4	4763	1.7	139.41	55.0			
	11.3	4386	1.8	128.36	55.0			
	12.5	3958	2.0	115.83	55.0			
	13.8	3568	2.2	104.41	55.0			
	15.0	3285	2.4	96.13	55.0			
	16.7	2953	2.7	86.43	55.0	A903 - 132S/2A F903 - 132S/2A	216	140
	18.3	2704	3.0	79.13	55.0			
	20.2	2440	3.3	71.40	55.0			
	22.9	2153	3.7	63.02	55.0			
	24.4	2025	4.0	59.26	55.0			
	14.1	3354	1.8	205.73	55.0			
	15.6	3026	2.0	185.64	55.0			
	18.8	2511	2.4	154.07	55.0			
	20.8	2273	2.6	139.41	55.0			
	22.6	2092	2.9	128.36	55.0			
	25.0	1888	3.2	115.83	55.0	A402 - 132M/4B F402 - 132M/4B	90	126
	27.8	1702	3.5	104.41	55.0			
	30.2	1567	3.8	96.13	55.0			
	83.5	824	1.0	17.37	10.8			
	90.6	759	1.1	16.01	10.8			
	100.0	688	1.0	14.50	10.8			
	116.6	590	1.2	12.44	10.6			
	126.5	543	1.2	11.46	10.5			
	157.6	436	1.4	9.20	10.2			
	174.1	395	1.5	8.33	10.1	A402 - 132S/2C F402 - 132S/2C	81	126
	200.8	342	1.6	7.22	9.8			
	250.0	275	2.0	5.80	9.4			
	276.2	249	2.0	5.25	9.2			
	126.6	521	1.2	22.91	10.6			
	145.5	453	1.4	19.94	10.4			
	166.9	395	1.6	17.37	10.2			
	181.1	364	1.6	16.01	10.1			
	200.0	329	1.6	14.50	9.9			
	233.0	283	1.9	12.44	9.6			
	253.1	260	1.9	11.46	9.4	A501 - 132M/4B F501 - 132M/4B	80	128
	315.2	209	2.2	9.20	9.0			
	348.0	189	2.4	8.33	8.8			
	401.7	164	2.5	7.22	8.5			
	500.3	132	3.1	5.80	8.0			
	552.4	119	3.1	5.25	7.8			
	190.8	364	1.0	7.60	4.0			
	235.0	296	1.2	6.17	4.0			
	258.0	269	1.2	5.62	4.0			
	306.6	227	1.4	4.73	4.0			
	357.1	195	1.6	4.06	3.8			
	383.6	181	1.7	3.78	3.7			
	439.4	158	2.0	3.30	3.6			
	562.0	124	2.3	2.58	3.4			
	736.0	94	2.4	1.97	3.1			
	993.2	70	3.1	1.46	2.8			
	1098.5	63	3.2	1.32	2.8			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	$\frac{mm}{mm}$
7.50	338.8	199	1.3	8.56	3.9	A501 - 132S/2C F501 - 132S/2C	71	128
	381.6	176	1.5	7.60	3.7			
	470.0	143	1.8	6.17	3.5			
	516.0	130	1.9	5.62	3.4			
	613.1	110	2.2	4.73	3.3			
	714.3	94	2.5	4.06	3.1			
	767.2	88	2.6	3.78	3.1			
	878.8	77	3.0	3.30	3.0			
	1124.0	60	3.5	2.58	2.8			
	1472.1	46	3.8	1.97	2.7			
	41.6	1652	1.0	34.83	16.3	A502 - 132M/4B F502 - 132M/4B	107	130
	45.9	1497	1.1	31.57	16.3			
	51.3	1340	1.2	28.26	16.2			
	53.7	1279	1.3	26.98	16.1			
	62.7	1097	1.5	23.14	15.9			
	66.9	1029	1.6	21.69	15.8			
	73.8	932	1.7	19.66	15.5			
	77.1	892	1.7	18.81	15.4			
	86.0	800	1.9	16.86	15.2			
	95.8	717	2.1	15.13	14.9			
	105.8	650	2.2	13.71	14.6			
	129.5	531	2.1	11.20	14.0			
	160.9	427	2.1	9.01	13.4			
	177.7	387	2.1	8.16	13.1			
	192.1	358	2.2	7.55	12.8			
	238.9	288	2.4	6.07	12.1			
	263.6	261	2.7	5.50	12.1			
	59.5	1108	1.1	48.77	16.2	A502 - 132S/2C F502 - 132S/2C	98	130
	66.9	984	1.2	43.32	15.9			
	74.0	891	1.3	39.21	15.7			
	83.3	791	1.5	34.83	15.4			
	91.9	717	1.7	31.57	15.1			
	102.6	642	1.9	28.26	14.8			
	107.5	613	2.0	26.98	14.7			
	125.3	526	2.3	23.14	14.2			
	133.7	493	2.4	21.69	14.0			
	147.5	447	2.7	19.66	13.7			
	154.2	427	2.6	18.81	13.6			
	172.0	383	2.9	16.86	13.2			
	191.7	344	3.3	15.13	12.9			
	211.6	311	3.4	13.71	12.6			
	258.8	255	3.2	11.20	11.9			
	321.9	205	3.3	9.01	11.3			
	355.2	186	3.2	8.16	11.0			
	384.2	172	3.5	7.55	10.7			
	477.8	138	3.8	6.07	10.1			
	41.5	1657	1.0	23.14	16.2	A502 - 160M/6B F502 - 160M/6B	139	130
	44.3	1554	1.0	21.69	16.2			
	48.8	1408	1.1	19.66	16.2			
	51.0	1347	1.1	18.81	16.1			
	56.9	1208	1.2	16.86	16.0			
	63.5	1083	1.4	15.13	15.9			
	70.0	982	1.4	13.71	15.7			
	85.7	802	1.4	11.20	15.2			
	106.6	645	1.4	9.01	14.7			
	117.6	585	1.4	8.16	14.4			
	127.2	541	1.5	7.55	14.1			
	158.2	435	1.6	6.07	13.5			
	174.5	394	1.8	5.50	13.2			
	174.7	398	1.6	8.30	5.0	A601 - 132M/4B F601 - 132M/4B	92	132
	194.6	357	1.8	7.45	5.0			
	235.8	295	2.2	6.15	5.0			
	278.8	249	2.5	5.20	5.0			
	301.3	231	2.7	4.81	5.0			
	339.0	205	3.0	4.28	5.0			
	397.3	175	3.4	3.65	4.8			
	449.3	155	3.9	3.23	4.7			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~ 	 mm
7.50	349.4 389.0 471.3 557.7 602.6	193 173 143 121 112	2.5 2.8 3.4 3.9 4.2	8.30 7.45 6.15 5.20 4.81	5.0 4.9 4.6 4.4 4.5	A601 - 132S/2C F601 - 132S/2C	83	132
	115.7 128.8 156.0 184.6 199.5 224.4 263.0 297.5 392.7 480.0	601 539 445 376 348 310 264 234 177 145	1.1 1.2 1.4 1.6 1.8 2.0 2.3 2.6 3.1 3.1	8.30 7.45 6.15 5.20 4.81 4.28 3.65 3.23 2.44 2.00	5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 4.8 4.6	A601 - 160M/6B F601 - 160M/6B	92	132
	28.5 32.0 35.5 38.2 42.9 47.8 51.1 56.7 61.3 68.5 74.0 82.4	2414 2147 1935 1802 1602 1439 1345 1212 1122 1004 929 835	1.4 1.5 1.7 1.6 2.0 2.2 2.5 2.7 2.9 3.2 3.4 3.8	50.91 45.27 40.81 38.00 33.79 30.35 28.36 25.57 23.66 21.17 19.59 17.60	22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0	A602 - 132M/4B F602 - 132M/4B	135	134
	57.0 64.1 71.1 76.3 85.8 95.5 102.2	1157 1029 927 863 768 690 644	2.1 2.4 2.7 2.4 3.1 3.5 3.8	50.91 45.27 40.81 38.00 33.79 30.35 28.36	22.0 22.0 22.0 22.0 22.0 21.9 21.6	A602 - 132S/2C F602 - 132S/2C	126	134
	21.2 23.5 25.3 28.4 31.6 33.8 37.5 40.6 45.3 49.0 54.5 60.5 73.1 88.0 97.6	3243 2923 2722 2420 2174 2032 1831 1695 1516 1403 1261 1137 941 781 704	1.0 1.1 1.0 1.3 1.5 1.6 1.8 1.9 2.1 2.3 2.5 2.8 3.3 3.8 4.0	45.27 40.81 38.00 33.79 30.35 28.36 25.57 23.66 21.17 19.59 17.60 15.87 13.14 10.91 9.83	22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 22.0 21.8	A602 - 160M/6B F602 - 160M/6B	169	134
	18.1 20.8 26.0	3714 3244 2589	0.9 1.1 1.4	79.98 69.87 55.75	22.0 22.0 22.0	A603 - 132M/4B F603 - 132M/4B	135	134
	28.9 31.0 34.4 36.3 41.5 52.0	2228 2081 1875 1778 1553 1239	1.2 1.3 1.4 1.5 1.7 2.1	100.21 93.60 84.37 79.98 69.87 55.75	22.0 22.0 22.0 22.0 22.0 22.0	A603 - 132S/2C F603 - 132S/2C	126	134
	185.9 228.9 274.3 297.9	374 303 253 233	2.7 3.0 3.5 3.7	7.80 6.33 5.29 4.87	6.0 6.0 6.0 6.0	A701 - 132M/4B F701 - 132M/4B	95	136

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
7.50	123.1	564	1.8	7.80	6.0	A701 - 160M/6B F701 - 160M/6B	129	136
	151.6	458	2.0	6.33	6.0			
	181.6	383	2.3	5.29	6.0			
	197.3	352	2.5	4.87	6.0			
	229.9	302	2.8	4.18	6.0			
	264.3	263	3.2	3.63	6.0			
	300.9	231	3.6	3.19	6.0			
	320.0	217	3.7	3.00	6.0			
	32.5	2118	2.4	44.67	30.0	A702 - 132M/4B F702 - 132M/4B	165	138
	39.6	1736	2.9	36.60	30.0			
	43.4	1585	3.2	33.43	30.0			
	47.9	1436	3.5	30.27	30.0			
	52.0	1322	3.8	27.87	30.0			
	64.9	1015	3.7	44.67	30.0	A702 - 132S/2C F702 - 132S/2C	156	138
	21.5	3200	1.6	44.67	30.0	A702 - 160M/6B F702 - 160M/6B	199	138
	26.2	2621	1.9	36.60	30.0			
	28.7	2394	2.1	33.43	30.0			
	31.7	2168	2.3	30.27	30.0			
	34.4	1996	2.5	27.87	30.0			
	38.7	1776	2.8	24.80	30.0			
	42.0	1636	3.1	22.84	30.0			
	46.0	1494	3.3	20.86	30.0			
	49.0	1404	3.6	19.60	30.0			
	55.9	1231	3.9	17.18	30.0			
	13.4	5036	1.0	108.46	30.0	A703 - 132M/4B F703 - 132M/4B	165	138
	14.4	4661	1.1	100.38	30.0			
	16.1	4177	1.2	89.95	30.0			
	17.4	3870	1.3	83.35	30.0			
	19.7	3422	1.5	73.70	30.0			
	21.5	3125	1.6	67.31	30.0			
	26.0	2588	1.9	55.75	30.0			
	31.7	2121	2.4	45.67	30.0			
	18.7	3456	1.1	155.48	30.0	A703 - 132S/2C F703 - 132S/2C	156	138
	20.0	3222	1.2	144.94	30.0			
	22.6	2853	1.3	128.35	30.0			
	24.4	2640	1.4	118.75	30.0			
	26.7	2411	1.6	108.46	30.0			
	28.9	2231	1.7	100.38	30.0			
	32.2	2000	1.9	89.95	30.0			
	34.8	1853	2.0	83.35	30.0			
	39.3	1638	2.3	73.70	30.0			
	43.1	1496	2.5	67.31	30.0			
	52.0	1239	3.0	55.75	30.0	A703 - 160M/6B F703 - 160M/6B	199	138
	63.5	1015	3.7	45.67	30.0			
	13.0	5169	1.0	73.70	30.0			
	14.3	4721	1.1	67.31	30.0			
	17.2	3910	1.3	55.75	30.0	A902 - 160M/6B F902 - 160M/6B	266	140
	21.0	3203	1.6	45.67	30.0			
	22.6	3042	2.6	42.47	55.0			
	25.0	2745	2.9	38.33	55.0	A903 - 132M/4B F903 - 132M/4B	227	140
	30.2	2278	3.5	31.81	55.0			
	9.4	7154	1.1	154.07	55.0			
	10.4	6473	1.2	139.41	55.0			
	11.3	5960	1.3	128.36	55.0			
	12.5	5378	1.5	115.83	55.0			
	13.9	4848	1.7	104.41	55.0			
	15.1	4464	1.8	96.13	55.0			
	16.8	4013	2.0	86.43	55.0			
	18.3	3674	2.2	79.13	55.0			
	20.3	3315	2.4	71.40	55.0			
	23.0	2926	2.7	63.02	55.0			
	24.5	2751	2.9	59.26	55.0			
	27.0	2492	3.2	53.66	55.0			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
7.50	14.1	4573	1.3	205.73	55.0	A903 - 132S/2C F903 - 132S/2C	223	140
	15.6	4126	1.5	185.64	55.0			
	18.8	3425	1.8	154.07	55.0			
	20.8	3099	1.9	139.41	55.0			
	22.6	2853	2.1	128.36	55.0			
	25.0	2575	2.3	115.83	55.0			
	27.8	2321	2.6	104.41	55.0			
	30.2	2137	2.8	96.13	55.0			
	33.6	1921	3.1	86.43	55.0			
	36.6	1759	3.4	79.13	55.0			
	40.6	1587	3.8	71.40	55.0			
	8.3	8210	1.0	115.83	55.0	A903 - 160M/6B F903 - 160M/6B	266	140
	9.2	7400	1.1	104.41	55.0			
	10.0	6813	1.2	96.13	55.0			
	11.1	6126	1.3	86.43	55.0			
	12.1	5608	1.4	79.13	55.0			
	13.4	5061	1.6	71.40	55.0			
	15.2	4467	1.8	63.02	55.0			
	16.2	4200	1.9	59.26	55.0			
	17.9	3803	2.1	53.66	55.0			
	19.8	3437	2.3	48.50	55.0			
9.20	181.1	446	1.3	16.01	9.6	A402 - 132M/2 F402 - 132M/2	90	126
	200.0	404	1.3	14.50	9.4			
	233.0	347	1.5	12.44	9.2			
	253.1	319	1.5	11.46	9.1			
	315.2	256	1.8	9.20	8.7			
	348.0	232	1.9	8.33	8.5			
	401.7	201	2.1	7.22	8.2			
	500.3	162	2.6	5.80	7.8			
	552.4	146	2.6	5.25	7.6			
	116.5	724	1.0	12.44	9.8	A402 - 132M/4 F402 - 132M/4	90	126
	126.5	667	1.0	11.46	9.8			
	157.6	535	1.1	9.20	9.6			
	174.1	485	1.2	8.33	9.5			
	200.8	420	1.3	7.22	9.3			
	250.0	337	1.6	5.80	9.0			
	276.2	305	1.6	5.25	8.8			
	339.0	244	1.1	8.56	3.8	A501 - 132M/2 F501 - 132M/2	80	128
	381.6	216	1.2	7.60	3.7			
	470.3	176	1.5	6.17	3.4			
	516.4	160	1.5	5.62	3.3			
	612.7	135	1.8	4.73	3.2			
	714.5	116	2.1	4.06	3.1			
	767.6	108	2.2	3.78	3.0			
	878.8	94	2.5	3.30	2.9			
	1122.6	74	2.9	2.58	2.7			
	1475.4	56	3.1	1.97	2.6			
	1990.2	41	4.0	1.46	2.4	A501 - 132M/4 F501 - 132M/4	80	128
	2189.8	38	4.0	1.32	2.3			
	235.0	363	0.9	6.17	4.0			
	258.0	330	1.0	5.62	4.0			
	306.6	278	1.2	4.73	3.8			
	357.1	239	1.3	4.06	3.7			
	383.6	222	1.4	3.78	3.6			
	439.4	194	1.6	3.30	3.5			
	562.0	152	1.8	2.58	3.3			
	736.0	116	2.0	1.97	3.1			
	993.2	86	2.6	1.46	2.8	A502 - 132M/2 F502 - 132M/2	107	130
	1098.5	78	2.6	1.32	2.7			
	74.0	1093	1.1	39.21	14.7			
	83.3	971	1.2	34.83	14.6			
	91.9	880	1.4	31.57	14.4			
	102.6	788	1.5	28.26	14.1			
	107.5	752	1.6	26.98	14.0			
	125.3	645	1.9	23.14	13.7			
	133.7	605	2.0	21.69	13.5			
	147.5	548	2.2	19.66	13.3			
	154.2	524	2.1	18.81	13.1			
	172.0	470	2.4	16.86	12.8			

9.20 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
9.20	191.7	422	2.7	15.13	12.5	A502 - 132M/2 F502 - 132M/2	107	130
	211.6	382	2.7	13.71	12.3			
	258.8	312	2.6	11.20	11.7			
	321.9	251	2.7	9.01	11.0			
	355.2	228	2.6	8.16	10.8			
	384.2	210	2.9	7.55	10.5			
	477.8	169	3.1	6.07	9.9			
	527.2	153	3.4	5.50	9.7			
	51.3	1644	1.0	28.26	14.8	A502 - 132M/4 F502 - 132M/4	107	130
	53.7	1569	1.0	26.98	14.8			
	62.7	1346	1.2	23.14	14.7			
	66.9	1262	1.3	21.69	14.7			
	73.8	1144	1.4	19.66	14.6			
	77.1	1094	1.4	18.81	14.5			
	86.0	981	1.5	16.86	14.3			
	95.8	880	1.7	15.13	14.1			
	105.8	798	1.8	13.71	13.9			
	129.5	651	1.7	11.20	13.5			
	160.9	524	1.7	9.01	12.9			
	177.7	475	1.7	8.16	12.7			
	192.1	439	1.8	7.55	12.4			
	238.9	353	2.0	6.07	11.8			
	263.6	320	2.2	5.50	11.6			
	349.4	236	2.1	8.30	5.0	A601 - 132M/2 F601 - 132M/2	92	132
	389.3	212	2.3	7.45	4.8			
	471.5	175	2.7	6.15	4.6			
	557.7	148	3.1	5.20	4.3			
	602.9	137	3.4	4.81	4.2			
	677.9	122	3.8	4.28	4.0	A601 - 132M/4 F601 - 132M/4	92	132
	174.7	488	1.3	8.30	5.0			
	194.6	438	1.5	7.45	5.0			
	235.8	361	1.8	6.15	5.0			
	278.8	306	2.0	5.20	5.0			
	301.5	283	2.2	4.81	5.0			
	339.0	251	2.4	4.28	5.0			
	397.3	215	2.8	3.65	4.8			
	449.3	190	3.2	3.23	4.6			
	593.2	144	3.8	2.44	4.3			
	725.0	118	3.8	2.00	4.2			
	57.0	1419	1.7	50.91	22.0	A602 - 132M/2 F602 - 132M/2	135	134
	64.1	1262	2.0	45.27	22.0			
	71.1	1137	2.2	40.81	22.0			
	76.3	1059	2.0	38.00	22.0			
	85.8	942	2.5	33.79	21.8			
	95.6	846	2.8	30.35	21.3			
	102.3	790	3.1	28.36	21.0			
	113.4	713	3.5	25.57	20.5			
	122.6	660	3.8	23.66	20.1			
	137.0	590	4.1	21.17	19.6			
	28.5	2961	1.1	50.91	22.0	A602 - 132M/4 F602 - 132M/4	135	134
	32.0	2633	1.3	45.27	22.0			
	35.5	2374	1.4	40.81	22.0			
	38.2	2210	1.3	38.00	22.0			
	42.9	1966	1.6	33.79	22.0			
	47.8	1765	1.8	30.35	22.0			
	51.1	1650	2.0	28.36	22.0			
	56.7	1487	2.2	25.57	22.0			
	61.3	1376	2.4	23.66	22.0			
	68.5	1232	2.6	21.17	22.0			
	74.0	1140	2.8	19.59	22.0			
	82.4	1024	3.1	17.60	21.9			
	91.4	923	3.5	15.87	21.4			
	110.4	764	4.1	13.14	20.5			
	34.4	2301	1.1	84.37	22.0	A603 - 132M/2 F603 - 132M/2	135	134
	36.3	2181	1.2	79.98	22.0			
	41.5	1905	1.4	69.87	22.0			
	52.0	1520	1.7	55.75	22.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
9.20	26.0	3175	1.1	55.75	22.0	A603 - 132M/4 F603 - 132M/4	135	134
	371.8 458.1	222 180	3.4 3.7	7.80 6.33	6.0 5.8	A701 - 132M/2 F701 - 132M/2	95	136
	185.9 229.1 274.3 297.9 347.2 399.3	458 372 311 286 245 213	2.2 2.4 2.8 3.0 3.5 4.0	7.80 6.33 5.29 4.87 4.18 3.63	6.0 6.0 6.0 6.0 6.0 6.0	A701 - 132M/4 F701 - 132M/4	95	136
	64.9 79.2 86.8	1245 1020 932	3.0 3.7 4.0	44.67 36.60 33.43	30.0 30.0 30.0	A702 - 132M/2 F702 - 132M/2	165	138
	32.5 39.6 43.4 47.9 52.0 58.5 63.5	2598 2129 1945 1761 1621 1443 1328	1.9 2.3 2.6 2.8 3.1 3.5 3.8	44.67 36.60 33.43 30.27 27.87 24.80 22.84	30.0 30.0 30.0 30.0 30.0 30.0 30.0	A702 - 132M/4 F702 - 132M/4	165	138
	22.6 24.4 26.7 28.9 32.2 34.8 39.3 43.1 52.0 63.5	3500 3238 2957 2737 2453 2273 2010 1835 1520 1245	1.1 1.2 1.3 1.4 1.5 1.7 1.9 2.0 2.5 3.0	128.35 118.75 108.46 100.38 89.95 83.35 73.70 67.31 55.75 45.67	30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0	A703 - 132M/2 F703 - 132M/2	165	138
	16.1 17.4 19.7 21.5 26.0 31.7	5123 4747 4198 3834 3175 2601	1.0 1.1 1.2 1.3 1.6 1.9	89.95 83.35 73.70 67.31 55.75 45.67	30.0 30.0 30.0 30.0 30.0 30.0	A703 - 132M/4 F703 - 132M/4	165	138
	14.1 15.6 18.8 20.8 22.6 25.0 27.8 30.2 33.6 36.6 40.6 46.0 48.9 54.0	5610 5062 4201 3801 3500 3158 2847 2621 2357 2158 1947 1718 1616 1463	1.1 1.2 1.4 1.6 1.7 1.9 2.1 2.3 2.5 2.8 3.1 3.5 3.7 4.1	205.73 185.64 154.07 139.41 128.36 115.83 104.41 96.13 86.43 79.13 71.40 63.02 59.26 53.66	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 54.4 53.5 52.1	A903 - 132M/2 F903 - 132M/2	227	140
	10.4 11.3 12.5 13.9 15.1 16.8 18.3 20.3 23.0 24.5 27.0	7940 7311 6597 5947 5475 4923 4507 4067 3589 3375 3056	1.0 1.1 1.2 1.3 1.5 1.6 1.8 2.0 2.2 2.4 2.6	139.41 128.36 115.83 104.41 96.13 86.43 79.13 71.40 63.02 59.26 53.66	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0	A903 - 132M/4 F903 - 132M/4	227	140

11.0 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
11.0	315.2	307	1.5	9.20	8.4	A402 - 132M/2A F402 - 132M/2A	86	126
	348.0	278	1.6	8.33	8.2			
	401.7	241	1.7	7.22	7.6			
	500.3	193	2.1	5.80	7.5			
	174.0	580	1.0	8.33	8.9	A402 - 132M/4C F402 - 132M/4C	89	126
	200.9	502	1.1	7.22	8.8			
	250.1	403	1.4	5.80	8.6			
	276.2	365	1.4	5.25	8.5			
	470.3	210	1.2	6.17	3.4	A501 - 132M/2A F501 - 132M/2A	75	128
	516.4	191	1.3	5.62	3.3			
	612.7	161	1.5	4.73	3.2			
	714.5	138	1.7	4.06	3.1			
	767.6	129	1.8	3.78	3.0			
	878.8	112	2.1	3.30	2.9			
	1122.6	88	2.4	2.58	2.7			
	1475.4	67	2.6	1.97	2.5			
	1990.2	50	3.3	1.46	2.3			
	2189.8	45	3.3	1.32	2.2			
	306.3	333	1.0	4.73	3.7	A501 - 132M/4C F501 - 132M/4C	78	128
	357.2	285	1.1	4.06	3.6			
	383.8	265	1.2	3.78	3.6			
	439.4	232	1.3	3.30	3.4			
	561.3	182	1.5	2.58	3.2			
	737.7	138	1.7	1.97	3.0			
	995.1	102	2.1	1.46	2.8			
	1094.9	93	2.1	1.32	2.7			
	83.3	1161	1.0	34.83	13.7	A502 - 132M/2A F502 - 132M/2A	102	130
	91.9	1052	1.1	31.57	13.6			
	102.6	942	1.3	28.26	13.4			
	107.5	899	1.3	26.98	13.3			
	125.3	771	1.6	23.14	13.1			
	133.7	723	1.7	21.69	13.0			
	147.5	655	1.8	19.66	12.8			
	154.2	627	1.8	18.81	12.7			
	172.0	562	2.0	16.86	12.4			
	191.7	504	2.2	15.13	12.1			
	211.6	457	2.3	13.71	11.9			
	258.8	373	2.2	11.20	11.4			
	321.9	300	2.2	9.01	10.8			
	355.2	272	2.2	8.16	10.6			
	384.2	252	2.4	7.55	10.3			
	477.8	202	2.6	6.07	9.8			
	527.2	183	2.9	5.50	9.5			
	62.7	1609	1.0	23.14	13.5	A/F 502 - 132M/4C A/F 502 - 160M/4B	139	130
	66.9	1509	1.1	21.69	13.5			
	73.8	1367	1.2	19.66	13.5			
	77.1	1308	1.1	18.81	13.5			
	86.0	1173	1.3	16.86	13.4			
	95.8	1052	1.4	15.13	13.3			
	105.8	954	1.5	13.71	13.2			
	129.5	779	1.4	11.20	12.9			
	160.9	627	1.4	9.01	12.4			
	177.7	568	1.4	8.16	12.2			
	192.1	525	1.5	7.55	12.0			
	238.9	422	1.7	6.07	11.5			
	263.6	383	1.8	5.50	11.3			
	63.5	1589	0.9	15.13	13.4	A502 - 160L/6B F502 - 160L/6B	152	130
	70.0	1440	1.0	13.71	13.4			
	85.7	1177	0.9	11.20	13.4			
	106.5	947	1.0	9.01	13.2			
	117.6	857	0.9	8.16	13.1			
	127.2	793	1.0	7.55	12.9			
	158.2	638	1.1	6.07	12.5			
	174.5	578	1.2	5.50	12.3			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
11.0	349.4	283	1.7	8.30	4.9	A601 - 132M/2A F601 - 132M/2A	87	132
	389.3	254	1.9	7.45	4.8			
	471.5	209	2.3	6.15	4.6			
	557.7	177	2.6	5.20	4.3			
	602.9	164	2.8	4.81	4.2			
	677.6	146	3.1	4.28	4.0			
	794.5	124	3.6	3.65	3.9			
	898.6	110	4.1	3.23	3.9			
	174.7	583	1.1	8.30	5.0	A/F 601 - 132M/4C A/F 601 - 160M/4B	126	132
	194.6	524	1.2	7.45	5.0			
	235.8	432	1.5	6.15	5.0			
	278.8	365	1.7	5.20	5.0			
	301.5	338	1.8	4.81	5.0			
	338.8	301	2.0	4.28	4.9			
	397.3	257	2.3	3.65	4.7			
	449.3	227	2.6	3.23	4.6			
	593.2	172	3.2	2.44	4.2	A601 - 160L/6B F601 - 160L/6B	139	132
	725.0	141	3.2	2.00	4.0			
	156.0	653	1.0	6.15	5.0			
	184.6	552	1.1	5.20	5.0			
	199.5	511	1.2	4.81	5.0			
	224.4	454	1.3	4.28	5.0			
	263.0	387	1.5	3.65	5.0			
	297.5	343	1.8	3.23	5.0			
	392.7	259	2.1	2.44	4.7	A602 - 132M/2A F602 - 132M/2A	130	134
	480.0	212	2.1	2.00	4.5			
	693.3	147	3.1	1.38	4.0			
	756.9	135	3.0	1.27	3.9			
	57.0	1697	1.5	50.91	22.0			
	64.1	1509	1.6	45.27	22.0			
	71.1	1360	1.8	40.81	21.8			
	76.3	1266	1.7	38.00	21.5			
	85.8	1126	2.1	33.79	21.1	A602 - 132M/4C F602 - 132M/4C	169	134
	95.5	1011	2.4	30.35	20.6			
	102.2	945	2.6	28.36	20.3			
	113.4	852	2.9	25.57	19.9			
	122.6	789	3.1	23.66	19.6			
	137.0	706	3.4	21.17	19.1			
	148.0	653	3.7	19.59	18.7			
	164.7	587	4.1	17.60	18.3			
	38.2	2643	1.1	38.00	22.0	A/F 602 - 132M/4C A/F 602 - 160M/4B	169	134
	32.0	3149	1.0	45.27	22.0			
	35.5	2838	1.2	40.81	22.0			
	42.9	2350	1.4	33.79	22.0			
	47.8	2111	1.5	30.35	22.0			
	51.1	1972	1.7	28.36	22.0			
	56.7	1778	1.9	25.57	22.0			
	61.3	1646	2.0	23.66	22.0			
	68.5	1472	2.2	21.17	21.7			
	74.0	1362	2.3	19.59	21.4			
	82.4	1224	2.6	17.60	21.1			
	91.4	1104	2.9	15.87	20.7			
	110.4	914	3.4	13.14	19.9			
	132.9	759	4.0	10.91	19.1			
	147.5	684	4.1	9.83	18.7			

11.0 kW

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
11.0	31.6	3188	1.0	30.35	22.0	A602 - 160L/6B F602 - 160L/6B	182	134
	33.8	2980	1.1	28.36	22.0			
	37.5	2686	1.2	25.57	22.0			
	40.6	2486	1.3	23.66	22.0			
	45.3	2224	1.4	21.17	22.0			
	49.0	2058	1.6	19.59	22.0			
	54.5	1849	1.7	17.60	22.0			
	60.5	1667	1.9	15.87	22.0			
	73.1	1380	2.2	13.14	21.5			
	88.0	1146	2.6	10.91	20.9			
	97.6	1033	2.7	9.83	20.5	A603 - 132M/2A F603 - 132M/2A	130	134
	117.9	855	2.9	8.14	19.7			
	138.8	727	3.2	6.92	19.1			
	154.0	655	3.1	6.24	18.6			
	185.9	542	3.3	5.16	17.8			
	41.5	2278	1.2	69.87	22.0			
	52.0	1818	1.4	55.75	22.0			
	371.8	266	2.8	7.80	6.0	A701 - 132M/2A F701 - 132M/2A	90	136
	458.1	216	3.1	6.33	5.8			
	548.2	180	3.7	5.29	5.5			
	595.9	166	3.9	4.87	5.7			
	185.9	548	1.8	7.80	6.0			
	229.1	445	2.0	6.33	6.0			
	274.1	372	2.4	5.29	6.0			
	297.9	342	2.5	4.87	6.0			
	347.2	294	2.9	4.18	6.0			
	399.3	255	3.3	3.63	6.0			
	454.5	224	3.7	3.19	5.8	A/F 701 - 132M/4C A/F 701 - 160M/4B	128.5	136
	483.3	211	3.8	3.00	5.7			
	123.1	828	1.2	7.80	6.0			
	151.6	672	1.3	6.33	6.0			
	181.6	561	1.6	5.29	6.0			
	197.3	517	1.7	4.87	6.0			
	229.9	443	1.9	4.18	6.0			
	264.3	385	2.2	3.63	6.0			
	300.9	339	2.4	3.19	6.0			
	320.0	318	2.5	3.00	6.0			
	381.0	267	3.0	2.52	6.0	A701- 160L/6B F701 - 160L/6B	129	136
	471.9	216	3.5	2.03	5.7			
	522.1	195	3.6	1.84	5.9			
	64.9	1489	2.5	44.67	30.0			
	79.2	1220	3.1	36.60	30.0			
	86.7	1114	3.4	33.43	30.0			
	95.8	1009	3.7	30.27	30.0			
	104.0	929	4.0	27.87	30.0			
	32.5	3107	1.6	44.67	30.0			
	39.6	2546	2.0	36.60	30.0			
	43.4	2325	2.2	33.43	30.0	A/F 702 - 132M/4C A/F 702 - 160M/4B	199	138
	47.9	2105	2.4	30.27	30.0			
	52.0	1939	2.6	27.87	30.0			
	58.5	1725	2.9	24.80	30.0			
	63.5	1588	3.1	22.84	30.0			
	69.5	1451	3.4	20.86	30.0			
	74.0	1363	3.7	19.60	30.0			
	84.4	1195	4.0	17.18	30.0			
	21.5	4693	1.1	44.67	30.0			
	26.2	3845	1.3	36.60	30.0			
	28.7	3512	1.4	33.43	30.0	A702 - 160L/6B F702 - 160L/6B	199	138
	31.7	3180	1.6	30.27	30.0			
	34.4	2928	1.7	27.87	30.0			
	38.7	2605	1.9	24.80	30.0			
	42.0	2399	2.1	22.84	30.0			
	46.0	2191	2.3	20.86	30.0			
	49.0	2059	2.4	19.60	30.0			
	55.9	1805	2.7	17.18	30.0			
	68.2	1479	3.1	14.08	30.0			
	74.7	1351	3.3	12.86	30.0			
	91.2	1106	3.6	10.53	30.0			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
11.0	26.7	3536	1.1	108.46	30.0	A703 - 132M/2A F703 - 132M/2A	160	138
	28.9	3272	1.1	100.38	30.0			
	32.2	2933	1.3	89.95	30.0			
	34.8	2717	1.4	83.35	30.0			
	39.3	2403	1.6	73.70	30.0			
	43.1	2194	1.7	67.31	30.0			
	52.0	1817	2.1	55.75	30.0			
	63.5	1489	2.5	45.67	30.0			
	19.7	5019	1.0	73.70	30.0	A/F 703 - 132M/4C A/F 703 - 160M/4B	199	138
	21.5	4584	1.1	67.31	30.0			
	26.0	3797	1.3	55.75	30.0			
	31.7	3110	1.6	45.67	30.0			
	21.0	4798	1.0	45.67	30.0	A703 - 160L/6B F703 - 160L/6B	212	138
	22.6	4462	1.8	42.47	55.0	A902 - 160L/6B F902 - 160L/6B	284	140
	25.0	4026	2.0	38.33	55.0			
	30.2	3341	2.4	31.81	55.0			
	36.4	2771	2.9	26.38	55.0			
	40.3	2500	3.2	23.80	55.0			
	48.6	2075	3.9	19.75	52.8			
	34.1	2954	2.7	42.47	55.0	A902 - 160M/4B F902 - 160M/4B	266	140
	37.8	2666	3.0	38.33	55.0			
	45.6	2212	3.6	31.81	53.3			
	18.8	5023	1.2	154.07	55.0	A903 - 132M/2A F903 - 132M/2A	237	140
	20.8	4545	1.3	139.41	55.0			
	22.6	4185	1.4	128.36	55.0			
	25.0	3776	1.6	115.83	55.0			
	27.8	3404	1.8	104.41	55.0			
	30.2	3134	1.9	96.13	55.0			
	33.6	2818	2.1	86.43	55.0			
	36.6	2580	2.3	79.13	55.0			
	40.6	2328	2.6	71.40	55.0			
	46.0	2055	2.9	63.02	55.0			
	48.9	1932	3.1	59.26	55.0			
	54.0	1749	3.4	53.66	55.0			
	12.5	7888	1.0	115.83	55.0	A/F 903 - 132M/4C A/F 903 - 160M/4B	266	140
	13.9	7110	1.1	104.41	55.0			
	15.1	6547	1.2	96.13	55.0			
	16.8	5886	1.4	86.43	55.0			
	18.3	5389	1.5	79.13	55.0			
	20.3	4862	1.6	71.40	55.0			
	23.0	4292	1.9	63.02	55.0			
	24.5	4036	2.0	59.26	55.0			
	27.0	3654	2.2	53.66	55.0			
	12.1	8226	1.0	79.13	55.0	A903 - 160L/6B F903 - 160L/6B	284	140
	13.4	7422	1.1	71.40	55.0			
	15.2	6551	1.2	63.02	55.0			
	16.2	6160	1.3	59.26	55.0			
	17.9	5578	1.4	53.66	55.0			
	19.8	5042	1.6	48.50	55.0			
	29.9	3303	2.4	48.50	55.0	A903 - 160M/4B F903 - 160M/4B	266	140
15.0	86.0	1599	0.9	16.86	11.4	A502 - 160L/4A F502 - 160L/4A	148	130
	95.8	1435	1.0	15.13	11.6			
	105.8	1300	1.1	13.71	11.6			
	129.5	1062	1.0	11.20	11.6			
	160.9	855	1.1	9.01	11.4			
	177.7	774	1.0	8.16	11.3			
	192.1	716	1.1	7.55	11.2			
	238.9	576	1.2	6.07	10.8			
	263.6	522	1.3	5.50	10.6			

15.0 kW

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
15.0	235.8	589	1.1	6.15	5.0	A601 - 160L/4A F601 - 160L/4A	135	132
	278.8	498	1.2	5.20	5.0			
	301.5	461	1.3	4.81	4.9			
	338.8	410	1.5	4.28	4.7			
	397.3	350	1.7	3.65	4.6			
	448.9	310	1.9	3.23	4.4			
	593.2	234	2.3	2.44	4.1			
	725.0	192	2.3	2.00	3.9			
	1047.2	133	3.4	1.38	3.5			
	1143.3	122	3.3	1.27	3.4			
	225.6	616	1.0	4.28	5.0	A601 - 180L/6A F601 - 180L/6A	167	132
	264.4	526	1.1	3.65	5.0			
	299.0	465	1.3	3.23	4.9			
	394.8	352	1.6	2.44	4.6			
	482.5	288	1.6	2.00	4.3			
	696.9	199	2.3	1.38	3.9			
	760.9	183	2.2	1.27	3.8			
	42.9	3205	1.0	33.79	19.4	A602 - 160L/4A F602 - 160L/4A	178	134
	47.8	2878	1.1	30.35	19.6			
	51.1	2690	1.2	28.36	19.6			
	56.7	2425	1.4	25.57	19.7			
	61.3	2244	1.5	23.66	19.7			
	68.5	2008	1.6	21.17	19.6			
	74.0	1858	1.7	19.59	19.5			
	82.4	1669	1.9	17.60	19.3			
	91.4	1505	2.1	15.87	19.1			
	110.4	1246	2.5	13.14	18.6			
	132.9	1035	2.9	10.91	18.0			
	147.5	932	3.0	9.83	17.7			
	178.1	772	3.2	8.14	17.0			
	209.5	656	3.5	6.92	16.5			
	232.4	592	3.4	6.24	16.1			
	281.0	489	3.7	5.16	15.4			
	40.8	3372	1.0	23.66	19.0	A602 - 180L/6A F602 - 180L/6A	210	134
	45.6	3017	1.1	21.17	19.3			
	49.3	2792	1.1	19.59	19.5			
	54.8	2508	1.3	17.60	19.6			
	60.8	2262	1.4	15.87	19.6			
	73.4	1873	1.7	13.14	19.4			
	88.5	1555	1.9	10.91	19.1			
	98.2	1401	2.0	9.83	18.9			
	118.6	1160	2.2	8.14	18.4			
	139.5	986	2.3	6.92	18.0			
	154.6	889	2.2	6.24	17.6			
	187.0	735	2.4	5.16	17.0			
	185.9	747	1.3	7.80	6.0	A701 - 160L/4A F701 - 160L/4A	138	136
	229.1	607	1.5	6.33	6.0			
	274.1	507	1.7	5.29	6.0			
	297.7	467	1.9	4.87	6.0			
	346.9	401	2.1	4.18	6.0			
	399.3	348	2.4	3.63	5.9			
	454.5	306	2.7	3.19	5.7			
	483.3	287	2.8	3.00	5.6			
	575.4	241	3.3	2.52	5.3			
	712.7	195	3.8	2.03	5.3			
	788.6	176	4.0	1.84	5.1			
	152.4	912	1.0	6.33	6.0	A701 - 180L/6A F701 - 180L/6A	170	136
	182.6	761	1.2	5.29	6.0			
	198.3	701	1.2	4.87	6.0			
	231.1	601	1.4	4.18	6.0			
	265.7	523	1.6	3.63	6.0			
	302.5	459	1.8	3.19	6.0			
	321.7	432	1.9	3.00	6.0			
	382.9	363	2.2	2.52	6.0			
	474.3	293	2.6	2.03	5.6			
	524.8	265	2.6	1.84	5.5			
	668.1	208	3.4	1.44	5.1			
	768.1	181	3.6	1.26	5.2			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
15.0	32.5	4237	1.2	44.67	30.0	A702 - 160L/4A F702 - 160L/4A	208	138
	39.6	3471	1.4	36.60	30.0			
	43.4	3171	1.6	33.43	30.0			
	47.9	2871	1.7	30.27	30.0			
	52.0	2643	1.9	27.87	30.0			
	58.5	2352	2.1	24.80	30.0			
	63.5	2166	2.3	22.84	30.0			
	69.5	1978	2.5	20.86	30.0			
	74.0	1859	2.7	19.60	30.0			
	84.4	1630	2.9	17.18	30.0			
	103.0	1335	3.4	14.08	29.8			
	112.8	1219	3.6	12.86	29.2			
	137.7	999	4.0	10.53	27.8			
	26.4	5216	1.0	36.60	30.0	A702 - 180L/6A F702 - 180L/6A	240	138
	28.9	4764	1.0	33.43	30.0			
	31.9	4314	1.2	30.27	30.0			
	34.6	3972	1.3	27.87	30.0			
	38.9	3535	1.4	24.80	30.0			
	42.3	3254	1.5	22.84	30.0			
	46.3	2972	1.7	20.86	30.0			
	49.2	2793	1.8	19.60	30.0			
	56.2	2449	2.0	17.18	30.0			
	68.6	2006	2.3	14.08	30.0			
	75.1	1832	2.4	12.86	30.0			
	91.6	1501	2.7	10.53	30.0			
	111.8	1230	3.1	8.63	29.5			
	122.5	1123	3.3	7.88	28.8			
	134.1	1025	3.5	7.20	28.2	A703 - 160L/4A F703 - 160L/4A	208	138
	163.7	840	3.8	5.90	26.8			
	179.2	767	3.9	5.38	26.2	A902 - 160L/4A F902 - 160L/4A	284	140
	26.0	5177	1.0	55.75	30.0			
	31.7	4241	1.2	45.67	30.0			
	34.1	4028	2.0	42.47	53.6			
	37.8	3635	2.2	38.33	52.6			
	45.6	3017	2.7	31.81	50.7	A902 - 180L/6A F902 - 180L/6A	305	140
	55.0	2502	3.2	26.38	48.7			
	60.9	2257	3.5	23.80	47.6			
	22.7	6052	1.3	42.47	55.0			
	25.2	5462	1.5	38.33	55.0			
	30.3	4533	1.8	31.81	54.8			
	36.6	3759	2.1	26.38	53.1			
	40.5	3392	2.4	23.80	52.2			
	48.9	2815	2.8	19.75	50.3	A903 - 160L/4A F903 - 160L/4A	284	140
	56.2	2448	3.2	17.18	48.8			
	62.3	2209	3.5	15.50	47.7			
	75.0	1833	4.0	12.86	45.7			
	16.8	8026	1.0	86.43	55.0			
	18.3	7348	1.1	79.13	55.0			
	20.3	6631	1.2	71.40	55.0			
	23.0	5852	1.4	63.02	55.0	A903 - 180L/6A F903 - 180L/6A	305	140
	24.5	5503	1.5	59.26	55.0			
	27.0	4983	1.6	53.66	55.0			
18.5	29.9	4504	1.8	48.50	54.9	A601 - 180M/4B F601 - 180M/4B	171	132
	16.3	8269	1.0	59.26	55.0			
	18.0	7488	1.1	53.66	55.0			
	19.9	6768	1.2	48.50	55.0			
	278.8	615	1.0	5.20	4.8			
	301.5	568	1.1	4.81	4.8			
	338.8	506	1.2	4.28	4.6			
	397.3	431	1.4	3.65	4.5			
	448.9	382	1.6	3.23	4.3			
	594.3	288	1.9	2.44	4.0			
	725.0	236	1.9	2.00	3.8			
	1050.7	163	2.8	1.38	3.5			
	1141.7	150	2.7	1.27	3.4			

18.5 kW

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	$K_g \sim$	
18.5	51.1	3317	1.0	28.36	17.1	A602 - 180M/4B F602 - 180M/4B	214	134
	56.7	2991	1.1	25.57	17.4			
	61.3	2768	1.2	23.66	17.6			
	68.5	2476	1.3	21.17	17.7			
	74.0	2291	1.4	19.59	17.7			
	82.4	2059	1.6	17.60	17.7			
	91.4	1856	1.7	15.87	17.7			
	110.4	1537	2.0	13.14	17.4			
	132.9	1276	2.4	10.91	17.1			
	147.5	1150	2.4	9.83	16.8			
	178.1	952	2.6	8.14	16.3			
	209.5	809	2.8	6.92	15.8			
	232.4	730	2.7	6.24	15.5			
	281.0	604	3.0	5.16	14.9			
	185.9	922	1.1	7.80	6.0	A701 - 180M/4B F701 - 180M/4B	174	136
	229.1	748	1.2	6.33	6.0			
	274.1	625	1.4	5.29	6.0			
	297.7	576	1.5	4.87	6.0			
	346.9	494	1.7	4.18	6.0			
	399.4	429	2.0	3.63	5.9			
	454.5	377	2.2	3.19	5.6			
	483.3	355	2.3	3.00	5.5			
	575.4	298	2.7	2.52	5.3			
	712.7	240	3.1	2.03	4.9			
	788.6	217	3.2	1.84	4.8			
	199.3	860	1.0	4.87	6.0	A701 - 200L/6B F701 - 200L/6B	219	136
	232.3	738	1.2	4.18	6.0			
	267.1	642	1.3	3.63	6.0			
	304.0	564	1.5	3.19	6.0			
	323.3	530	1.5	3.00	6.0			
	384.9	445	1.8	2.52	5.9			
	476.8	359	2.1	2.03	5.6			
	527.5	325	2.2	1.84	5.4			
	671.5	255	2.7	1.44	5.0			
	772.0	222	2.9	1.26	4.8			
	32.5	5225	1.0	44.67	30.0	A702 - 180M/4B F702 - 180M/4B	244	138
	39.6	4281	1.2	36.60	30.0			
	43.4	3910	1.3	33.43	30.0			
	47.9	3541	1.4	30.27	30.0			
	52.0	3260	1.5	27.87	30.0			
	58.5	2901	1.7	24.80	30.0			
	63.5	2672	1.9	22.84	30.0			
	69.5	2440	2.0	20.86	30.0			
	74.0	2293	2.2	19.60	30.0			
	84.4	2010	2.4	17.18	30.0			
	103.0	1647	2.8	14.08	28.8			
	112.8	1504	2.9	12.86	28.3			
	137.7	1232	3.2	10.53	27.0			
	168.0	1009	3.8	8.63	25.8			
	184.0	922	4.0	7.88	25.2			
	34.8	4873	1.0	27.87	30.0	A702 - 200L/6B F702 - 200L/6B	289	138
	42.5	3994	1.3	22.84	30.0			
	46.5	3647	1.4	20.86	30.0			
	49.5	3427	1.5	19.60	30.0			
	56.5	3004	1.6	17.18	30.0			
	68.9	2462	1.9	14.08	30.0			
	75.4	2249	2.0	12.86	30.0			
	92.1	1841	2.2	10.53	29.6			
	112.4	1509	2.5	8.63	28.5			
	123.1	1378	2.7	7.88	27.9			
	134.7	1259	2.9	7.20	27.4			
	164.4	1032	3.1	5.90	26.1			
	180.3	941	3.2	5.38	25.6			
	31.7	5231	1.0	45.67	30.0	A703 - 180M/4B F703 - 180M/4B	244	138

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~	mm
18.5	34.1	4968	1.6	42.47	50.6	A902 - 180M/4B F902 - 180M/4B	309	140
	37.8	4483	1.8	38.33	49.9			
	45.6	3721	2.2	31.81	48.5			
	55.0	3085	2.6	26.38	46.9			
	60.9	2784	2.9	23.80	46.0			
	73.4	2310	3.5	19.75	44.2			
	84.4	2009	3.9	17.18	42.8			
	22.8	7427	1.1	42.47	52.1	A902 - 200L/6B F902 - 200L/6B	360	140
	25.3	6701	1.2	38.33	51.9			
	30.5	5562	1.4	31.81	51.3			
	36.8	4612	1.7	26.38	50.3			
	40.8	4162	1.9	23.80	49.6			
	49.1	3454	2.3	19.75	48.1			
	56.5	3004	2.6	17.18	46.9			
	62.6	2710	2.9	15.50	46.0			
	75.4	2249	3.2	12.86	44.3			
	94.4	1797	4.0	10.28	42.1			
	104.6	1622	4.0	9.28	41.1			
	126.0	1346	3.9	7.70	39.2			
	140.8	1205	4.2	6.89	38.2			
	20.3	8178	1.0	71.40	52.9	A903 - 180M/4B F903 - 180M/4B	309	140
	23.0	7218	1.1	63.02	52.7			
	24.5	6787	1.2	59.26	52.6			
	27.0	6146	1.3	53.66	52.2			
	29.9	5555	1.4	48.50	51.7			
22.0	398.6	511	1.2	3.65	4.4	A601 - 180L/4B F601 - 180L/4B	179	132
	450.8	452	1.3	3.23	4.2			
	596.3	342	1.6	2.44	4.0			
	727.5	280	1.6	2.00	3.8			
	1054.3	193	2.3	1.38	3.4			
	1145.7	178	2.2	1.27	3.3			
	61.5	3280	1.0	23.66	15.5	A602 - 180L/4B F602 - 180L/4B	222	134
	68.7	2935	1.1	21.17	15.8			
	74.3	2716	1.2	19.59	16.0			
	82.7	2440	1.3	17.60	16.2			
	91.7	2200	1.5	15.87	16.3			
	110.7	1822	1.7	13.14	16.3			
	133.4	1512	2.0	10.91	16.1			
	148.0	1363	2.1	9.83	16.0			
	178.7	1128	2.2	8.14	15.6			
	210.3	959	2.4	6.92	15.2			
	233.2	865	2.3	6.24	15.0			
	282.0	715	2.5	5.16	14.5			
	229.9	887	1.0	6.33	6.0	A701 - 180L/4B F701 - 180L/4B	182	136
	275.0	741	1.2	5.29	6.0			
	298.8	682	1.3	4.87	6.0			
	348.1	585	1.5	4.18	6.0			
	400.8	508	1.7	3.63	5.8			
	456.1	447	1.8	3.19	5.6			
	485.0	420	1.9	3.00	5.5			
	577.4	353	2.3	2.52	5.2			
	716.7	284	2.6	2.03	4.9			
	790.8	258	2.7	1.84	4.8			
	1007.3	202	3.5	1.44	4.4			
	1158.1	176	3.7	1.26	4.2			
	232.3	877	1.0	4.18	6.0	A701 - 200L/6C F701 - 200L/6C	229	136
	267.1	763	1.1	3.63	6.0			
	304.0	670	1.2	3.19	6.0			
	323.3	630	1.3	3.00	6.0			
	384.9	529	1.5	2.52	5.8			
	476.8	427	1.8	2.03	5.5			
	527.5	386	1.8	1.84	5.3			
	671.5	303	2.3	1.44	5.0			
	772.0	264	2.5	1.26	4.8			

P_1 [kW]	n_2 [Min ⁻¹]	M_2 [Nm]	f_B	i_{ges}	F_R [kN]	Tip / Type / Typ Tipo / Type / Tipo	 Kg ~	 mm
22.0	39.8	5074	1.0	36.60	30.0	A702 - 180L/4B F702 - 180L/4B	252	138
	43.5	4634	1.1	33.43	30.0			
	48.1	4196	1.2	30.27	30.0			
	52.2	3863	1.3	27.87	30.0			
	58.7	3438	1.5	24.80	29.9			
	63.7	3166	1.6	22.84	29.7			
	69.8	2892	1.7	20.86	29.4			
	74.2	2717	1.8	19.60	29.2			
	84.7	2382	2.0	17.18	28.7			
	103.3	1952	2.4	14.08	27.8			
	113.1	1783	2.5	12.86	27.3			
	138.2	1460	2.7	10.53	26.3			
	168.6	1196	3.2	8.63	25.2			
	184.6	1092	3.4	7.88	24.7			
	202.1	998	3.6	7.20	24.1			
	246.6	818	3.9	5.90	23.0			
	270.4	746	4.0	5.38	22.4			
	42.5	4749	1.1	22.84	30.0	A702 - 200L/6C F702 - 200L/6C	299	138
	46.5	4338	1.2	20.86	30.0			
	49.5	4076	1.2	19.60	30.0			
	56.5	3572	1.3	17.18	30.0			
	68.9	2928	1.6	14.08	29.5			
	75.4	2674	1.6	12.86	29.2			
	92.1	2190	1.8	10.53	28.4			
	112.4	1794	2.1	8.63	27.5			
	123.1	1639	2.3	7.88	27.0			
	134.7	1497	2.4	7.20	26.5			
	164.4	1227	2.6	5.90	25.5			
	180.3	1119	2.7	5.38	25.0			
	34.3	5888	1.4	42.47	47.7	A902 - 180L/4B F902 - 180L/4B	317	140
	38.0	5313	1.5	38.33	47.3			
	45.7	4410	1.8	31.81	46.3			
	55.2	3657	2.2	26.38	45.1			
	61.1	3299	2.4	23.80	44.3			
	73.7	2738	2.9	19.75	42.8			
	84.7	2381	3.3	17.18	41.6			
	93.9	2149	3.6	15.50	40.7			
	113.1	1783	4.1	12.86	39.1	A902 - 200L/6C F902 - 200L/6C	370	140
	25.3	7970	1.0	38.33	47.3			
	30.5	6614	1.2	31.81	46.3			
	36.8	5485	1.5	26.38	45.1			
	40.8	4949	1.6	23.80	44.3			
	49.1	4107	1.9	19.75	46.0			
	56.5	3572	2.2	17.18	45.1			
	62.6	3223	2.4	15.50	44.3			
	75.4	2675	2.7	12.86	42.9			
	94.4	2137	3.4	10.28	41.0			
	104.6	1929	3.4	9.28	40.1			
	126.0	1601	3.3	7.70	38.4			
	140.8	1433	3.5	6.89	37.4	A903 - 180L/4B F903 - 180L/4B	317	140
	156.0	1293	3.8	6.22	36.5			
	23.1	8554	0.9	63.02	48.5			
	24.6	8044	1.0	59.26	48.6			
30.0	27.1	7284	1.1	53.66	48.6	A701 - 200L/4C F701 - 200L/4C	240	136
	30.0	6583	1.2	48.50	48.4			
	299.8	927	0.9	4.87	6.0			
	349.3	796	1.1	4.18	5.8			
	402.2	691	1.2	3.63	5.6			
	457.7	607	1.4	3.19	5.4			
	486.7	571	1.4	3.00	5.3			
	579.4	480	1.7	2.52	5.1			
	719.2	386	1.9	2.03	4.8			
	793.5	350	2.0	1.84	4.7			
	1013.9	274	2.6	1.44	4.3			
	1158.7	240	2.7	1.26	4.2			

P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [kN]	Tip / Type / Typ Tipo / Type / Tipo	kg ~ 	 mm
30.0	52.4	5250	1.0	27.87	25.5	A702 - 200L/4C F702 - 200L/4C	310	138
	63.9	4303	1.2	22.84	25.9			
	70.0	3930	1.3	20.86	26.0			
	74.5	3692	1.4	19.60	26.0			
	85.0	3236	1.5	17.18	25.8			
	103.7	2652	1.7	14.08	25.5			
	113.5	2423	1.8	12.86	25.2			
	138.7	1984	2.0	10.53	24.5			
	169.2	1626	2.3	8.63	23.7			
	185.3	1484	2.5	7.88	23.3			
	202.8	1356	2.7	7.20	22.9			
	247.5	1111	2.9	5.90	22.0			
	271.4	1014	3.0	5.38	21.5			
	34.4	8001	1.0	42.47	40.9	A902 - 200L/4C F902 - 200L/4C	381	140
	38.1	7221	1.1	38.33	41.2			
	45.9	5992	1.3	31.81	41.3			
	55.3	4970	1.6	26.38	40.9			
	61.3	4484	1.8	23.80	40.5			
	73.9	3721	2.2	19.75	39.7			
	85.0	3236	2.4	17.18	38.9			
	94.2	2920	2.7	15.50	38.3			
	113.5	2423	3.0	12.86	37.0			
	142.0	1936	3.7	10.28	35.4			
	157.4	1747	3.7	9.28	34.6			
	189.7	1450	3.7	7.70	33.1			
	211.9	1298	3.9	6.89	32.3			
	234.8	1171	4.2	6.22	31.5			
37.0	45.9	7391	1.1	31.81	36.8	A902 - 225S/4A F902 - 225S/4A	431	140
	55.3	6129	1.3	26.38	37.2			
	61.3	5530	1.4	23.80	37.2			
	73.9	4589	1.7	19.75	36.9			
	85.0	3992	2.0	17.18	36.5			
	94.2	3601	2.2	15.50	36.1			
	113.5	2988	2.4	12.86	35.2			
	142.0	2388	3.0	10.28	33.9			
	157.3	2156	3.0	9.28	33.3			
	189.6	1789	3.0	7.70	32.1			
	211.9	1601	3.1	6.89	31.3			
	234.7	1445	3.4	6.22	30.6			
	282.9	1199	3.8	5.16	29.3			
45.0	55.3	7454	1.1	26.38	33.0	A902 - 225M/4C F902 - 225M/4C	468	140
	61.3	6725	1.2	23.80	33.4			
	73.9	5581	1.4	19.75	33.8			
	85.0	4855	1.6	17.18	33.8			
	94.2	4380	1.8	15.50	33.6			
	113.5	3634	2.0	12.86	33.2			
	142.0	2905	2.5	10.28	32.3			
	157.3	2622	2.5	9.28	31.8			
	189.6	2176	2.4	7.70	30.8			
	211.9	1947	2.6	6.89	30.2			
	234.7	1758	2.8	6.22	29.6			
	282.9	1458	3.2	5.16	28.5			